

ZIPP 6-13-26 with 0.50% PHOSTEMIC-D*

Each 100 pounds contains 0.50 pounds PHOSTEMIC-D together with 99.50 pounds of ZIPP 6-13-26.

STATEMENT OF INGREDIENTS FOR PEST CONTROL

ACTIVE INGREDIENT	
0,0-Diethyl S-[2-(ethylthio)ethyl] phosphorodithioate †	0.50%
INERT INGREDIENTS Relative to Pest Control	99.50%

*PHOSTEMIC-D is a systemic pesticide which penetrates by absorption and is translocated in the plant. The active ingredient is released slowly, giving long protection during the plant's susceptible early life.

† Known under the trademark DI-SYSTON, a registered trademark of Farbenfabriken Bayer A.G., Chemagro Corporation Licensee. U.S. Patent No. 2,759,010.

CAUTION

KEEP OUT OF REACH OF CHILDREN

POISONOUS IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN OR EYES
Rapidly absorbed through skin.

Do not get in eyes or on skin.

Do not breathe dust.

Wear protective clothing and cotton or natural rubber gloves.

If cotton gloves are used, they must be laundered or discarded after each day's use.

Natural rubber gloves should be washed after each use.

Do not wear the same gloves for other work.

During commercial or prolonged exposure, wear a mask or respirator of a type approved by U.S. Bureau of Mines for protection from DI-SYSTON.

Do not contaminate feed or food.

Keep all unprotected persons out of operating area or vicinity.

Wash hands, arms and face thoroughly with soap and warm water before eating or smoking.

Wash all contaminated clothing with soap and hot water before reuse.

This product is toxic to birds, fish and other wildlife. Keep out of any body of water. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Do not reuse empty container. Destroy it by burying with waste or burning. Stay away from smoke or fumes.

SYMPTOMS OF POISONING: A sense of "tightening" in the chest. Sweating. Contracted pupils. Stomach pains. Vomiting and diarrhea.


TREATMENT: In case of poisoning, call a physician immediately. Have patient lie down and keep quiet. If swallowed induce vomiting by giving a tablespoon of salt in a glass of warm water. Administer milk or water freely and again induce vomiting until vomit fluid is clear. If on skin, remove contaminated clothing and wash skin immediately with soap and warm water. If eyes are contaminated, wash with flowing water for at least 15 minutes.

ANTIDOTE: ATROPINE SULFATE

Net Weight: 50 pounds

STATEMENT OF INGREDIENTS AS PLANT FOOD

Total Nitrogen	6%
Available Phosphoric Acid	13%
Potash	26%
Sulfur	8%
Magnesium	2%
Iron	0.9%
Zinc	0.2%



DIRECTIONS FOR USE

ALFALFA AND CLOVERS: For Aphid and Mite control together with improved crop growth, apply 200 pounds ZIPP 6-13-26 with 0.50% PHOSTEMIC-D per acre broadcast prior to active growth.

NOTE: Do not harvest or graze treated clovers within 7 days of application.

PEANUTS: For Aphid, Mite, Thrip and Leafhopper control together with improved crop growth, apply 300 to 400 pounds ZIPP 6-13-26 with 0.50% PHOSTEMIC-D per acre preplant, broadcast. For band application, rates should range from 200 to 300 pounds per acre with at least one inch minimum separation of seed and chemicals. ZIPP with PHOSTEMIC-D should be incorporated below seed level for best results.

EPA REg. No. 10659-20

MANUFACTURED BY



Occidental Chemical Company

DIVISION OF OCCIDENTAL PETROLEUM CORPORATION

P. O. Box 1185

Houston, Texas 77001

CONDITIONS OF SALE: 1. Seller warrants that this product consists of the ingredients specified and is reasonably fit for use as directed on the label. No one, other than officer of Seller, is authorized to make any warranty, guarantee or direction concerning his product. 2. Because the time, place, rate of application and other conditions of use are beyond the Seller's control, Seller's liability from handling, storage and use of this product is limited to replacement of product or refund of purchase price.