


ZIPP


6-12-12 lawn food
with
fungus control
contains
TERRACLOR fungicide
covers 1500 sq. ft.



ZIP

100 lb. bag
with
fungus control
contains
TERRACLOR fungicide
covers 1500 sq. ft.

ACCEPTED
Nov. 27, 1973
UNDER THE FEDERAL INSECTICIDE
AND FUNGICIDE ACT
10659-34



Guaranteed Minimum Analysis

Total Nitrogen (N)	6.0%
Total available Phosphoric Acid (P ₂ O ₅)	12.0%
Soluble Potash (K ₂ O)	12.0%
Sulfur (S)	4.0%
Iron (Fe)20%
Zinc (Zn)20%

INGREDIENTS STATEMENT FOR PEST CONTROL

ACTIVE INGREDIENT	
*Pentachloronitrobenzene	2.25%
INERT INGREDIENTS	97.75%

*Each 100 pounds contains 2.25 pounds of Pentachloronitrobenzene
#Terraclor® is a registered Trademark of the Olin Corporation

CAUTION: KEEP OUT OF REACH OF CHILDREN

Avoid inhalation of dust or contact with skin. Wash thoroughly after handling.
This product is toxic to fish. Keep out of lakes, ponds and streams. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.
Keep children and pets off treated areas until the product is washed onto the soil and grass is dry.

Guaranteed Minimum Analysis

Total Nitrogen (N)	6.0%
Total available Phosphoric Acid (P ₂ O ₅)	12.0%
Soluble Potash (K ₂ O)	12.0%
Sulfur (S)	4.0%
Iron (Fe)20%
Zinc (Zn)20%

INGREDIENTS STATEMENT FOR PEST CONTROL

ACTIVE INGREDIENT

*Pentachloronitrobenzene	2.25%
--------------------------------	-------

INERT INGREDIENTS	97.75%
-------------------------	--------

*Each 100 pounds contains 2.25 pounds of Pentachloronitrobenzene

#Terraclor® is a registered Trademark of the Olin Corporation

CAUTION: KEEP OUT OF REACH OF CHILDREN

Avoid inhalation of dust or contact with skin. Wash thoroughly after handling.

This product is toxic to fish. Keep out of lakes, ponds and streams. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Keep children and pets off treated areas until the product is washed onto the soil and grass is dry.

Do not graze treated areas or feed clippings to animals.

Do not reuse empty container. Dispose of it by burying in non-cropland away from domestic water supplies.

DIRECTIONS FOR USE

Do not apply this product for any uses other than those specified on the label. ZIPP 6-12-12 is a complete turf food containing sulfur, iron, and zinc in addition to the primary nutrients formulated in a manner that promotes optimum turf nutrition.

For uniform application set the spreader for 1/2 the recommended rate and apply one-half the total amount over the area to be treated, moving in one direction at a steady rate. Spread the remaining half quantity over the same area, this time moving at right angles to the first application.

For the control of Brown Patch (*Rhizoctonia solani*) in warm season (Southern) grasses, such as Bermuda or St. Augustine, and vigorous top growth, apply ZIPP LAWNFOOD 6-12-12, FUNGUS CONTROL at the first signs of the disease in either fall or spring with a second application 3 to 4 weeks later. Use a rate of 50 pounds (one sack) per 1500 sq. ft. Water the treated area lightly to wash the product onto the soil.

EPA Reg. No. 10659-34

CONDITIONS OF SALE

1. Seller warrants that this product consists of the ingredients specified and is reasonably fit for use as directed on the label. No one, other than an officer of Seller, is authorized to make any warranty, guarantee or direction concerning this product. 2. Because the time, place, rate of application and other conditions of use are beyond Seller's control, Seller's liability from handling, storage and use of this product is limited to replacement of product or refund of purchase price.



a product of
OCCIDENTAL CHEMICAL COMPANY
a division of
OCCIDENTAL PETROLEUM CORPORATION
HOUSTON, TEXAS



50 lbs. net wt.

Covers 1,500 sq. ft.