

QUATGUARD DEODORIZER SANITIZER

INGREDIENTS:
 Quaternary Ammonium Chloride (60% C14, 30% C16, 5% C12, 5% C18) 5%
 Dimethyl ethylbenzyl ammonium chlorides 5%
INGREDIENTS: 90%
 Water 100%

QUATGUARD is a concentrate and should be diluted before using.

DANGER

KEEP OUT OF REACH OF CHILDREN

Avoid contact with eyes. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes when handling concentrate. Harmful if swallowed. Avoid contamination of food.

FIRST AID:
 In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg white or gelatin solution, or if these are not available, drink large quantities of water. Call a physician.

NOTE TO PHYSICIAN:

Severe mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory depression and respiratory depression and convulsion may be required. Rinse empty container thoroughly with water before disposal.

USE DIRECTIONS




HOUSEHOLD: For sanitizing and disinfecting floors, walls and inanimate hard surfaces. For schools, homes, locker rooms, garbage pails, sink tops, corridors, classrooms, offices and shower stalls. Apply solution with mop or cloth. Sanitize with 1 ounce QUATGUARD to 4 gallons of water. Disinfect with 3 ounces QUATGUARD to 5 gallons of water. Kills Staphylococcus aureus and Salmonella choleraesuis. For heavily soiled or contaminated areas, a pre-cleaning step is recommended.

HOSPITALS: For floors, walls and other hard surfaces. In Nursing Homes, Institutions, as well as Sink Tops, Garbage Pails, Telephones and Restrooms, use QUATGUARD at 3-1/2 ounces per 5 gallons of water. Apply with cloth, mop, or sponge. At this level QUATGUARD will be effective against Pseudomonas aeruginosa PRD-10. For heavily soiled or contaminated areas, a pre-cleaning step is recommended.

FOOD PROCESSING EQUIPMENT: For sanitization of previously cleaned food processing equipment and food utensils dilute 1 oz. QUATGUARD per 4 gals. of water to provide 200 ppm of active quaternaries. At this level, No Potable Water Rinse is required.

DAIRIES: To sanitize dairy equipment such as tanks, lines, pails, and milk cans, first clean and rinse the equipment thoroughly. Then apply sanitizing solution containing 1 ounce QUATGUARD to 4 gals. water (200 ppm). At this level, no potable water rinse required. Follow recommendations of local Health Board.

NET CONTENTS: _____
 E.P.A. Reg. No. 10663-14
 E.P.A. Est. 10663-GA-1



ROCK MOUNTAIN BOULEVARD • STONE MOUNTAIN, GEORGIA 30083