POWER DIS *DISINFECTANT *DEODORIZER *SAN



USE DIRECTIONS:

Household: For sanitizing and disinfecting floors, walls and inanimate hard surfaces. For schools, homes, locker rooms, garbage pails, sink tops, corridors, classrooms, offices and shower stalls. Apply solution with mop or cloth. Sanitize with 1 ounce POWER DIS to 4 gallons of water. Disinfect with 3 ounces POWER DIS to 5 gallons of water. When used at 5 ounces per 5 gallons of water, POWER DIS kills Staphlococcus aureus and Salmonella choleraesuis. For heavily soiled or contaminated areas, a pre-cleaning step is recommended.

Hospitals: For floors, walls and other hard surfaces. In Nursing Homes, Institutions, as well as Sink Tops, Garbage Pails, Telephones and Restrooms, use POWER DIS at 31/2 ounces per 5 gallons of water. At this level POWER DIS will be effective against Pseudomonas aeruginosa PRD-10. For heavily soiled or contaminated areas, a pre-cleaning step is recommended. Apply with cloth, mop, or sponge.

Food Processing Equipment: For sanitization of previously cleaned food processing equipment and food utensils dilute 1 ounce

POWER DIS per 4 gallons of water to provide 200 ppm of active quaternaries. At this level, No Potable Water Rinse is required.

Dairies: To sanitize dairy equipment such as tanks, lines, pails, and milk cans, first clean and rinse the equipment thoroughly. Then apply sanitizing solution containing 1 ounce POWER DIS to 4 gallons of water (200 ppm). At this level, No Potable Water Rinse is required. Follow recommendations of local Health Board.

ACTIVE INGREDIENTS:

diluted before using.

n-Alkyl (60% C14, 30% C16, 5% C12,
5% C18) dimethyl benzyl
ammonium chlorides 5%
n-Alkyl (68% C12, 32% C14) dimethyl
ethylbenzyl ammonium chlorides 5%
INERT INGREDIENTS 90%
100%
POWER DIS is a concentrate and should be

DANGER **KEEP OUT OF REACH OF CHILDREN** Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling concentrate. Harmful if swallowed. Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

Rinse empty container thoroughly with water and discard. EPA Reg. No. 10663-17. Net Contents_____



SENTRY CHEMICAL COMPANY · 1481 ROCK MOUNTAIN BOULEVARD · STONE MOUNTAIN, GEORGIA 30083

ACCEPTED

FEB 22 1974

UNDER THE FLDERAL INSECTICIDE FUNGICIDE AND HODERTICIDE ACT FOR ECONOMIC POISON REGISTER-ED UNDER NO/0463-/7 SUBJECT TO LITACHLD COMMENTS.