


POWER DIS

Disinfectant Deodorizer Sanitizer

REGISTERED
In Accordance with EPA Regulations 2-2,
Based on Draft 1-11-88, Dated



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

COLD DISINFECTION

For disinfection of previously cleaned surgical instruments, barber tools and dental equipment, simply submerge instruments into solution containing 1 1/2 ounces per gallon of water for 10 minutes.

RESTAURANT AND BAR RINSE

Dishes, glassware, silverware, cooking utensils, wash with soap or synthetic detergent, rinse thoroughly, and immerse in a sanitizing solution containing 1 ounce to 4 gallons of water. No Terminal Potable Water Rinse Required.

FOR ROOM FOGGING

DIRECTIONS: To minimize the danger of crosscontamination from environmental surfaces apply solution of product as a fog as described below, before applying standard routine terminal cleaning and disinfecting practices. 1. Remove all human, animal and plant life from room. 2. Open closet doors and drawers. 3. Set up 34" revolving platform in center of room. 4. Mount Jet FOGMASTER TRIJET MODEL 6208, or other fogging device delivering equivalent spray at 3 RPM. 5. Fill sprayer reservoir with 1.5 oz. of product to 1 gallon of water to produce 1,150 ppm active ingredients. 6. Set sprayer mechanism to deliver 1 gallon of solution. 7. Fog for 15 minutes for an average 2100 cu. ft. room. For different room size, vary spray time proportionately to ensure complete wetting of exposed surfaces. 8. Wait 2 hours before entering room after treatment. 9. Rinse fogging equipment thoroughly with clear water following use.

HOUSEHOLD: For sanitizing and disinfecting floors, walls and inanimate hard surfaces. For schools, homes, locker rooms, garbage

ACTIVE INGREDIENTS:

n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18)	
dimethyl benzyl ammonium chlorides	5.0%
n-Alkyl (68% C12, 32% C14) dimethyl	
ethylbenzyl ammonium chlorides	5.0%
INERT INGREDIENTS	90.0%
	100.00%

This product is a concentrate and should be diluted before using.

KEEP OUT OF REACH OF CHILDREN

DANGER

Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling concentrate. Harmful if swallowed. Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

Net Contents 1 GALS 3.78 LITERS
EPA Reg No 10663-17 EPA Est 10663-GA-1
7/88

MANUFACTURED BY:

DIRECTIONS (CONTD)

Pails, sink tops, corridors, classrooms, offices and shower stalls: Apply solution with mop or cloth. Sanitize with 1 ounce of product to 5 gallons of water. Disinfect with 3 ounces of product to 5 gallons of water. Kills Staphylococcus aureus and Salmonella choleraesuis. For heavily soiled or contaminated areas, a pre-cleaning step is recommended.

HOSPITALS: For floors, walls and other hard surfaces. In Nursing Homes, Institutions, as well as Sink Tops, Garbage Pails, Telephones and Restrooms, use product as 3 1/2 ounces per 5 gallons of water. Apply with cloth, mop, or sponge. At this level product will be effective against Pseudomonas aeruginosa PRD-10. For heavily soiled or contaminated areas, a pre-cleaning step is recommended.

FOOD PROCESSING EQUIPMENT: For sanitization of previously cleaned food processing equipment and food utensils dilute 1 oz. of product per 4 gals. of water to provide 200 ppm of active quaternaries. Maintain a contact time of at least 1 minute. At this level, No Potable Water Rinse is required.

DAIRIES: To sanitize dairy equipment such as tanks, lines, cans and milk cans, first clean and rinse the equipment thoroughly. Then use sanitizing solution containing 1 ounce to 4 gal. water (200 ppm). Maintain a contact time of at least 1 minute. At this level, no potable water rinse required. Follow recommendations of local Health Board.

STORAGE AND DISPOSAL

- Do not Contaminate Water, Food or Feed by Storage or Disposal
- Open Dumping is Prohibited
- Do Not Reuse Empty Container

STORAGE: Store in a dry place no lower in temperature than 50°F or higher than 120°F.

CONTAINER DISPOSAL: Triple rinse (or equivalent), then offer for recycling or reconditioning, or purchase and dispose of in a sanitary landfill, or by other procedure approved by State and local authorities.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at approved waste disposal facility.



SENTRY CHEMICAL COMPANY

1481 ROCK MOUNTAIN BOULEVARD

STONE MOUNTAIN, GEORGIA 30086

404-934-4242 (GA.) • 1-800-241-9055