

# Swimming Pool Algaecide

Swimming pools is  
mess, odor, and  
The use of this  
ter in a clean  
ual water treat-  
rowth with this  
pool may be

ACTIVE INGREDIENT:	
Poly[oxyethylene(dimethyliminio)ethylene(dimethyliminio)-ethylene dichloride].....	10.0%
INERT INGREDIENT.....	90.0%
	100.0%
Weight Per Gallon.....	8.49 lb.
Weight of Active Ingredients Per Gallon.....	0.85 lb.

## CAUTION

KEEP OUT OF REACH OF CHILDREN

See left panel for additional cautions.

E.P.A. Reg. No. 10663-21  
E.P.A. Est. 10663-GA-1

NET CONTENTS \_\_\_\_\_ GALLONS

Manufactured By

Avoid contact  
plenty of water  
nation of food.  
ater and discard  
Destroy it by  
In a safe place  
is toxic to fish.  
ed where it will  
c water. Apply  
abel.

**ACCEPTED**  
**10663-21**  
**NOV 6 1975**

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTER-  
ED UNDER NO.

### DIRECTIONS

This algaecide is used to control the growth of algae in swimming pools. For maximum effectiveness, pools containing heavy growth of algae should be cleaned prior to using this product.

For pools having just visible algae growth, add an initial dose of 75 to 115 fl. oz. of this algaecide per 10,000 gallons of water and remove settled algae debris by cleaning.

For treatment of a freshly cleaned and filled pool, add initially 41 to 75 fl. oz. per 10,000 gallons of water.

To maintain pools free of visible algae growth, subsequent additions of 13.5 to 27 fl. oz. per 10,000 gallons of water should be made every 5 to 7 days after the initial treatment.

Uniform distribution of this algaecide throughout the water in the pool is necessary for maximum effectiveness.

This algaecide is compatible with those chemicals normally used to treat pools and is effective at both acid and alkaline pH. This algaecide can be used in pools treated with chlorine chemicals and may reduce the amount of those chemicals normally required. However, do not mix this product with concentrated dry or liquid chlorine products.

