## **SL-55**

# Slimicide/Algaecide for Industrial Re-Circulating Water Cooling Systems. Helps Keep Water Systems Clean and Free of Bacterial and Algae Slimes.

#### **DIRECTIONS**

This product is used to control algae, bacteria and fungi - in recirculating commercial and industrial water cooling towers. Prior to its use, systems must be cleaned to remove algae growth, microbiological slime and other deposits. An initial slug addition of 6.13 to 15.32 fluid ounces of this product per 1000 gallons of water to provide an active ingredient concentration of 4.8 to 12.0 parts per million based on the total weight of water in the system is recommended. Repeat initial dosage until control is evident. Subsequent slug additions of 1.53 to 15.32 fluid ounces of this product per 1000 gallons of water (1.2 to 12.0 parts per million of active ingredient based on the total weight of water) should be employed every 2 to 5 days or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the microbiological problem. Slug additions should be made in the sump of water cooling towers.

ACTIVE INGREDIENT: Poly[oxyethylene(dimeted) ethylene(dimethylimited)		
dichloride]		
INERT INGREDIENTS		
	100.0%	
Weight Per Gallon	8.49 lb	
Weight Active Ingredient Per Gallon		
CAUTION		
KEEP OUT OF F	REACH OF CHILDREN	
CCERTEDI	ns on side of label.	
0663-23 DEC 19 1975		
DEC 19 1975		

UNDER THE FEDERAL INSECTICIDE PUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTER-


ED UNDER NO.

Harmful if swal with skin. In of for at least 15 medical attent. This product is effluent where Do not contam disposal of wal Do not reuse effum reconditions for a ting or crusafe place.

NET CONTEN E.P.A. Reg. N E.P.A. Est. 10

SENTRY CHEMICAL COMPANY

30ULEVARD • STONE MO



# or Industrial Re-Circulating Water lps Keep Water Systems Clean and Free e Slimes.

ria and fungi rater cooling cleaned to e and other o 15.32 fluid of water to f 4.8 to 12.0 water in the dosage until ns of 1.53 to D gallons of e ingredient be employed y of addition loff and the ug additions

ing towers.

ACTIVE INGREDIENT: Poly[oxyethylene(dimethyliminio) ethylene(dimethylimino) ethylene dichloride]	10.0%	
INERT INGREDIENTS	<u>.90.0%</u> 100.0%	
Weight Per Gallon		
Weight Active Ingredient Per Gallon	0.85 lb.	

### CAUTION

KEEP OUT OF REACH OF CHILDREN

ACCEPSET Frecautions on side of label.

1063-23

UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTER-ED UNDER NO.

NET CONTENTS \_\_\_\_\_GALLONS E.P.A. Reg. No. 10663-23

E.P.A. Reg. No. 10003-2 E.P.A. Est. 10663-GA-1

#### CAUTION

Harmful if swallowed. Do not get in eyes. Avoid contact with skin. In case of contact, flush with plenty of water for at least 15 minutes. If eye irritation persists, get medical attention. Avoid contamination of food.

This product is toxic to fish. Do not discharge treated effluent where it will drain into lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Use only as directed on label.

Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place.



30ULEVARD • STONE MOUNTAIN, GEORGIA 30083