

USE

... in a manner inconsistent with its labeling.  
... in mechanical sprayers which produce  
... RO-GEN, and DYNA-FOG CYCLONE.

... be removed prior to treatment. Ventilate for  
... ts to room until after ventilation.

... and Other Institutional and Industrial Areas:  
... quitoes, Gnats and Small Flying Moths: Close  
... ing equipment. Using a cold fog generator,  
... 000 cu.ft. of space. Direct output from  
... s of room and ceiling. Leave room closed  
... efore re-entry. Repeat as necessary.

... s, Rice Weevils, Sawtoothed Grain Beetles,  
... nd Indian Meal Moth Larvae: Close room and  
... ment. Using a cold fog aerosol generator,  
... ring these pests. Special attention should  
... , behind stoves and refrigerators, and  
... Spray until treated surfaces are moist  
... our. Ventilate room thoroughly before

PRECAUTIONARY STATEMENTS  
FOR HUMANS AND DOMESTIC ANIMALS

CONTENTS

... apors or spray mist. Wear a pesticide  
... Enforcement and Safety Administra-  
... tional Safety and Health under the  
... etroleum distillate. If swallowed do  
... eal attention. Avoid contact with skin  
... y flush eyes or skin with plenty of  
... on persists.

... ply space spray while food processing  
... rocessing surfaces. Thoroughly wash  
... after spraying in bakeries and food  
... er all equipment, benches, shelving,

... not apply directly to food, water or  
... to animals. Wash teats of dairy

... riums before spraying.

ADDITIONAL HAZARDS

For Use In Institutional and Industrial Buildings: food  
processing plants, restaurants; schools, warehouses, offices,  
theatres, garages, hotels, motels, hospitals and kennels.

ACTIVE INGREDIENTS:

|                                       |          |
|---------------------------------------|----------|
| Pyrethrins:                           | 1.00 %   |
| *Piperonyl butoxide, technical        | 2.00 %   |
| 1N-Octyl bicycloheptene dicarboximide | 3.33 %   |
| INERT INGREDIENTS                     | 93.67 %  |
| Total                                 | 100.00 % |

\*Equivalent to 1.6 % (butylcarbiyl) (6-propylpiperonyl)  
... ether and .4 % related compounds  
... MGK 264, Insecticide Synergist.

EPA Reg. No. 10663-  
EPA Est. No. 10663-GA-1

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Side Panel For Additional  
Precautionary Statements

Net Contents \_\_\_\_\_ Gals.  
\_\_\_\_\_ Liters

REGISTERED  
WITH COMMENTS  
EPA Letter Dated

AUG 28 1984

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.  
10663-29

MANUFACTURED BY:

ABLE

SENTRY CHEMICAL COMPANY 1481 ROCK MOUNTAIN BLVD. STONE MOUN

erial buildings: food  
ools; warehouses, offices,  
hospitals and kennels.

1.00 %  
2.00 %  
oximide 3.33 %  
93.67 %  
al 100.00 %

(6-propylpiperonyl)

GA-1

CHILDREN

For Additional  
Statements

Gals.

Liters

PTED  
MENTS  
ter Date:

1984

General Insecticide  
to contact: Act  
for the pesticide  
EPA Reg. No.  
3-29

BY:

N BLVD. STONE MOUNTAIN, GA 30086

#### DIRECTIONS (Cont'd)

Space Spray - Diluted for Ordinary Mechanical Fogging Equipment - to Kill Flies, Mosquitoes, Small Flying Moths and Gnats: Cover or remove exposed food and food handling surfaces. Close room and shut off all air conditioning or ventilating equipment. Dilute concentrate with oil at the rate of 1 part concentrate plus 9 parts of oil and mix well. Apply at the rate of 50 fl. oz. of dilute spray (.4 gal.) per 25,000 cu. ft. of space. Direct fog upward towards upper corners of room and ceiling area. Leave room closed for 1/2 hour. Do not remain in treated areas. Ventilate room thoroughly before re-entry.

Contact Spray - Diluted for use with Sprayers that Give Large Wetting Spray Particles to Kill Cockroaches and Accessible Stages of Granary Insects: Granary Weevils, Rice Weevils, Confused Flour Beetles, Rusty Grain Beetles, Red Flour Beetles, Indian Meal Moth Larvae and Adults, Cadelles, Grain Mites and Sawtoothed Grain Beetles: Cover or remove exposed food and close room as described above. Dilute concentrate with oil at the rate of 1 part concentrate plus 9 parts of oil and mix well. Spray outside walls of grain bins, flooring, about base of milling machinery, walls and baseboards, areas behind cabinets, around pipes and other insect harbourages using 1 gallon of spray per 1,000 sq. ft. of surface. Force spray into all cracks and crevices. Repeat applications as necessary.

FOR USE IN DAIRY AND BEEF BARNS, SWINE HOUSING: Space Spray - Dilute for Use in Aerosol Generators to Kill Flies, Mosquitoes, Gnats, Small Flying Moths and Exposed Cockroaches: Cover or remove exposed food and watering trough and close house as tightly as possible. Dilute concentrate with refined kerosene at the rate of 1 part concentrate plus 1 part of oil and mix well. Direct spray upward and apply until room is filled with mist. Keep closed for 1/2 hour and ventilate thoroughly prior to re-entry.

Space Spray - Diluted for Ordinary Mechanical Fogging Equipment to Kill Flies, Mosquitoes, Small Flying Moths and Gnats: Prepare for application as above. Dilute concentrate with refined kerosene at the rate of 1 part concentrate plus 9 parts of refined kerosene and mix well. Apply at the rate of 50 fl. oz. dilute spray (.4 gal.) per 25,000 cu. ft. of space above animals. Direct fog upward toward upper corners of room and ceiling. Vacate room and leave closed for 1/2 hour.

#### BEST DOCUMENT AVAILABLE

##### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a cool, dry place. Keep containers closed.

PESTICIDE DISPOSAL: Pesticide, spray mixture or rinsate that cannot be used according to label instructions must be disposed of according to Federal or State procedures under Subtitle C of the Resource Conservation and Recovery Act.

CONTAINER DISPOSAL: Triple rinse (or equivalent) and offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by other approved State and local procedures.

INFILTRATE  
Ultra Low Volume Insecticide

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**General:** This product is designed for use mounted in mechanical sprayers which produce particles of aerosol size, such as the LECO, MICRO-GEN, and DYNA-FOG CYCLONE.

**Note:** When used in hospitals, patients should be removed prior to treatment. Ventilate for two hours after treatment. Do not return patients to room until after ventilation.

**For Use in Restaurants, Food Processing Plants and Other Institutional and Industrial Areas:**  
**Space Spray Undiluted:** To Kill Houseflies, Mosquitoes, Gnats and Small Flying Moths: Close room and shut off all air conditioning or ventilating equipment. Using a cold fog generator, apply at the rate of one-half (.5) ounce per 1,000 cu.ft. of space. Direct output from aerosol generator upwards toward upper corners of room and ceiling. Leave room closed for one half hour. Ventilate room thoroughly before re-entry. Repeat as necessary.

**Contact Spray - Undiluted - To Kill Cockroaches, Rice Weevils, Sawtoothed Grain Beetles, Confused Flour Beetles, Black Carpet Beetles and Indian Meal Moth Larvae:** Close room and shut off all air conditioning or ventilation equipment. Using a cold fog aerosol generator, direct discharge into areas suspected of harbouring these pests. Special attention should be paid to cracks, hidden surfaces under sinks, behind stoves and refrigerators, and wherever these pests are suspected of hiding. Spray until treated surfaces are moist with deposit. Leave room closed for one half hour. Ventilate room thoroughly before re-entry. Repeat as necessary.

PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Avoid breathing vapors or spray mist. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration and the National Institute for Occupational Safety and Health under the provisions of 30CFR Part 11. Contains petroleum distillate. If swallowed do not induce vomiting. Get immediate medical attention. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists.

Do not apply directly to food. Do not apply space spray while food processing is underway. Cover or remove all food processing surfaces. Thoroughly wash all processing surfaces before re-use. After spraying in bakeries and food processing plants, wash with potable water all equipment, benches, shelving, etc., where exposed food will be handled.

When using in animal housing areas, do not apply directly to food, water or feed supplements. Do not apply directly to animals. Wash teats of dairy animals before milking.

Remove pets, birds, and cover fish aquariums before spraying.

PHYSICAL HAZARDS

Do not store near heat or open flame.

For Use In Institutional and Food processing plants, restaurants, theatres, garages, hotels, motels

ACTIVE INGREDIENTS:

Pyrethrins:  
\*Piperonyl butoxide, technical  
1N-Octyl bicyclopheptene diol  
INERT INGREDIENTS

\*Equivalent to 1.6% (butylcarbitol ether and .4% related component) MGK 264, Insecticide Synergist

EPA Reg. No. 10  
EPA Est. No. 100

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Side Panel for Precautions

Net Contents

AUG

Under the Pesticide Act as amended registered

101

MANUFACTURED BY

BEST DOCUMENT AVAILABLE

SENTRY CHEMICAL COMPANY 1481 ROCK MOUNTAIN