

DIRECTIONS FOR USE
General Classification

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STATICIDE HPD has been designed specifically for Hospitals, Hotels, Motels, Schools and other institutions where disinfection and sanitization is of prime importance.

DISINFECTION- To disinfect previously cleaned hard inanimate surfaces (such as walls, floors, table tops), apply STATICIDE HPD solution with mop, cloth, or sponge or mechanical sprayer so as to wet thoroughly. Allow to remain wet for 10 minutes and then let air dry.

DILUTION RATES: General Disinfection - add 3 ounces per 5 gallons of water. Hospital Disinfection - add 3 1/2 ounces per 5 gallons of water.

For disinfection of previously cleaned surgical instruments, barber tools and dental equipment, simply submerge instruments into solution containing 1/2 ounce STATICIDE HPD per gallon of water for 10 minutes.

For disinfection, a pre-cleaning step is required and recommended. Prepare a fresh solution for each use.

DEODORIZER- To deodorize, apply STATICIDE HPD solution as indicated under the heading "General Disinfection" above.

MILDENSTAT- To control mold and mildew on pre-cleaned, hard non-porous surfaces (such as floors, walls, table tops), add 3 ounces STATICIDE HPD per gallon of water. Apply solution with a cloth, mop, or sponge making sure to wet all surfaces completely. Let air dry. Prepare a fresh solution for each use. Repeat application at weekly intervals or when mildew growth reappears.

SANITIZATION- To sanitize previously cleaned and rinsed non-porous non-food contact surfaces, prepare 200ppm active quaternary solution by adding 1 ounce STATICIDE HPD to 4 gallons of water.

To sanitize immobile items (such as tanks, chopping blocks, counter tops), flood the area with 200ppm 2125M solution for at least 60 seconds making sure to wet all surfaces completely. Remove and rinse with potable water before reuse. Prepare a fresh solution daily or more frequently as soil is apparent.

PRECAUTIONARY STATEMENTS
Hazard to Human and Domestic Animals

DANGER

Keep Out of Reach of Children. Causes severe eye and skin damage. Do not get in eyes, on skin or clothing. Harmful if swallowed. Wear goggles or face shield and rubber gloves when handling. Avoid contamination of food. Remove and wash contaminated clothing.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Call a physician.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

STATICIDE HPD -
HOSPITAL DISINFECTANT

Disinfectant Sanitizer
Deodorizer Virucide*

ACTIVE INGREDIENTS:

n-Alkyl (60% C₁₄, 30% C₁₆, 5% C₁₂,
5% C₁₀) dimethyl benzyl
ammonium chlorides 58
n-Alkyl (68% C₁₂, 32% C₁₄)
dimethyl ethylbenzyl
ammonium chlorides 51
INERT INGREDIENTS: 90%

TOTAL 100%

EPA REG. NO. 10675-3
EPA EST. NO. 10675-IL-1

KEEP OUT OF REACH OF CHILDREN
DANGER

See side panel for additional
precautionary and practical
treatment statements.

ACL, INCORPORATED
ELK GROVE VILLAGE, IL 60007

NET CONTENTS:

ONLY FOR SALE TO, USE
AND STORAGE BY SERVICE PERSONNEL

51 The HPD provides sanitizing, disinfection and deodorizing in hospitals, hotels, motels, schools and other institutions. When used as recommended, it is effective as a sanitizer against Escherichia coli and Staphylococcus aureus, and as a disinfectant against Salmonella choleraesuis and Pseudomonas aeruginosa.

DISINFECTION- At 3 ounces per 5 gallon dilution, STATICIDE HPD exhibits effective disinfectant activity against the organisms: Salmonella choleraesuis and Staphylococcus aureus.

At 3 1/2 ounces per 5 gallons dilution, STATICIDE HPD is an acceptable hospital disinfectant and demonstrates disinfectant activity against Pseudomonas aeruginosa.

VIRUCIDAL ACTIVITY*

This product when used on environmental, inanimate hard surfaces at 3 1/2 ounces per 5 gallons of water is effective against Influenza A₂ (representative of the flu virus), Herpes simplex (causative agent of blisters and mononucleosis), Adenovirus Type 2 (causative agent of upper respiratory infections), and Vaccinia Virus (representative of the pox virus group).

Efficacy tests have demonstrated that STATICIDE HPD is an effective bactericide, and virucide* in the presence of organic soil (5% blood serum).

DEODORIZATION- STATICIDE HPD deodorizes those areas which generally are hard to keep fresh smelling, such as garbage storage areas, empty garbage bins and cans, pet areas and any other areas which are prone to odors caused by microorganisms.

MOLD AND MILDENSTAT- STATICIDE HPD prevents and controls mold and mildew and the odors they cause on hard non-porous inanimate surfaces.

SANITIZATION- When used for sanitization of previously cleaned food equipment or food contact items limit active quaternaries to 200ppm. At this level, a POTABLE WATER RINSE is required.

STATICIDE HPD is an effective sanitizer when diluted in water up to 750ppm hardness (CaCO₃).

STORAGE AND DISPOSAL

- DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL
- OPEN DUMPING IS PROHIBITED
- DO NOT REUSE EMPTY CONTAINER

PESTICIDE DISPOSAL- Any pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to Federal or approved state procedures under subtitle C of the Resource Conservation and Recovery Act.

CONTAINER DISPOSAL- Triple rinse (or equivalent). Then offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by incineration if allowed by state and local authorities.

ACCEPTED
with COMMENTS
In EPA Letter D-67-1

JAN 17 1963

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, this pesticide is
registered under EPA Reg. No.
10675-3

| | | |
|---|---|--|
| U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (R11-567) WASHINGTON, D.C. 20461 | EPA REGISTRATION NO. | DATE OF ISSUANCE JAN 17 1983 |
| | TERM OF ISSUANCE | |
| NOTICE OF PESTICIDE: <input type="checkbox"/> REGISTRATION <input checked="" type="checkbox"/> REREGISTRATION <i>(Under the Federal Insecticide, Fungicide and Rodenticide Act, as amended)</i> | NAME OF PESTICIDE PRODUCT | |
| | NAME AND ADDRESS OF REGISTRANT (Include ZIP code) | |
| <p>NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.</p> <p>On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.</p> <p>A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.</p> <p>Registration is in no way to be construed as an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> | | |
| <input type="checkbox"/> ATTACHMENT IS APPLICABLE | | |
| SIGNATURE OF APPROVING OFFICIAL | | DATE |