

DIRECTIONS FOR USE


Flies, Mosquitos, Gnats: Close room and discharge mist vigorously in all parts of room using 1 to 1 1/2 ounces for each 1000 cubic feet of space. Leave room closed for at least ten minutes. Sweep up and destroy fallen insects. Repeat as needed.

Fleas (Infesting Premises): Remove and destroy animals' bedding and spray sleeping quarters freely forcing the spray into all cracks in the floor and about the room. Repeat when re-infested.

Roaches, Waterbugs: Apply in all cracks and crevices in woodwork, underneath sinks, dark places behind pipes, and in all places where roaches and waterbugs infest, contacting as many insects as possible. Repeat the operation as often as necessary.

Clothes Moths, Carpet Beetles: Spray all articles to be protected, giving particular attention to folds and seams. Interior surfaces of storage containers such as closets, chests and trunks should be sprayed regularly. The treatment should be repeated every 30 days unless the articles are stored in moth-tight containers.

Grain Weevils, Caddisles, Flour Beetles, Grain Mites (Accessible Stages): Wet surfaces thoroughly and treat all infested surface areas, insect runways, and hiding places at the rate of 1 gallon of this material to 1000 cubic feet of area up to the point of run off. Repeat as necessary. **DO NOT SPRAY STORED GRAIN**



999

**ODORLESS · CONCENTRATED
INSECTICIDE SPRAY**

ACTIVE INGREDIENTS: 100.00%
 Petroleum Distillate 98.40
 Pyrethrins 0.25
 *Piperonyl Butoxide, Technical 0.52
 **N-octyl Bicycloheptene Dicarboximide 0.83
 *Consists of (Butylcarbetyl) (6-Propylpiperidyl) ether and other related compounds

CAUTION: Keep out of the reach of children. See side panel for additional cautions.

USDA REG. NO. 10693

NET 1 GAL

FOOD PROCESSING PLANTS

Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product as a space spray in these areas, apply only when plant is not in operation. Product should be applied in edible product areas of federally inspected meat, poultry, and egg packing plants only as an aerosol spray.

DO NOT REMAIN IN TREATED AREA. VENTILATE AREA WHEN TREATMENT IS COMPLETED.

This spray is especially designed for use in restaurants, food processing plants, food storage warehouses, flour mills, meat packing plants, animal kennels, and the like. (Meat Inspection Division Memorandum No. 52—Insect Sprays.) This spray is designed for use in either fogging equipment or hand sprayers.

CAUTION:

KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Do not spray on food stuff. Do not pour, store, or use near open flame. Keep containers tightly closed.

