

MOSS B WARE

**KILLS MOSS
ON ROOFS,
WALKWAYS
& PATIOS**

\$6.95

GENERAL INFORMATION

Moss is a plant which thrives in cool, damp and usually shaded areas. Its presence on roofs, patios and walkways is unsightly and can be very damaging to roofs. Patios and walkways may become dangerous to walk upon. MOSS-B-WARE is an effective and economical way for combating moss on these problem areas. MOSS-B-WARE is packaged in this handy shaker container and no other equipment is necessary for application. However MOSS-B-WARE is quite soluble and can be applied with a sprinkling can.

MOSS-B-WARE will not stain roofs.

MOSS-B-WARE will not corrode aluminum or galvanized gutters.

MOSS-B-WARE is easy to apply and takes only minutes of your time.

Please read all information and apply as directed.

WHEN TO APPLY

For quickest results apply MOSS-B-WARE when considerable amounts of rainfall can be expected in the near future. MOSS-B-WARE is equally effective if applied during non-rainy periods, however several hand waterings would be necessary. Ideal conditions for killing moss are periods of rain mixed with warm sunny days.

MOSS-B-WARE works slowly and only after several rains will results be noticeable.

The first indication of the killing action will be a slight discoloration of the moss which will continue to darken in color. Additional rains and sunny days will gradually deteriorate the moss. Allow a few weeks for discoloration and additional time for deterioration. In most cases a large per cent of the moss will dissolve within one year. Any remaining moss can easily be removed as the roots will be dead. One application will usually last several years; however, individual conditions will vary. Re-apply when new growth appears.

HOW TO APPLY

Pitched roofs:

Most buildings are constructed with pitched (sloping) roofs, using shakes, composition or wood shingles. In this case treating the ridges with MOSS-B-

WARE is all that is necessary.

1. Apply MOSS-B-WARE to the ridge of the roof. (See illustration.)
2. Using a garden hose, apply sufficient water until the MOSS-B-WARE is completely dissolved. This completes the application. Time and weather will do the rest.

Rock, gravel and flat roofs:

Apply MOSS-B-WARE directly to all the moss area. Use the small holes on the shaker can and scatter the contents over 600 square feet of roof area. Wet the entire roof with a garden hose until the chemical is dissolved.

Patios and walkways:

Use the same application as outlined for rock, gravel and flat roofs. However, should it be more convenient, the contents of this container can be mixed in five gallons of water or more, and applied with a sprinkling can, mixing the chemical until thoroughly dissolved. This amount will cover approximately 600 square feet. Patios and walkways will usually require repeat applications more often than roofs.

CAUTION


1. Do not apply MOSS-B-WARE if building has copper gutters or downspouts as MOSS-B-WARE will corrode copper.
2. Apply on a calm day.
3. If chemical comes in contact with the foliage of shrubbery, wash off immediately.
4. Do not over apply. Excess run-off of this chemical may cause damage to lawns or ornamentals and shrubbery.
5. Because wet roofs are more slippery, application should be made when the roof is dry.
6. Do not reuse container. Destroy when empty.

WARNING AND FIRST AID


Harmful if swallowed. Avoid inhaling dust. In case of contact with the skin, wash with soap and water. If swallowed, induce vomiting and see a doctor.

NOTICE

U.S.D.A. Reg. No. 10699-1
MANUFACTURED BY



MOSS - B WARE




COVERS 600 SQ. FT.
STORE IN A DRY PLACE

WARNING — Keep out of reach of children

See back panel for additional warnings.

ACCEPTED
NOV 2 1973
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC INSECTICIDES DIVISION



GENERAL INFORMATION

Moss is a plant which thrives in cool damp and usually shaded areas. Its presence on roofs, patios and walkways is unsightly and can be very damaging to roofs. Patios and walkways may become dangerous to walk upon. MOSS-B-WARE is an effective and economical way for combating moss on these problem areas. MOSS-B-WARE is packaged in this handy shaker container and no other equipment is necessary for application. However MOSS-B-WARE is quite

soluble and can be applied with a sprinkling can. MOSS-B-WARE will not stain roofs.

MOSS-B-WARE will not corrode aluminum or galvanized gutters.

MOSS-B-WARE is easy to apply and takes only minutes of your time.

Please read all information and apply as directed.

WHEN TO APPLY

For quickest results apply MOSS-B-WARE when considerable amounts of rainfall can be expected in the near future. MOSS-B-WARE is equally effective if applied during non-rainy periods however several hand waterings would be necessary. Ideal conditions for killing moss are periods of rain mixed with warm sunny days.

MOSS-B-WARE works slowly and only after several rains will results be noticeable.

The first indication of the killing action will be a slight (discoloration) of the moss which will continue to darken in color. Additional rains and sunny days will gradually deteriorate the moss. Allow a few weeks for discoloration and additional time for deterioration. In most cases a large per cent of the moss will dissolve within one year. Any remaining moss can easily be removed as the roofs will be dead. One application will usually last several years, however individual conditions will vary. Re-apply when new growth appears.

HOW TO APPLY


Pitched roofs:

Most buildings are constructed with pitched (sloping) roofs using shingles, composition or wood shingles. In the case of treating the slopes with MOSS-B-WARE is all that is necessary.

the ridge of the roof. (See illustration.) Using a garden hose, apply sufficient water until the MOSS-B-WARE is completely dissolved. This completes the application. Time and weather will do the rest.

Rock, gravel and flat roofs:

Apply MOSS-B-WARE directly to all the moss area. Use the small holes on the shaker cap and scatter the contents over 500 square feet of roof area. Wet the entire roof with a garden hose until the chemical is dissolved.



Patios and walkways:

Use the same application as outlined for rock, gravel and flat roofs. However, should it be more convenient, the contents of this container can be mixed in five gallons of water or more, and applied with a sprinkling can, mixing the chemical until thoroughly dissolved. This amount will cover approximately 600 square feet. Patios and walkways will usually require repeat applications more often than roofs.

CAUTION

1. Do not apply MOSS-B-WARE if building has copper gutters or downspouts as MOSS-B-WARE will corrode copper.
2. Apply on a calm day.
3. If chemical comes in contact with the foliage of shrubbery, wash off immediately.

4. Do not over apply. Excess run off of the chemical may cause damage to lawns or ornamentals and shrubbery.

5. Because wet roofs are more slippery, apply with caution to avoid slipping.
6. Do not spray or pour on to your eyes.

WARNING AND FIRST AID


Keep out of reach of children. Avoid contact with eyes, nose, mouth and skin. Wash with water and soap if contact occurs.

U.S.A. Reg. No. 10699-1

MANUFACTURED BY

RETTA MFG. CO.


MOSS - B WARE



COVERS 600 SQ. FT.
STORE IN A DRY PLACE

ACCEPTED
NOV 2 1973
UNDER THE FEDERAL INSECTICIDE AND FUNGICIDE ACT REGISTERED FOR ECONOMIC INSECTICIDE SUBJECT

WARNING - Keep out of reach of children
See back panel for additional warnings.



GENERAL INFORMATION

Moss is a plant which thrives in cool, damp and usually shaded areas. Its presence on roofs, patios and walkways is unsightly and can be very damaging to roofs. Patios and walkways may become dangerous to walk upon. MOSS-B-WARE is an effective and economical way for combating moss on these problem areas. MOSS-B-WARE is packaged in this handy shaker container and no other equipment is necessary for application. However MOSS-B-WARE is quite soluble and can be applied with a sprinkling can.

MOSS-B-WARE will not stain roofs.

MOSS-B-WARE will not corrode aluminum or galvanized gutters.

MOSS-B-WARE is easy to apply and takes only minutes of your time.

Please read all information and apply as directed.

WHEN TO APPLY

For quickest results apply MOSS-B-WARE when considerable amounts of rainfall can be expected in the near future. MOSS-B-WARE is equally effective if applied during non-rainy periods, however several hand waterings would be necessary. Ideal conditions for killing moss are periods of rain mixed with warm sunny days.

MOSS-B-WARE works slowly and only after several rains will results be noticeable. The first indication of the killing action will be a slight discoloration of the moss which will continue to darken in color. Additional rains and sunny days will gradually deteriorate the moss. Allow a few weeks for discoloration and additional time for deterioration. In most cases a large per cent of the moss will dissolve within one year. Any remaining moss can easily be removed as the roots will be dead. One application will usually last several years, however individual conditions will vary. Re-apply when new growth appears.

HOW TO APPLY

Pitched roofs:


Most buildings are constructed with pitched (sloping) roofs, using shakes, composition or wood shingles. In this case treating the ridges with MOSS-B-WARE is all that is necessary.

1. Estimate what is approximately 600


"SPECIAL NOTICE"

CONTENTS OF THIS CONTAINER WILL COVER UP TO **3,000 SQ. FT.**

WHEN USED AS A LIGHT MOSS KILLER OR PREVENTATIVE



For application refer to the label under **HOW TO APPLY**. Use the same type of application and extend the coverage of this container from 600 to 3,000 sq. ft.



ORIGINALLY THE PRODUCT MOSS-B-WARE WAS INTENDED TO FULFILL A NEED TO KILL MOSS IN AN ADVANCED HEALTHY GROWTH. ROOF DAMAGE CAUSED BY MOSS GROWTH MAY BE PREVENTED WITH ANNUAL APPLICATIONS.

GENERAL INFORMATION

Moss is destructive; and, if not controlled, can take years of life from your roof. Moss B Ware is a very effective moss killer, and has been approved by the Environmental Protection Agency for the purpose of killing moss on roofs, patios, and walkways. Most home finance companies require that moss on a roof be removed or chemically treated before they will process a loan on the building. Moss can also make patios and walkways dangerously slippery. Rains will gradually wash the chemical from roofs; however, during this process, the moss will be killed. Most dead moss will usually have been washed from the roof one year after application. On roofs, one can normally expect benefits for several years when application is made at the "heavy moss growth" rate.

MOSS B WARE WILL NOT:

- stain or injure any type of roofing
- corrode aluminum or galvanized gutters

PLEASE READ ALL INFORMATION AND APPLY AS DIRECTED.

HOW TO APPLY

Dry Application - Roofs:

Using this handy shaker can, apply Moss B Ware along the ridge of the roof. Then, using the garden hose, sprinkle the Moss B Ware with a fine mist up to the point of runoff. This completes the application - the rains will do the rest.

Liquid Application - Roofs, Patios, and Walkways:

Mix the contents of this container in at least 5 gallons of water, and apply with a sprinkling can or pump sprayer. For pitched roofs, treat only the ridges. For flat roofs, patios, and walkways, treat the entire area.

RATE OF APPLICATION

FOR HEAVY MOSS GROWTH, apply the contents of this container to treat 600 SQUARE FEET of area. On roofs, one can usually expect benefits for several years. Patios and walkways normally require annual applications.

FOR LIGHT GROWTH of moss on roof (first-year growth), or as a preventative application, apply the contents of this container to treat 3,000 SQUARE FEET of roof area. Annual applications are usually necessary when using this rate.

WHEN TO APPLY

LIQUID APPLICATION: Apply during the drier months of the year.
DRY APPLICATION: Apply at any time of the year.

REGISTRATION DIVISION
PESTICIDES, EPA

★ ★ ★ Galaxy

Cameraman's Note

Reg. No. 10700-2 appears again on CLF-1068 in frames (32) through (44) to provide the user of the fiches with separate images of each page and its overlay.

Root destroyer

REG. NO. 10700-2

ANGER POISON



See Antidote Statement and other precautions on the Back Panels.

ACTIVE INGREDIENTS

INERT INGREDIENTS

KEEP OUT OF REACH OF CHILDREN