

10699-1

05/21/2005

1/6

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 2-28-95



United States
Environmental Protection Agency
Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 10699-1	2. EPA Product Manager Joanne Miller	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Moss-B-Ware	PM# 23	
5. Name and Address of Applicant (Include ZIP Code) Retta Manufacturing, Inc. P.O. Box 1820 North Bend, WA 98045 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

NOTIFICATION

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____ "Me Too" Application.
<input type="checkbox"/> Resubmission in response to Agency letter dated <u>MAY 31 2005</u>	<input type="checkbox"/> Other - Explain below.
<input checked="" type="checkbox"/> Notification - Explain below.	

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

NOTIFICATION OF BI-LINGUAL (ENGLISH/SPANISH) LABELING FORMAT.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the Confidential Statement of Formula of this product. Retta Manufacturing, Inc. understands that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA, and further understands that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and Retta Manufacturing, Inc. may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal	<input type="checkbox"/> Plastic
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt. No. per container	<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/>	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled				<input type="checkbox"/> Other _____	

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Rebecca M. Horton	Title Consultant/Agent for Retta Manufacturing, Inc.	Telephone No. (Include Area Code) 543-375-8826
2. Signature <i>Rebecca M. Horton</i>		3. Title Consultant/Agent for Retta Manufacturing, Inc.
4. Typed Name Rebecca M. Horton		5. Date April 26, 2005
I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment, or both under applicable law.		6. Date Application Received (Stamped)

REGISTERED TRADEMARK

CORRY'S

MOSS B WARE



Safe for Roofs
Patios & Walkways

KILL MOSS OFF MOSS•B•WARE® KEEP MOSS OFF

Damaging moss can grow almost anywhere it's cool and damp. Destroying and preventing moss can extend the life of roofs, and improve the condition of patios and walkways.

MOSS•B•WARE® won't stain roofs or corrode aluminum and galvanized gutters, when used as directed. And if applied from this shaker container, no other equipment is necessary.

PRECAUTIONARY STATEMENTS HAZARD TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes irreversible eye damage. Harmful if swallowed, absorbed through skin or inhaled. Do not get in eyes or on clothing. Avoid contact with skin. Avoid breathing dust or spray mist. Wear goggles or face shield. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse. Do not allow persons or pets in treated areas until dusts have settled or sprays have dried.

FIRST AID

If in eyes	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If swallowed	<ul style="list-style-type: none"> Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
If on skin or clothing	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If inhaled	<ul style="list-style-type: none"> Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information on this pesticide product (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Information Center (NPIC) at 1-800-858-7378.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage.

ENVIRONMENTAL HAZARD: This product is toxic to fish and aquatic invertebrates. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

WHEN TO MOSS•B•WARE®

MOSS•B•WARE® can be used any time of the year as an effective moss killer and preventative. For best results, apply during rainy seasons - this is when moss grows most rapidly. You should see the dying moss chang-

ing color within 3 to 4 weeks. Light to average moss growth on pitched roofs should slowly wash away with the rain. If the growth is heavy or on flat areas, you may need to physically remove the dead moss.

HOW TO MOSS•B•WARE®

You can shake it on directly or dissolve in water. Just use the method below that best suits your needs. Do not allow spray or dust to drift from the application site and contact people, nontarget structures people occupy at any time and associated property, parks and recreation areas, nontarget crops, aquatic and wetland areas, woodlands, pastures, rangelands, or animals. Apply only when wind speed is not more than 10 mph. For sprays, apply largest droplets possible.

TO PREVENT MOSS GROWTH ...
Use MOSS•B•WARE® to stop moss before it starts. Just follow the directions for killing existing moss. For prevention only, use at a rate of one pound per 1,000 square feet. This may require annual treatment.

TO KILL EXISTING MOSS ...
Pitched roofs that can be walked upon, such as composition, wood shingles, or shakes can most easily be treated by shaking MOSS•B•WARE® directly from the container along the ridge of the roof. Rains can then wash MOSS•B•WARE® down through lower moss patches. Apply 3 lbs. for 600 square feet of treatment area.

- USE PRECAUTIONS ...**
- Do not apply MOSS•B•WARE® if building has copper gutters or downspouts, as copper may be corroded.
 - Apply on a calm day.
 - If MOSS•B•WARE® comes into contact with shrubs, flowers, or lawn, rinse off with garden hose immediately.
 - Do not over apply. Excess run-off may damage plants or ornamentals.
 - Avoid slippery wet roofs - apply when dry.

Rock, gravel, flat roofs and roofs that cannot be walked upon should be treated with a liquid application, using a sprinkling can or any type of pump-up sprayer. Slowly add contents of this container to 5 to 10 gallons of water, stirring until completely dissolved. Single mixture will cover 600 square feet of roofing and will usually control moss for two years.

STORAGE & DISPOSAL

STORAGE: Store in a dry, locked location, in original container and not accessible to children or pets. Avoid contamination of feed and firearms.

DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling, if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

Patios and walkways are most effectively treated with sprinkling can or pump-up sprayer application. Dead moss can just be swept away. Mix contents of this container in 5 gallons of water and apply to 600 square feet of area. Annual applications may be necessary.

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

Manufactured by:
Retta Manufacturing, Inc.
PO Box 1440 • North Bend, W.V. 26015
EPA Reg. No. 10699-1 • EPA Est. No. 8119-WA-1



©2002

Moss-B-ware Spanish Pamphlet.qxd 4/13/05 8:40 AM Page 1

MOSS



WARE.

Corry's

Es seguro para techos, pilas y canchales

Mantener fuera del alcance de los niños

PELIGRO

Ver el panel posterior para obtener información sobre el uso correcto de este producto y sus instrucciones.

INGREDIENTE ACUVO

Mantener fuera del alcance de los niños.
(See back panel for correct use and instructions.)
OTHER INGREDIENTS

PESO NETO 3 LIBRAS (1.3 kg)

**CUBRE HASTA 3,000 PIES CUADRADOS
(273.70 METROS CUADRADOS)**

PRODUCT SIZE: 6-3/8" x 4-1/4" open

FINISHED SIZE: 3-3/16" x 4-1/4" closed

BLACK

GUENT Watson, L.L.C.
NAME: Gorty's Moss-B-ware
KIND: hanging pamphlet
DATE: 04-13-05

4.25 (13-1/4")

3.1875 (3-3/16")

**MUSS-O-WARE
ELIMINA EL MUSCO, ENTRA EL MUSCO**

El Musco-O-Ware es un producto innovador para eliminar el musco de las superficies. Se aplica a cualquier superficie y elimina el musco de forma efectiva y segura. No requiere agua y no daña las superficies. El Musco-O-Ware es el único producto que elimina el musco y deja una superficie limpia y brillante.

**AVISOS DE PRECAUCION
RIESGOS PARA HUMANOS Y ANIMALES DOMESTICOS**

PELIGRO: Contiene Goma de Etileno Glicol, que es tóxico si se ingiere. Evite el contacto con los ojos y la piel. Si se ingiere, beber abundante agua. Si se toca la piel, lavar con agua y jabón. Mantener alejado de los niños y mascotas.

PREMIOS Y GALARDONAS

MUSS-O-WARE ha sido reconocido por su calidad y efectividad. Ha ganado varios premios y galardones de la industria. Es el producto más recomendado por los expertos en limpieza profesional.

NUMERO DE LA LINEA DE ACCESO DIRECTO

El número de la línea de acceso directo es el número de teléfono que puede llamar para obtener más información sobre el producto.

NOTA PARA EL MEDICO

Este producto no contiene ingredientes que sean peligrosos para la salud humana.

RIESGOS AMBIENTALES

Este producto es biodegradable y no contamina el agua ni el suelo.

INDICACIONES

Este producto se utiliza para eliminar el musco de las superficies. Se aplica directamente sobre el musco y se frota suavemente.

CONDICIONES DE USO

Este producto se utiliza en interiores y exteriores. Se recomienda usarlo en áreas con mucha humedad.

PARA ELIMINAR EL MUSCO EXISTENTE

Este producto es el mejor para eliminar el musco que ya existe en las superficies.

el MOSS-B-WARE® ha en los paquetes de musgo que se encuentran más abajo. Aplique 3 libras (1.36 kg) para 600 pies cuadrados (55.74 metros cuadrados) de área a tratar.

Recorra, grava, techos planos y techos sobre los que no se puede caminar, se deben usar con aplicación de bomba. Lentamente añada el contenido de este envase en 3 a 10 galones (19 a 38 litros) de agua, agitando hasta que está completamente diluido. Una sola mezcla cubrirá 600 pies cuadrados (55.74 metros cuadrados) de techos y usualmente cubrirá el musgo por dos años.

Los patios y los corredores se pueden tratar más efectivamente con un bote rociador o con un pulverizador de bomba. El musgo suelto se puede barrer. Mezcle el contenido de este envase en 5 galones (19 litros) de agua y aplíquelo a 600 pies cuadrados (55.74 metros cuadrados) de área. Pueden ser necesarias aplicaciones sucesivas.

PARA PREVENIR EL CRECIMIENTO DE MUSGO...

Use MOSS-B-WARE® para evitar el musgo antes de que inicie. Simplemente siga las instrucciones de eliminación de musgo. Este producto cubre una área por 1,000 pies cuadrados (0.45 kg por 93 metros cuadrados). Esto puede requerir tratamiento anual.

PRECAUCIONES PARA SU USO...

- No aplique MOSS-B-WARE® si el edificio tiene cañales o pitones de cobre, ya que se puede corroer el cobre.
- Aplique en un día calinado.
- Si MOSS-B-WARE® entra en contacto con arbustos, flores o césped, lávelos inmediatamente con una manguera.
- No aplique de más. El exceso puede dañar plantas u ornamentales.
- Evite las techas majadas, rebaldizas, aplique cuando estén secas.

ALMACENAMIENTO Y ELIMINACION

ALMACENAMIENTO: Almacene en un lugar seco y cerrado, en el envase original y que no tenga acceso los niños o las mascotas. Evite la contaminación de comestibles y alimentos para animales.

ELIMINACION: Si está vacío: No utilice de nuevo este envase. Colóquelo en el basurero o si está disponible, etiquetado para reciclaje. Si está parcialmente lleno: Lléve a su agencia de desechos sólidos o al 1-800-CLEANUP para obtener instrucciones sobre cómo eliminarlo. Nunca elimine el producto no utilizado en drenajes internos o externos.

AVISO: El proveedor no da garantía, expresa o implícita, en relación al uso de este producto que no sea el indicado. El usuario debe leer las instrucciones y los riesgos de uso y número de este material cuando abra uso y manejar el contenido a las instrucciones en la etiqueta.

Fabricado por:
Renta Manufacturing, Inc.
P.O. Box 1028 • North Bend, WA 98045
EPA Reg. Núm. 105991 / EPA Est. Núm. 8119-WA-1

5/0

6/6

April 26, 2005

Certified Mail #7004 1160 0005 3040 4791

Document Processing Desk (NOTIF)
Office of Pesticide Programs
Registration Division (7504C)
U.S. Environmental Protection Agency
Ariel Rios Building
1200 Pennsylvania Ave., NW
Washington, DC 20460

Re: Retta Manufacturing, Inc., North Bend, WA - EPA #10699
Notification of Revised Pesticide Label

Registrations
by Design[™]
Inc.


Dear Sir or Madam:

Enclosed for your review is a revised label reflecting bi-lingual (English/Spanish) language for the following pesticide product offered by Retta Manufacturing, Inc.:

Moss B Ware, EPA No. 10699-1 (3.0 lb.)

No other changes have been made to the above label. If additional information is required, or you have questions, please contact me at the number below.

Sincerely,




Rebecca M. Horton
Consultant/Agent for
RETTA MANUFACTURING, INC.

Enclosure

RMH/cn

cc: D.L.Grassman - Retta



Member CHEMICAL PRODUCERS & DISTRIBUTORS ASSN.

Federal & State Pesticide/Fertilizer Registration Services plus typesetting & design of final product labeling

118½ E. Main Street, Ste. 1, Salem, VA 24153-3805 • (540)375-8826 • fax (540)375-8827

e-mail:  hortonb@ntelos.net