
<u>Cameraman's Note</u>

Reg. No. 10700-2 appears again on CLF-1068 in frames (32) through (44) to provide the user of the fiches with separate images of each page and its overlay.



Sidnesh - asido van strata seet DELOKE ASII



"ATTSES SEVERE BURING ON CUINTACT

PROTECT EYES SKIN. MUCUUS MEMBRANES AND CLOTHING

WEEP HANDS AND FACE AWAY FROM POINT OF ENTRANCE

ANTIDUIT

DNA

NTERNAL -

OF NOT INDUCE VOIVITING!

CALL PHYSICIAN AT ONCE

*FFP OUT OF DEACH OF CHILDPEN

Cameraman's Note

Reg. No. 10700-2 appears again on CLF-1068 in frames (32) through (44) to provide the user of the fiches with separate images of each page and its overlay.

M GAFAXY Root Destroyer OR NOT USE UK MIX WITH ANY STHED CHEMICALS DIPECTIONS ■ GALAXY Root FOR ROOT PREVENTION . GALAXY Root Destroyer ■ GALAXY Root Destrove: ■■■

KEEP CAN CLOSED AND DKY



MAGNACIDE B MICROBIUCIDE (Acrolein Inhibited)

CONTENTS UNDER PRESSURE

For Use in Oil Field Water Injection Recovery Systems

NET WEIGHTS
Cylinder-370 lbs
Skid Tank-2450 lbs

10-10-16

ACTIVE INGREDIENT

Acrolein

INERT INGREDIENTS

BY WEIGHT

92%

8%

TOTAL

100%

EPA Est. 10707 CA-5

EPA Reg. No. 10707-10

DANGER POISON

KEEP OUT OF REACH OF CHILDREN

Corrosive. May cause eye or skin damage.

DANGER

PRECAUTIONS IN USING

(MAGNACIDE B Microbiocide contains 6.5 pounds

EXTREMELY FLAMMABLE AND IRRITATING VAPOR AND LIQUID. POISONOUS BY INHALA TION, SKIN CONTACT OR SWALLOWING. DO NOT BREATHE VAPOR. DO NOT GET IN EYES, OR SKIN OR ON CLOTHING. KEEP AWAY FROM FIRE, SPARKS, AND HEATED SURFACES.

Wear face shields or goggles during handling. Use with adequate ventilation. Keep available at all times a gas mask of a type approved by the U.S. Bureau of Mines for organic vapor protection.

Clean application equipment with large amounts of water after using.

of active ingredient per gallon.)

If spilled on clothing, gloves or shoes, remove them immediately and wash thoroughly before reluse.

DANGER: Acrolein, the active ingredient in MAGNICIDE B is highly reactive chemically and readily forms polymers. If alkalies (such as ammonia and caustic) or strong acids are brought in contact with the MAGNACIDE B in a closed system, the Biocide can polymerize with sufficient violence to rupture the container. Do not apply with equipment used for acids and alkalies. Contamination of MAGNACIDE B with any foreign matter must be avoided.

A supply of 10% sodium bisulfite solution should be readily available for neutralizing spilled MAGNI-CIDE B. All spills shoul—be confined and neutralized before disposal. (Note-Sodium bisulfite solutions are corrsoive to steel and concrete.) Running water should be readily available to wash down the area after neutralization.

Do not reuse empty container. Return empty containers to Magna Corporation

This product is toxic to fish and wildlife. Keep out of lakes, streams or ponds. Fish, shrimp, and crab will be killed at application rates recommended. Do not apply where they are important resources. Do not apply to water drainage areas where runoff or flooding will contaminate ponds, lake:, streams, tidal marshes, and estuaries. Do not contaminate water by cleaning of equipment, or disposal of wastes. Consult your State Fish and Game Agency before applying the product. Apply this product inly as specified on the label.

ANTIDOTE AND FIRST AID TREATMENT

CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING

INTERNAL If the material has been swallowed, induce vomiting immediately. This may had done by introducing a finger into the throat or by diving warm salt water (1 tablespoon of salt to a gla cater). Repeat until vomit fluid is clear NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. Keep patient prone and quiet.

. If inhaled get victim into fresh air immedia ely and give artificial repsiration if breath ig has stopped

EXTERNAL If spilled on the skin, remove all contaminated clothing and wash skin with soap and running water. If the material gets into the eyes, wash immediately with running water for at least 15 minutes. For eyes get medical attention

NOTE TO PHYSICIANS

WARNING SIGNS AND SYMPTOMS: Liquid MAGNACIDE B is absorbed by the skin and is particularly irritating to any lesion and to the eyes. The vapors act principally on the mucous membrane of the eyes and respiratory tract. Because of the extreme lachrymatory warning effect, the concentration tolerable by man is far below the minimum lethal concentration.

TREATMENT: Treat exposed area as a chemical burn. Thoroughly flush the eyes with water and treat symptomatically. Persons exposed to MAGNACIDE B vapors have a delayed reaction and experience irritation of the respiratory tract. In severe cases, this may progress to pulmonary edema. Therefore, it is advisable to keep persons exposed to MAGNACIDE B under observation for 24 hours following exposure.

STORAGE OF MAGNACIDE B TANKS

Full tanks of acrolein should be stored in a cool, shady, well-ventilated area which is protected from the weather and away from other chemicals. (No alkalies or oxidizing materials should be near.)

The storage area preferably should be remotely located and should be of fireproof construction. An open shed type structure is suitable. All electrical equipment should be explosion proof and all equipment properly grounded.

GENERAL DIRECTIONS

MAGNICIDE B is a water soluble material for the control of bacteria and fungion oil field water injection recovery systems. This material should only be applied in accordance with directions in Bulletin ACD 65-154 under the supervision of the trained personnel of licensed applicators.

NOTICE OF WARRANTY

MAGNA CORPORATION MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PURPOSE, OR OTHERWISE, EXPRESS OR IMPLIED concerning this product or its uses which extend beyond the use of the product under normal conditions in accord with the statements made on this label