## PRECAUTIONARY STATEMENTS HAZARD TO HUMANS AND DOMESTIC ANIMALS

DANGER: Causes irreversible eye damage and skin burns. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin or on clothing. Wear Googles or face shield, and rubber gloves and protective clothing when handling. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco. Remove contaminated clothing and wash before reuse.

## **ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish and wildlife. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

## **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its label. For use with closed delivery systems only.

MAGNACIDE® 407 Industrial Bactericide is effective in control of mixed aerobic and anaerobic bacteria including sulfate-reducing bacteria in oilfield waters ranging from fresh water to moderately saline solutions.

MAGNACIDE® 407 Industrial Bactericide is not effective in heavy brine.

### **OILFIELD INJECTION AND WASTEWATER**

MAGNACIDE® 407 Industrial Bactericide should be added to the water handling system at a point of uniform mixing such as the area of addition of make up water to the holding tank.

CONTINUOUS INJECTION: Add MAGNACIDE® 407 Industrial Bactericide at 1 part per 1,500 parts water (28 gallons per 1,000 bbl water) when system is noticeably fouled. When microbial control is evident, add 1 part MAGNACIDE® 407 Industrial Bactericide per 3,000 parts water (14 gallons per 1,000 bbl water) to maintain control.

# Magnacide<sup>®</sup> 407 **Industrial Bactericide**

FOR TREATMENT OF OILFIELD INJECTION WATER SYSTEMS

#### **ACTIVE INGREDIENT:**

Alkyl* dimethyl benzyl ammonium chloride	30.0 wt. %
INERT INGREDIENTS:	70.0 wt. %
TOTAL:	
*as in coconut oil fatty acids	

# KEEP OUT OF REACH OF CHILDREN DANGER

## SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

on control center of doctor initialities for treatment advice.  ct container of label with you when calling a poison control center.  doctor, or going for treatment.
Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.
<ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> </ul>
<ul> <li>Call a poison control center or doctor immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>
Move person to fresh air.  If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.

use of gastric lavage. 

DISTRIBUTED BY:

BAKER PETROLITE CORPORATION 12645 W. Airport Blvd. Sugar Land, TX 77478

EMERGENCY CONTACT (24 HOURS PER DAY): 800-231-3606

## **DIRECTIONS FOR USE (CONT.)**

BATCH TREATMENT: Add MAGNACIDE® 407 Industrial Bactericide at 1 part per 2,500 parts water (18 gallons per 1,000 bbl water) over a period of 6 hours one or more times per week when the system is noticeably fouled. When microbial control is evident, add 1 part MAGNACIDE® 407 Industrial Bactericide per 5,000 parts water (9 gallons per 1,000 bbl water) over a period of 6 hours one or more times per week. **OIL WELL** 

Mix 25-55 gallons of MAGNACIDE® 407 Industrial Bactericide with sufficient water to cover the producing interval. Inject down the casing or tubing followed by sufficient over flush to force the treated solution into the formation around the well bore. Shut in the well for 8-24 hours before returning to production.

## STORAGE AND DISPOSAL

Do not contaminate water, food, or feed,

STORAGE: Store only in original container.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of Excess pesticide, spray mixture or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Do not use empty container. (Larger than 1 gal.) Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. In addition, plastic containers may be disposed of by incineration, or if allowed by state and local authorities, by burning, stay out of smoke. . Do not cut or weld on or near metal containers.

as Marked On Container

Rev. 08/02

Under the Foderal Insecticide, Fungicide, and Redenticius Antias amended, for the perfolde, registered under EFA Reg. No. 1070 7-