

CAUTION

AVOID CONTACT WITH EYES, OPEN CUTS OR SORES.

FIRST AID TREATMENT: CALL A PHYSICIAN. IF
CONSCIOUS, INDUCE VOMITING BY GIVING A TABLE-
SPOON OF SALT IN A GLASS OF WARM WATER AND
REPEAT UNTIL VOMIT FLUID IS CLEAR. GIVE MILK
OR WHITES OF EGGS BEATEN WITH WATER. KEEP
PATIENT WARM AND QUIET.



MAGNACIDE™ H HERBICIDE (Acrolein Inhibited)

CONTENTS UNDER PRESSURE

NET WEIGHTS
Cylinder 370 lbs.
Skid Tank 2450 lbs

ACTIVE INGREDIENT	BY WEIGHT
Acrolein	92%
INERT INGREDIENTS	8%
TOTAL	100%

(MAGNACIDE™ H Herbicide contains 6.5 pounds of active ingredient per gallon.)

EPA Reg. No. 10707-9
EPA Est. 10707 CA 5

DANGER



POISON

KEEP OUT OF REACH OF CHILDREN

DANGER

EXTREMELY FLAMMABLE AND IRRITATING VAPOR AND LIQUID. AVOID CONTACT BY INHA-
TION, SKIN CONTACT, OR SWALLOWING. DO NOT BREATHE VAPOR. DO NOT GET IN EYES, ON
SKIN, OR IN CLOTHING. KEEP AWAY FROM FIRE, SPARKS, AND HEATED SURFACES.

If spilled on clothing, gloves or shoes, remove them immediately and wash thoroughly before re use.

CAUTION: Acrolein, the active ingredient in MAGNACIDE H Herbicide is highly reactive chemically and readily forms polymers. If alkies (such as ammonia and caustic) or strong acids are brought in contact with the MAGNACIDE H Herbicide in a closed system, the Herbicide can polymerize with sufficient violence to rupture the container. Do not apply with equipment used for acids and alkalis. Contamina-
tion of MAGNACIDE H Herbicide with any foreign matter must be avoided.

A supply of 10% sodium bisulfite solution should be readily available for neutralizing spilled MAGNACIDE H. All spills should be confined and neutralized before disposal. (Note: Sodium bisulfite solutions are cor-
rosive to steel and concrete.) Running water should be readily available to wash down the area after neu-
tralization.

STORAGE OF MAGNACIDE H TANKS

Full tanks of acrolein should be stored in a cool, shady, well ventilated area which is protected from the weather and away from other chemicals. (No alkalis or oxidizing materials should be near.)

The storage area preferably should be remotely located and should be of fireproof construction. An open shed type structure is suitable. All electrical equipment should be explosion proof and all equipment properly grounded.

GENERAL DIRECTIONS

MAGNACIDE H Herbicide is a water soluble material for the control of submerged and floating weeds and algae in irrigation canals. This material is to be sold only to applicators licensed by Magna Corpora-
tion and should only be applied in accordance with directions in Magna Bulletin ADC 65-153 under the supervision of the trained personnel of licensed applicators. Do not permit dairy animals to drink treated water. Do not use where waters will either flow into or transfer via underground streams to potential sources of drinking water. Do not release treated water for 6 days after application into any fish bearing waters or where it will drain into them.

PRECAUTIONS IN USING

Wear face shields or goggles during handling. Use with adequate ventilation. Keep available at all times a gas mask of a type approved by the U.S. Bureau of Mines for organic vapor protection. Clean applica-
tion equipment with large amounts of water after using.

This product will kill fish and wildlife. Keep out of lakes, streams or ponds. Fish, shrimp and crab will be killed at application rates recommended. Do not apply where they are important resources. Do not apply to water drainage areas where runoff or flooding will contaminate ponds, lakes, streams, tidal marshes and estuaries. Do not contaminate water by cleaning of equipment or disposal of wastes. Consult your State Fish and Game Agency before applying this product. Use only as specified.

Do not reuse empty container. Return empty containers to Magna Corporation.

ANTIDOTE AND FIRST AID TREATMENT

CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING.

INTERNAL: If the material has been swallowed, induce vomiting immediately. This may be done by introducing a finger into the throat or by giving warm salt water (1 tablespoon of salt to a glass of water). Repeat until vomit fluid is clear. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PER-
SON. Keep patient prone and quiet.

If inhaled, get victim into fresh air immediately and give artificial respiration if breathing has stopped.

EXTERNAL: If spilled on the skin, remove all contaminated clothing and wash skin with soap and running water. If the material gets into the eyes, wash immediately with running water for at least 15 minutes. For eyes get medical attention.

NOTE TO PHYSICIANS

WARNING SIGNS AND SYMPTOMS: Liquid MAGNACIDE H Herbicide is absorbed by the skin and is particularly irritating to any lesion and to the eyes. The vapors act principally on the mucous membranes of the eyes and respiratory tract. Because of the extreme lachrymatory warning effect, the concentration tolerable by man is far below the minimum lethal concentration.

TREATMENT: Treat exposed area as a chemical burn. Thoroughly flush the eyes with water and treat symptomatically. Persons exposed to MAGNACIDE H Herbicide vapors have a delayed reaction and ex-
perience irritation of the respiratory tract. In severe cases, this may progress to pulmonary edema. There-
fore, it is advisable to keep persons exposed to MAGNACIDE H Herbicide under observation for 24 hours following exposure.

NOTICE OF WARRANTY

MAGNA CORPORATION MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY
PURPOSE, OR OTHERWISE, EXPRESS OR IMPLIED concerning this product or its uses which extend
beyond the use of the product under normal conditions in accord with the statements made on this label.

DISTRIBUTED BY MAGNA CORPORATION, 11808 South Bloomfield Ave., Santa Fe Springs, California 90670