

### **Baker Petrolite**

EPA Reg. No. 10707-9	EPA Est. 10707-CA-005	
ACTIVE INGREDIENT	BY	WEIGHT
Acrolein		95%
INERT INGREDIENTS		<u>5%</u>
	TOTAL	100%
	a set a set have been an at a set of a set of a	

This product contains the toxic inert ingredient hydroquinone. (MAGNACIDE® H Herbicide contains 6.7 pounds of active ingredient per gallon.)

### PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

### DANGER

EXTREMELY FLAMMABLE AND IRRITATING VAPOR AND LIQUID. POISONOUS BY INHALATION, SKIN CONTACT OR SWALLOWING. DO NOT BREATHE VAPOR. CORROSIVE, CAUSES EVE AND SKIN DAMAGE. DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. KEEP AWAY FROM FIRE, SPARKS AND HEATED SURFACES.

When setting up and breaking down application equipment, a full-face air purifying respirator with organic vapor (OV) cartridges jointly approved by the Mine Safety and Health Administration (MSHA) and the National Institute of Occupational Safety and Health (NIOSH) and butyl rubber gloves must be worn. For visual inspection during treatment, chemical splash goggles must be worn. If spilled on clothing, gloves, remove them immediately and wash thoroughly with scep and water before reuse. Use with adequate ventilation.

#### ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Keep out of takes, streams or ponds. Fish, shrimp and crabs will be killed at application rates recommended. Do not apply where they are important resources. Do not apply to water drainage areas where runoff or flooding will contaminate ponds, takes, streams, tidal marshes and estuaries. Do not contaminate water by cleaning of equipment or discosal of wastes. Notify your State Fish and Game Agency before applying this product. Use only as specified.

### PHYSICAL AND CHEMICAL HAZARDS

DANGER: Extremely flammable. Contents under pressure, Keep away from fire, sparks and heated surfaces. Do not puncture or incinerate container. Acrolein, the active ingredient in MAGNACIDE\* H Herbicide, is highly reactive chemically and readily forms polymers. If alkalies (such as armoniat and caustic) or strong acids are brought in contact with MAGNACIDE\* H Herbicide in a closed system, the Herbicide can polymerize with sufficient violence to rupture the container. Do not apply with equipment used for acids and alkalies. Contamination of MAGNACIDE\* H Herbicide with any foreign matter must be avoided.

A supply of sodium carbonate (soda ash) should be readily available for deactivating spilled MAGNACIDE\* H Herbicide. All spills should be confined and deactivated before disposal. See the MAGNACIDE\* H Herbicide Application and Safety Manual tor additional information.

### FIRST AID

if inhaled: • Move person to fresh air

- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible
- Call a poison control center or doctor for further treatment advice.
- If on skin or clothing:
- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.
- If in eyes:
- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.
- N swallowed:
- Call a poison control center or doctor immediately for treatment advice.
  Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

Have the product container, label or application manual with you when calling a poison control center or doctor, or going for treatment. CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING.

# MAGNACIDE® H HERBICIDECCEPTED (Acrolein, Inhibited) APR 10 2002

RESTRICTED USE PESTICIDE DUE TO A HIGH ACUTE TOXICITY For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

CONTENTS UNDER PRESSURE

## 

KEEP OUT OF REACH OF CHILDREN

### NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

WARNING SIGNS AND SYMPTOMS: Liquid MAGNACIDE® H Herbicide is absorbed by the skin and is particularly irritating to any lesion and to the eye. The vapors act principally on the mucous membrane of the eyes and respiratory tract. Because of the extreme lachnymatory warning effect, the concentration tolerable by man is far below the minimum lethal concentration.

TREATMENT: Treat exposed area as a chemical burn. Thoroughly flush eyes with water and treat symptomatically. Persons exposed to MAGNACIDE® H Herbicide vapors have a delayed reaction and experience irritation of the respiratory tract. In severe cases, this may progress to pulmonary edema. Therefore, it is advisable to keep persons exposed to MAGNACIDE® H Herbicide under observation for 24 hours following exposure.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. MAGNACIDE® H Herbicide is a water soluble material for the control of submersed and floating weeds and algae in imigation canals. This material must be applied in accordance with directions in the MAGNACIDE® H Herbicide Application and Safety Manual by a certified applicator or under a certified applicator's supervision. Do not permit dairy animals to drink treated water. Do not use where waters will flow into potential sources of drinking water. Water treated with MAGNACIDE® H Herbicide must be used for imigation of fields, either crop bearing, fallow or pasture, where the treated water remains on the field OR held for 6 days before being released into fish bearing waters or where it will drain into them.

### STORAGE AND DISPOSAL STORAGE OF MAGNACIDE<sup>®</sup> H HERBICIDE TANKS

All containers of MAGNACIDE® H Herbicide should be stored in a secured, well-ventilated area, away from all other chemicals. No alkalies or oxidizing materials should be near. Any electrical equipment should be Class 1 - Division 2 and property grounded. Do not reuse empty container, Return empty containers to Baker Petrolite Corporation.

### DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. It these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

### NOTICE OF WARRANTY

BAKER PETROLITE CORPORATION MAKES NO WARRANTY OF MERCHANTABILITY FITNESS FOR ANY PURPOSE, OR OTHERWISE, EXPRESSED OR IMPLIED concerning this product or its uses which extend beyond the use of the product under normal conditions in accord with the statements made on this label

> NET WEIGHTS Cylinder-370 lbs. Skid Tank-2450 lbs

Under the Federal Insecticide. Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 10191-9 Acrolein, Inhibited, 6.1, (3), UN 1092, PG I, Toxic-Inhalation Hazard, Zone A, Marine Pollutant, RQ

on c/11/4

RC 0601

# INHALATION HAZARD



MANUFACTURED BY: BAKER PETROLITE CORPORATION 12645 W. Ai t Blvd., Sugar Land, TX 77478 Customer Ca 00-872-1916