

MAGNACIDE 455

ACTIVE INGREDIENTS:

67-332 ppm Magnacide 455	115%
2100 ppm Magnacide 455	0.35%

INERT INGREDIENTS: 98.65%

TOTAL..... 100.00%

2.4 pounds per gallon

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with labeling.

Do not apply in marine or offshore oil fields.

OIL FIELD INJECTION

For the control of slime forming bacteria and sulfate with 67-332 ppm Magnacide 455 1.5% depending on the system.

INITIAL DOSE: Add 1.5% (6.7 lbs. per 1000 barrels of water) at a point in the system treatment after three days or as needed until control is achieved.

SUBSEQUENT DOSE: Add 1.5% (6.7 lbs. per 1000 barrels of water) every seven days or as needed. Magnacide 455 weighs 8.4 lbs. per gallon.

STORAGE AND DISPOSAL

STORAGE: Do not contaminate water, food, or feed by storage or disposal. If plastic, do not reuse as a container.

DISPOSAL: Pesticide containers that cannot be reused must be triple rinsed (or equivalent) and, for metal containers, must be incinerated or buried in a secure place. Consult federal, state, or local authorities for alternative procedures.

NOTICE: Seller warrants that the product conforms to the specifications stated on the label when used in accordance with the directions on the label, but neither this warranty nor any other warranty, express or implied, extends to the use, storage, or disposal of the product in any manner other than as directed by the label instructions or under abnormal conditions foreseeable to seller. Buyer assumes the risk of a product used in any other manner.

MANUFACTURED BY: MAGNACIDE

11800 South Bloomfield Ave, Santa Fe, NM 87501

BEST DOCUMENT AVAILABLE

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

KEEP OUT OF REACH OF CHILDREN

WARNING

CAUTION: This pesticide may be harmful if swallowed. Avoid contact with eyes, nose, mouth, and skin. Wash thoroughly after handling.

Do not get on clothing, in eyes, on face, or on hands. Wear rubber gloves when handling. Avoid contact with food. Do not eat, drink, or smoke while handling. Wash thoroughly after handling.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic life. Do not apply to streams, rivers, or other bodies of water. Do not apply to crops or plants that are susceptible to phytotoxicity. Do not apply to crops or plants that are susceptible to phytotoxicity. Do not apply to crops or plants that are susceptible to phytotoxicity.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Do not induce vomiting. Drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.


IF INHALED: Move immediately to fresh air. If not breathing, apply artificial respiration. If breathing is difficult, give oxygen. Call a physician.

IF ON SKIN: Wash thoroughly with soap and water. Remove and wash contaminated clothing before reuse.

IF IN EYES: Flush with plenty of water for at least 15 minutes. Call a physician.

NOTE TO PHYSICIANS

If the usual dosage may contraindicate the use of gastric lavage, respiratory depression and convulsions may be needed.



BEST DOCUMENT AVAILABLE

MAGNA 455

EPA REG. NO. 10707-12

EPA EST. NO. 10707-TX-1

FIELD METABOLICIDE

**DIRECTIONS FOR USE
GENERAL CLASSIFICATION**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

INGREDIENTS:

2-methyl-4-isothiazolin-3-one	11%
4-methyl-2-isothiazolin-3-one	0.3%
INGREDIENTS:	<u>98.7%</u>
TOTAL	100.0%

Do not apply in or near marine oil fields.

OIL FIELD INJECTION WATERS

PRECAUTIONS:
DOMESTIC ANIMALS 3.4 pounds per gallon
CHILDREN

For the control of sulfate-reducing bacteria and sulfate-reducing elements in oil field waters, slug treat with 67-332 ppm Magnacide 455 1.5% depending on the severity of contamination.

INITIAL DOSE: Add 1.5% Magnacide 455 1.5. (6.9-13.9 gallons or 51.2-102.4 lbs. Magnacide 455 1.5% per 1000 barrels of water) at a point in the system where it will be uniformly mixed. Repeat treatment after three days or as needed until control is achieved.

SUBSEQUENT DOSE: Add 1.5% Magnacide 455 1.5. (2.8-6.9 gallons or 21.5-51.2 lbs. Magnacide 455 1.5% per 1000 barrels of water) every seven days or as needed to maintain control. Magnacide 455 1.5 weighs 8.4 lbs. per gallon.

STORAGE AND DISPOSAL

CAUSE ALLERGIC SKIN REACTION. MAY BE HARMFUL IF SWALLOWED.

Wear goggles or face shield and rubber gloves when handling. Do not get on or in mouth. Do not swallow. Wash thoroughly.

STORAGE: Do not contaminate water, food, or feed by storage or disposal. If plastic, do not reuse as a container.

ENVIRONMENTAL HAZARDS

Do not apply to marine oil fields. Do not apply to waters unless in accordance with a NPDES permit. For additional restrictions, consult local authorities.

DISPOSAL: Pesticide containers that cannot be used for chemically resistant or other purposes should be disposed of in a landfill approved for pesticides or buried in a safe place. Rinse containers and, for metal containers, clean for recycling or reuse (for plastic containers, clean in an incinerator), or dispose in a landfill approved for pesticides. Consult federal, state or local officials for alternative procedures.

FIRST AID TREATMENT

Ingested: Promptly a large quantity of milk, egg whites, gelatin or other non-toxic, non-acidic, non-alkaline, non-oily substance available, drink large quantities of water. Avoid alcohol.

NOTICE: Seller warrants that the product conforms to its chemical description and is suitable for the purpose stated on the label when used in accordance with directions and conditions of use, but neither this warranty nor any other warranty of merchantability, fitness for a particular purpose, express or implied, extends to the use, storage or handling of this product in any manner other than as directed by label instructions or under abnormal conditions, or under conditions not reasonably foreseeable to seller. Buyer assumes the risk of any such use.

Inhalation: If not breathing, apply artificial respiration. If breathing, call a physician.

Eye Contact: Remove and wash contaminated clothing before continuing work. Wash eyes for at least 15 minutes. Call a physician.

MANUFACTURED BY: MAGNA CORPORATION.

11800 North Bloomfield Ave., Santa Fe Springs, California 90671

PRECAUTIONS:
If swallowed, induce vomiting. If necessary, use of gastric lavage. Measures should be taken to keep airway open. If necessary, artificial respiration should be given. Call a physician.

ACCEPTED
With Comment
EPA Labeling
SEP 08 1982
This product has been found to meet the requirements of the Federal Insecticide, Fungicide, and Rodenticide Act. It is registered under the pesticide laws of the State of California under Registration No. 10707-12

BEST DOCUMENT AVAILABLE