



Aqualin[®] HERBICIDE (Acrolein, Inhibited)

EPA Reg. No. 10707-15
EPA Est. 10707-CA-5

MAGNA
HERBICIDE
DIVISION

ACTIVE INGREDIENT	BY WEIGHT
Acrolein	82%
INERT INGREDIENTS	18%
TOTAL	100%

This product contains the toxic inert ingredient hydroquinone.

Aqualin Herbicide contains 6.5 pounds of active ingredient per gallon.)

DANGER

CONTENTS UNDER PRESSURE

DANGER POISON



KEEP OUT OF REACH OF CHILDREN

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

EXTREMELY FLAMMABLE AND IRRITATING VAPOR AND LIQUID. POISONOUS BY INHALATION, SKIN CONTACT OR SWALLOWING. DO NOT BREATHE VAPOR. DO NOT GET IN EYES, OR SKIN OR ON CLOTHING. KEEP AWAY FROM FIRE, SPARKS AND HEATED SURFACES.

If spilled on clothing, gloves or shoes, remove them immediately and wash thoroughly before reuse.

CAUTION: Acrolein, the active ingredient in AQUALIN Herbicide is highly reactive chemically and readily forms polymers. If alkalis (such as ammonia and caustic) or strong acids are brought in contact with the AQUALIN Herbicide in a closed system, the Herbicide can polymerize with sufficient violence to rupture the container. Do not apply with equipment used for acids and alkalis. Contamination of AQUALIN Herbicide with any foreign matter must be avoided.

A supply of sodium carbonate (soda ash) or a 10% sodium bisulfite solution should be readily available for deactivating spilled AQUALIN. All spills should be confined and deactivated before disposal. See the AQUALIN Herbicide Application and Safety Manual for additional information.

STORAGE AND DISPOSAL

STORAGE OF AQUALIN TANKS

Full tanks of acrolein should be stored in a cool, shady, well ventilated area which is protected from the weather and away from other chemicals. No alkalis or oxidizing materials should be near.

The storage area preferably should be remotely located and should be of fireproof construction. An open shed type structure is suitable. All electrical equipment should be explosion proof and all equipment properly grounded.

Do not reuse empty container. Return empty containers to Magna Herbicide Division.

DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinseate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

GENERAL DIRECTIONS

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

AQUALIN Herbicide is a water soluble material for the control of submerged and floating weeds and algae in irrigation canals. This material should only be applied in accordance with directions in the AQUALIN Herbicide Application and Safety Manual by a certified applicator or under a certified applicator's supervision. Do not permit dairy animals to drink treated water. Do not use where waters will either flow into or transfer via underground streams to potential sources of drinking water. Do not release treated water for 8 days after application into any fish bearing waters or where it will drain into them.

PRECAUTIONS IN USING

Wear eye shields or goggles during handling. Use with adequate ventilation. Keep available at all times, a gas mask of a type approved by the U.S. Bureau of Mines for organic vapor protection. Clean application equipment with large amounts of water after using.

This product will kill fish and wildlife. Keep out of lakes, streams or ponds. Fish, shrimp and crabs will be killed at application rates recommended. Do not apply where they are important resources. Do not apply to water drainage areas where runoff or flooding will contaminate ponds, lakes, streams, tidal marshes and estuaries. Do not contaminate water by cleaning of equipment or disposal of wastes. Consult your State Fish and Game Agency before applying this product. Use only as specified.

Do not reuse empty container. Return empty containers to Magna Herbicide Division.

ANTIDOTE AND FIRST AID TREATMENT

CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING

INTERNAL: If the material has been swallowed, give two glasses of water and induce vomiting immediately by introducing a finger into the throat. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. Keep patient prone and quiet.

If inhaled, get victim into fresh air immediately and give artificial respiration if breathing has stopped.

EXTERNAL: If spilled on the skin, remove all contaminated clothing and wash skin with soap and running water. If the material gets into the eyes, wash immediately with running water for at least 15 minutes. For eyes get medical attention.

NOTE TO PHYSICIANS

WARNING SIGNS AND SYMPTOMS: Liquid AQUALIN Herbicide is absorbed by the skin and is particularly irritating to any lesion and to the eyes. The vapors act principally on the mucous membranes of the eyes and respiratory tract. Because of the extreme lachrymatory warning effect, the concentration tolerable by man is far below the minimum lethal concentration.

TREATMENT: Treat exposed area as a chemical burn. Thoroughly flush the eyes with water and treat symptomatically. Persons exposed to AQUALIN Herbicide vapors have a delayed reaction and experience irritation of the respiratory tract. In severe cases, this may progress to pulmonary edema. Therefore, it is advisable to keep persons exposed to AQUALIN Herbicide under observation for 24 hours following exposure.

NOTICE OF WARRANTY

BAKER PERFORMANCE CHEMICALS, INCORPORATED MAKES NO WARRANTY OF MERCHANTABILITY FITNESS FOR ANY PURPOSE, OR OTHERWISE, EXPRESSED OR IMPLIED concerning this product or its uses which extend beyond the use of the product under normal conditions in accord with the statements made on this label.

NET WEIGHTS

Cylinder-370 lbs. Skid Tank-2450 lbs.

MANUFACTURED BY BAKER PERFORMANCE CHEMICALS, INCORPORATED 3920 Essex Lane, Houston, Texas 77027

PM 23

10707-15

10/20/87

P7 181