

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

NOV 16 1989

Ms. Halina Caravello  
Baker Performance Chemicals, Inc.  
3920 Essex Lane  
Houston, TX 77027

Dear Ms. Caravello:

Subject: Amendment - Revised Labeling  
Magnacide S Slimicide  
EPA Registration No. 10707-16

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, is acceptable provided that you:

1. Change "CORROSIVE. CAUSES EYE AND SKIN DAMAGE." to read "CORROSIVE. CAUSES EYE DAMAGE AND SKIN BURNS."

A stamped copy of the label is enclosed for your records.

Sincerely yours,

*Joanne I. Miller*

Joanne I. Miller  
Acting Product Manager (23)  
Fungicide-Herbicide Branch  
Registration Division (H7505C)

Enclosure

50678:I:Robbins:RD-1:KENCO:11/14/89:12/23/89:KA:sw:vo:ka

CONCURRENCES

SYMBOL


# Slimicide (Acrolein, Inhibited)

UNDER PRESSURE

EPA Reg. No. 10707 - 16  
EPA Est. 10707 - CA-5



**POISON**

KEEP OUT OF REACH OF CHILDREN

## RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

### NOTE TO PHYSICIANS

**WARNING SIGNS AND SYMPTOMS:** Liquid Magnacide S Slimicide is absorbed by the skin and is particularly irritating to any lesion and to the eyes. The vapors act principally on the mucous membranes of the eyes and respiratory tract. Because of the extreme lachrymatory warning effect, the concentration tolerable by man is far below the minimum lethal concentration.

**TREATMENT:** Treat exposed area as a chemical burn. Thoroughly flush the eyes with water and treat symptomatically. Persons exposed to Magnacide S Slimicide vapors have a delayed reaction and experience irritation of the respiratory tract. In severe cases, this may progress to pulmonary edema. Therefore, it is advisable to keep persons exposed to Magnacide S Slimicide under observation for 24 hours following exposure.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. MAGNACIDE S Slimicide is a water soluble material for the control of slime-forming organisms in paper mill pulp and white water. All non-recirculated water must be held for 48 hours before disposal. Apply only in accordance with directions in the Magnacide S Slimicide Handbook under the supervision of the trained personnel of licensed applicators.

### STORAGE AND DISPOSAL STORAGE OF MAGNACIDE S SLIMICIDE TANKS

Full tanks of acrolein should be stored in a cool, shady, well ventilated area which is protected from the weather and away from other chemicals. (No alkalis or oxidizing materials should be near.)

The storage area preferably should be remotely located and should be of fireproof construction. An open shed type structure is suitable. All electrical equipment should be explosion proof and all equipment properly grounded.

Do not reuse empty container. Return empty containers to Magna Herbicide Division.

### DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

### NOTICE OF WARRANTY

BAKER PERFORMANCE CHEMICALS, INCORPORATED MAKES NO WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PURPOSE, OR OTHERWISE, EXPRESSED OR IMPLIED concerning this product or its uses which extend beyond the use of the product under normal conditions in accord with the statements made on this label.

### NET WEIGHTS

Cylinder-370 lbs. Skid Tank-2450 lbs.

NOV 16 1989 10/89

INCORPORATED 3920 Essex Lane, Houston, Texas 77027

**BEST AVAILABLE COPY**

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, this pesticide is registered under EPA Reg. No.

10707-16