

PM-25

Key # 10101-10

173

Please read instructions on reverse before completing form.

Form Approved, OMB No. 2070-0060, Approval expires 2-28-95



United States  
Environmental Protection Agency  
Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number  
237072

### Application for Pesticide - Section I

1. Company/Product Number 10707-16	2. EPA Product Manager J. Miller	3. Proposed Classification <input type="checkbox"/> None <input checked="" type="checkbox"/> Restricted
4. Company/Product (Name) MAGNACIDE S SLIMICIDE	PM# 23	
5. Name and Address of Applicant (Include ZIP Code) Baker Performance Chemicals, Incorporated 3920 Essex Lane Houston, TX 77027  <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

### Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

**Explanation:** Use additional page(s) if necessary. (For section I and Section II.)

Product label is being submitted via notification per 93-10. The Environmental Hazards statement on the label has been updated accordingly. Certification is on the attached cover letter.


### Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal	<input type="checkbox"/> Plastic
* Certification must be submitted		If "Yes" Unit Packaging wgt.    No. per container	If "Yes" Package wgt.    No. per container	<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			<input type="checkbox"/> Other _____		

### Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Pat Gibson	Title Registration Specialist	Telephone No. (Include Area Code) 713/599-7507
<b>Certification</b> I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received  (Stamped):
2. Signature Pat Gibson	3. Title Registration Specialist	
4. Typed Name Pat Gibson	5. Date August 4, 1995	

293



**MAGNA**

HERBICIDE  
DIVISION

# MAGNACIDE<sup>T.M.</sup> S Slimicide (Acrolein, Inhibited) CONTENTS UNDER PRESSURE

ACTIVE INGREDIENT	BY WEIGHT
Acrolein .....	92%
INERT INGREDIENTS .....	8%
TOTAL	100%

This product contains the toxic inert ingredient hydroquinone.  
(Magnacide S Slimicide contains 6.5 pounds of active ingredient per gallon.)

**DANGER**



**KEEP OUT OF REACH**

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

### DANGER

EXTREMELY FLAMMABLE AND IRRITATING VAPOR AND LIQUID. POISONOUS BY INHALATION, SKIN CONTACT OR SWALLOWING. DO NOT BREATHE VAPOR. CORROSIVE. CAUSES EYE DAMAGE AND SKIN BURNS. DO NOT GET IN EYES OR SKIN OR ON CLOTHING. KEEP AWAY FROM FIRE, SPARKS AND HEATED SURFACES.

Wear face shields or goggles and rubber gloves during handling. If spilled on clothing, gloves, or shoes, remove them immediately and wash thoroughly before reuse. Use with adequate ventilation. Keep available at all times, a mask or pesticide respirator jointly approved by the Mine Safety and Health Administration and the National Institute of Occupational Safety and Health (NIOSH). Clean application equipment with large amounts of water after using.

### ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA. Do not contaminate water by cleaning of equipment or disposal of wastes.

### PHYSICAL OR CHEMICAL HAZARDS

DANGER Acrolein, the active ingredient in Magnacide S Slimicide, is highly reactive chemically and readily forms polymers. If alkalis (such as ammonia and caustic) or strong acids are brought in contact with the Magnacide S Slimicide in a closed system, the Slimicide can polymerize with sufficient violence to rupture the container. Do not apply with equipment used for acids and alkalis. Contamination of Magnacide S Slimicide with any foreign matter must be avoided.

A supply of 10% sodium bisulfite solution should be readily available for neutralizing spilled Magnacide S Slimicide. All spills should be confined and neutralized before disposal. (Note-sodium bisulfite solutions are corrosive to steel and concrete). Running water should be readily available to wash down the area after neutralization.

### STATEMENT OF PRACTICAL TREATMENT

#### CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING

IF IN EYES: hold eyelids open and flush with water for 15 minutes. Get medical attention.

IF ON SKIN: wash with plenty of soap and water. Get medical attention.

IF SWALLOWED: do not induce vomiting. Drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. **NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.** Avoid alcohol. Call a physician immediately. Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

IF INHALED: get victim into fresh air immediately and give artificial respiration if breathing has stopped.

WARNING SIGNS AND SYMPTOMS: L...  
and to the eyes. The vapors act princip...  
lachrymatory warning effect, the concentr...

TREATMENT: Treat exposed area as a...  
exposed to Magnacide S Slimicide vap...  
cases, this may progress to pulmonary...  
under observation for 24 hours following...

It is a violation of Federal L...  
MAGNACIDE S Slimicide is a water solu...  
non-recirculated water must be held fo...  
Slimicide Handbook under the supervisio...

### STORAGE

Full tanks of acrolein should be stor...  
from other chemicals. (No alkalis o...  
The storage area preferably shoul...  
structure is suitable. All electrical eq...  
Do not reuse empty container. Retu...

Pesticide wastes are acutely hazardo...  
Law. If these wastes cannot be dispo...  
Control Agency, or the Hazardous Wa...

BAKER PERFORMANCE CHEMICALS...  
ANY PURPOSE, OR OTHERWISE, EX...  
of the product under normal conditions i...

MANUFACTURED BY: BAKER PERFORMANCE CHEMICALS, INCORPORATED 3920

**BEST COPY AVAILABLE**

# MAGNACIDE<sup>T.M.</sup> S Slimicide (Acrolein, Inhibited) CONTENTS UNDER PRESSURE

**RESTRICTED USE PESTICIDE  
DUE TO A HIGH ACUTE TOXICITY**

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

INGREDIENT	BY WEIGHT
.....	92%
INGREDIENTS .....	8%
TOTAL	100%

Product contains the toxic inert ingredient hydroquinone.  
Magnacide S Slimicide contains 6.5 pounds of active ingredient

**DANGER**



**POISON**

EPA Reg. No. 10707-16  
EPA Est. 10707-CA-5

**KEEP OUT OF REACH OF CHILDREN**

## CAUTIONARY STATEMENTS DANGERS TO HUMANS AND DOMESTIC ANIMALS

### DANGER

LIQUID VAPOR AND LIQUID. POISONOUS BY INHALATION, SKIN CONTACT, AND EYE CONTACT. CAUSES EYE DAMAGE AND SKIN IRRITATION. KEEP AWAY FROM FIRE, SPARKS AND

Proper handling: If spilled on clothing, gloves, or shoes, remove them immediately. Keep available at all times, a mask or pesticide respirator jointly approved by the National Institute of Occupational Safety and Health (NIOSH) and the manufacturer.

### ENVIRONMENTAL HAZARDS

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, or other bodies of water. Observe the requirements of a National Pollutant Discharge Elimination System permit. Do not discharge effluent containing this product into navigable waters without notifying the local sewage treatment plant authority. For guidance contact your local health department or state environmental agency. Do not contaminate water by cleaning of equipment or disposal of wastes.

### PHYSICAL AND CHEMICAL HAZARDS

Magnacide S Slimicide, is highly reactive chemically and readily forms polymers. If acids are brought in contact with the Magnacide S Slimicide in a closed system, the container may rupture. Do not apply with equipment used for acids and other hazardous materials. Any foreign matter must be avoided.

Sodium bisulfite is readily available for neutralizing spilled Magnacide S Slimicide. All spills should be neutralized immediately. (Note-sodium bisulfite solutions are corrosive to steel and concrete). Rinsing area after neutralization.

### FIRST AID

#### IMMEDIATE ACTION IN ALL CASES OF SUSPECTED POISONING

For 15 minutes. Get medical attention. Do not induce vomiting. Do not give anything by mouth to an unconscious person. Avoid eye contact. Eye contact may contraindicate the use of gastric lavage. Measures against eye irritation may be needed. Do not give artificial respiration if breathing has stopped.

### NOTE TO PHYSICIANS

**WARNING SIGNS AND SYMPTOMS:** Liquid Magnacide S Slimicide is absorbed by the skin and is particularly irritating to any lesion and to the eyes. The vapors act principally on the mucous membranes of the eyes and respiratory tract. Because of the extreme lachrymatory warning effect, the concentration tolerable by man is far below the minimum lethal concentration.

**TREATMENT:** Treat exposed area as a chemical burn. Thoroughly flush the eyes with water and treat symptomatically. Persons exposed to Magnacide S Slimicide vapors have a delayed reaction and experience irritation of the respiratory tract. In severe cases, this may progress to pulmonary edema. Therefore, it is advisable to keep persons exposed to Magnacide S Slimicide under observation for 24 hours following exposure.

### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. MAGNACIDE S Slimicide is a water soluble material for the control of slime-forming organisms in paper mill pulp and white water. All non-recirculated water must be held for 48 hours before disposal. Apply only in accordance with directions in the Magnacide S Slimicide Handbook under the supervision of the trained personnel of licensed applicators.

### STORAGE AND DISPOSAL

#### STORAGE OF MAGNACIDE S SLIMICIDE TANKS

Full tanks of acrolein should be stored in a cool, shady, well ventilated area which is protected from the weather and away from other chemicals. (No alkalis or oxidizing materials should be near.) The storage area preferably should be remotely located and should be of fireproof construction. An open shed type structure is suitable. All electrical equipment should be explosion proof and all equipment properly grounded. Do not reuse empty container. Return empty containers to Magna Herbicide Division.

#### DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

### NOTICE OF WARRANTY

BAKER PERFORMANCE CHEMICALS INCORPORATED MAKES NO WARRANTY OF MERCHANTABILITY FITNESS FOR ANY PURPOSE, OR OTHERWISE, EXPRESSED OR IMPLIED concerning this product or its uses which extend beyond the use of the product under normal conditions in accord with the statements made on this label.

### NET WEIGHTS

Cylinder-370 lbs. Skid Tank-2450 lbs.

MANUFACTURED BY: BAKER PERFORMANCE CHEMICALS, INCORPORATED 3920 Essex Lane, Houston, Texas 77027

PG 0925

**BEST COPY AVAILABLE**