

BPCI MAGNACIDE® B-615

A Baker Hughes Company

PI 121 10707-32

1041

ACCEPTED
FEB 02 1994
Under the Federal Insecticide, Fungicide, and Rodenticide Act
Registered for the pesticide:
No. 10707-32

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

IRRITANT: May cause severe eye damage and severe skin irritation if not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. May be harmful if inhaled; use only with adequate ventilation. May be harmful if swallowed. Avoid contact with food.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not discharge into lakes, streams, ponds or public waters unless in accordance with an NPDES permit. For guidance contact your Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

Extremely Flammable.
Keep away from heat and flame.
Corrosive to metals.

STORAGE AND DISPOSAL

- PRECAUTIONS:** Do not contaminate water, food, or feed by storage or disposal.
- STORAGE:** This product is corrosive to mild steel. Do not store or transport in unlined metal containers.
- PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or sludge is a violation of Federal law. If these wastes cannot be disposed of by you according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.
- CONTAINER DISPOSAL:** METAL CONTAINERS: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or spreading and disposal of in a sanitary landfill, or by other procedures approved by state and local authorities.
PLASTIC CONTAINERS: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or spreading and disposal of in a sanitary landfill, or by other procedures approved by state and local authorities. If burned, stay out of smoke.
EPA REG. NO.: Contact federal, state or local air quality authorities for approved alternative procedures.

Controls bacteria, fungi, and algae in industrial recirculating water cooling towers; controls slime-forming bacteria and sulfate reducing bacteria in oil field waters.

ACTIVE INGREDIENTS:	1-(Aryl amino)-3-aminopropane acetate	46.87%
INERT INGREDIENTS:	53.13%
TOTAL	100.00%

* Aqueous to fatty acids or coconut oil.

KEEP OUT OF REACH OF CHILDREN DANGER

- IRRITATION:** If exposure by eye, remove victim to fresh air immediately. Give oxygen or artificial respiration as needed. Obtain emergency medical attention. Prompt action is essential.
- EYE CONTACT:** In case of eye contact, immediately flush with clean water for 70-90 minutes. Retract eyelids with thumb. Obtain emergency medical attention.
- SKIN CONTACT:** Immediately remove contaminated clothing. Wash skin thoroughly with mild soap and water. Flush with lukewarm water for 15 minutes. If sticky, use mild cleanser first. Obtain emergency medical attention.
- INGESTION:** If swallowed, give lukewarm water (not hot) if victim is completely conscious/alert. DO NOT induce vomiting/risk of damage to lungs exceeds potential risk. Obtain emergency medical attention.

NOTE TO PHYSICIAN:
IF SWALLOWED, DO NOT INDUCE VOMITING. GASTRIC LAVAGE AND CATARTIC ILLUSTRATED.
TREAT HARDS ON ALLERGIC REACTIONS CONVENTIONALLY AFTER RECOVERY FROM POISON.

DISTRIBUTED BY
BAKER PERFORMANCE CHEMICALS, INC.
A DIVISION OF BAKER HUGHES

3920 F55FX LANE, HOUSTON, TEXAS 77027
(713) 599-7400

EPA REGISTRATION NO.
10707-32

EPA ESTABLISHMENT NO.
10707 13 003 (1) 10707 01 002 (1)

EMERGENCY TELEPHONE (24 HOURS PER DAY) 713-599-7400

DIRECTIONS FOR USE GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.


[REDACTED]

ON FIELD INJECTION WATERS

MAGNACIDE® B 615 may be used either in slug treatment or in continuous application. Dosages may vary from 500 ppm of MAGNACIDE® B 615 in slug applications to 30-90 ppm of MAGNACIDE® B 615 in continuous treatment (1/4 pint per 1000 gallons equals approximately 30 ppm). A typical slug treatment is to add 120-500 ppm of MAGNACIDE® B 615 (1 pint to 2 quarts per 1000 gallons of water) at intervals as needed to prevent growth of bacterial slime. Badly fouled systems may be slug treated in establish control followed by continuous treatment of 30-60 ppm (1/4 to 1/2 pint per 1000 gallons of water) to maintain control. Monitoring methods include brush bottles, coupons and bacterial culture counts.

Notice of Warranty

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility including injury or damage resulting from its misuse or such as in combination with other materials.



FLAMMABLE
LIQUID,
CORROSIVE,
N.O.S.
(CONTAINS ISOPROPANOL,
AMINE SALTS), 3
UN 2924, PGII



Net Weights
5 gal/40 lbs - 55 gal/43.75
Available in Bulk Quantities