

10707-33

8-8-2003

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes irreversible eye damage. Do not get in eyes, skin or on clothing. Avoid breathing vapor. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Handlers must wear long-sleeved shirt and long pants, shoes plus socks, goggles or face shield and chemical resistant gloves such as or made out of any waterproof material.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

EXTREMELY FLAMMABLE. KEEP AWAY FROM HEAT AND FLAME. CORROSIVE TO METALS.

ACCEPTED
AUG 08 2003
Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. **10707-33**

NET CONTENTS: 50 lb. Drum, or As Marked on Container

Rev. 05/03

MAGNACIDE® B-615

CONTROLS SLIME-FORMING BACTERIA AND SULFATE REDUCING BACTERIA IN OIL FIELD WATERS

ACTIVE INGREDIENT:

1-(Alkyl* amino)-3-aminopropane diacetate46.87 %
INERT INGREDIENTS:53.13 %
TOTAL: 100.00 %

*Alkyl as in fatty acids of coconut oil.

**KEEP OUT OF REACH OF CHILDREN
DANGER**

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

FIRST AID	
Call poison control center or doctor immediately for treatment advice. Have the product container or label with you when calling a poison control center, doctor, or going for treatment.	
IF IN EYES	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.
IF SWALLOWED	<ul style="list-style-type: none"> Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF INHALED	<ul style="list-style-type: none"> Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage	

EPA Registration Number 10707-33
EPA Establishment Numbers 10707-TX-003, 10707-OK-002

DISTRIBUTED BY:
BAKER PETROLITE CORPORATION
12645 WEST AIRPORT BLVD.
SUGAR LAND, TX 77478

EMERGENCY CONTACT (24 HOURS PER DAY): 800-231-3606

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

INDUSTRIAL RECIRCULATING WATER COOLING TOWERS

Dosages for recirculating water cooling towers or evaporative condensers will depend on the condition of the system before treatment. Heavily fouled systems should be cleaned first. Apply 120 to 500 ppm of **MAGNACIDE® B-615** to the clean system when regrowth is first noticed. Repeat dosage one to three times per week until control is established. Add sufficient **MAGNACIDE® B-615** to maintain 30 - 50 ppm in the blowdown water to keep the system under control. Always apply **MAGNACIDE® B-615** to the system where it will be uniformly mixed.

OIL FIELD INJECTION WATERS

MAGNACIDE® B-615 may be used either in slug treatment or in continuous application. Dosages may vary from 500 ppm of **MAGNACIDE® B-615** in slug applications to 30 - 50 ppm **MAGNACIDE® B-615** in continuous treatment (1/4 pint per 1,000 gallons equals approximately 30 ppm). A typical slug treatment is to add 120 - 500 ppm of **MAGNACIDE® B-615** (1 pint to 2 quarts per 1,000 gallons of water) at intervals as needed to prevent growth of bacterial slime. Badly fouled systems may be slug treated to establish control followed by continuous treatment of 30 - 60 ppm (1/4 to 1/2 pints per 1,000 gallons of water) to maintain control. Monitoring methods include broth bottles, coupons and bacteria culture counts.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: This product is corrosive to mild steel. Do not store or transport in unlined metal containers.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL Metal or Plastic Containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. In addition, plastic containers may be disposed of by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke. Metal Containers: Must not be incinerated. Do not cut or weld on or near metal containers.

Read Product Material Safety Data Sheet prior to use. **PRODUCT WARRANTY, DISCLAIMER AND LIMITATION OF LIABILITY ARE FOUND THEREON.** Use of Product signifies agreement with these provisions.

Lea la hoja de datos de seguridad de materiales del producto antes de usarlo. **LA GARANTIA DEL PRODUCTO, EL DESCARGO Y LA LIMITACION DE RESPONSABILIDAD SE ENCUENTRAN EN DICHS DOCUMENTOS.** El uso del producto significa acuerdo con estas disposiciones.