DEC 07 1993

Mr. Keith Linton Baker Performance Chemicals, Incorporated 3920 Essex Lane Houston, TX 77027

Dear Mr. Linton:

Subject: IPC 8955

EPA Registration No. 10707-37

Your Resubmission Dated September 1, 1993

This is in response to your resubmission of the revised labeling for the subject product.

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, Rodenticide Act, as amended, is acceptable subject to the following comment.

The "Note to Physician" Statement should follow the 1. "Practical Treatment" Statement.

A stamped copy is enclosed for your records. Submit five copies of the final printed label.

If you have any questions about these comments, please call Marianne Clark at (703) 305-7879.

Sincerely yours,

Ruth Douglas

Product Manager (32)

Antimicrobial Program Branch Registration Division (7505C)

CONCURRENCES									
SYMBOL									
SURNAME					**********				
DATE					**********				
Angietat ett e eany									

EPA Fcm 1320-1A (1/90)

Printed on Recycled Paper

OFFICIAL FILE COPY





A Baker Hughes company

INDUSTRIAL MICROBICIDE

ACTIVE INGREDIENT:	
TRICHLORO S TRIAZINETRIONE*	99.0%
INERT INGREDIENTS	1.0%
TOTAL	100.0%
*AVAILABLE CHLORINE	89.0%

KEEP OUT OF REACH OF CHILDREN DANGER

STATEMENT OF PRACTICAL TREATMENT

NOTE TO PHYSICIAN: Probable mucosal damages, do not employ gastric

lavage or emesis. Administration of acid or basic

substances to neutralize is contraindicated.

IF SWALLOWED:

Give large quantities of water, do not induce vomiting. Do not drink alcohol. Call a physician immediately.

IF INHALED:

Remove immediately to fresh air. If not breathing, apply artificial respiration. If breathing is difficult, give oxygen.

Call a physician.

IF ON SKIN:

Brush off chemical and flush skin with cold water for at least 15 minutes. If irritation persists, get medical

altention

IF IN EYES:

Flush eyes with cold water for at least 15 minutes. Get immediate medical attention.

EPA REGISTRATION NO. 10707-37 EPA ESTABLISHMENT NO. 10707-TX-007

Sold by CHEMLINK INDUSTRIAL

A Division of Baker Performance Chemicals, Inc.

A Baker Hughes Company

3920 Essex Lane • P.O. Box 27714 Houston, Texas 77227-7714

NET WEIGHT: 100 lbs. per 13 gal. drum 300 lbs. per 47 gal. drum

IPC 8955

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

CORROSIVE: Causes eye and skin damage. May be fatal if swallowed. Do not get in eyes, on skin, o clothing. Wear goggles of lace shield and rubber gloves when handling, Irritating to nose and three breathing dust. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, po estuaries, oceans, or public waters unless this product is specifically and addressed in an NPDES pe Do not discharge effluent containing this product to sewer systems without previously notifying the sev treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS

Strong oxidizing agent. Mix only with water. Use clean, dry utensils and equipment. Do not add this proto any dispensing device containing remnants of any other product. Such use may cause a violent realeading to fire and explosion. Contamination with moisture, organic matter, or other chemicals may st chemical reaction with generation of heat, hazardous gases and possible fire and explosion

In case of contamination or decomposition, do not reseal container. Damp or decomposing material ma shock sensitive. Rap container sharply with a pole from a distant, protected position prior to handling possible, isolate container in open air or well ventilated area. If necessary, flood with large volumes of wi

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling

IPC 8955 industrial water blocide is recommended for use in cooking water, industrial water, and air was

STORAGE AND DISPOSAL

STORAGE: Keep product dry in hightly closed container when not in use. Store in a cool, dry, well verifiarea away from heat, open flames, organic chemicals, and sunlight

PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Pesticide wa are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violatic Federal Law. If these wastes cannot be disposed of by use according to label instructions contact your \$ Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest Regional Office for guidance

CONTAINER DISPOSAL: Do not reuse empty container. Completely empty liner by shaking and tapping s and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner sanitary landfill or by incineration if allowed by state and local authorities. Dispose of drum in the same man

INDUSTRIAL RECIRCULATING WATER **COOLING TOWERS**

For use only in industrial air washing systems that maintain effective mist eliminating components

For bacterial, lungal, and algalishme control in industrial and recirculating cooking water towers use 1.4 kg pounds of IPC 8955 per 10,000 gallons of system water (16 8 to 33 6 ppm product which is equivalent I to 20 ppm as available chlorine) initially. Repeat as needed to achieve control. Begin treatment when system is in jeopardy of becoming affected or after cleaning systems whose efficiency is already impa Treatment should provide at least 1 ppm of available chloring residual. Test water to insure proper chi residual. Badly fouled systems must be precleaned.

Once the desired degree of control has been achieved, apply 5 to 1.4 pounds IPC 8955 per 10,000 ga of system water (5.6 to 11.2 ppm product which is equivalent to 5 to 10 ppm as available chlorine) week as needed to maintain control

Feed IPC 8955 directly from the drum to a point in the system where it will be evenly mixed and unito distributed

CONTAMINATION MAY CAUSE FIRE

MIX ONLY WITH WATER

TRICHLOROISOCYANURIC ACID, DRY OXIDIZER, 5 1, UN 2468, PG II

BEST AVAILABLE COPY



erformance Chemicals, Inc

. 99.0% 1.0% 100.0%

...... 89.0%

HILDREN

REATMENT

s, do not employ gastric stration of acid or basic ontraindicated.

er, do not induce vomiting hysician immediately.

air If not breathing, apply ing is difficult, give oxygen.

skin with cold water for at on persists, get medical

or at least 15 minutes. Get

7-37 '-TX-007

BIAL micals, Inc.

anv 27714

. drum il. drum

IPC 8955

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

CORROSIVE: Causes eye and skin damage. May be fatal if swallowed. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Irritating to note: and threat "Avoid" breathing dust. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is loxic to fish. Do not discharge effluent containing this product into takes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically and addressed in an NPDES permit Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS

Strong exidizing agent. Mix only with water. Use clean, dry utensits and equipment. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire and explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction with generation of heat, hazardous gases and possible fire and explosion

In case of contamination or decomposition, do not reseat container. Damp or decomposing material may be shock sensitive. Rap container sharply with a pole from a distant, protected position prior to handling. If possible, isolate container in open air or well ventilated area. If necessary, flood with large volumes of water

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling

IPC 8955 industrial water biocide is recommended for use in cooking water, industrial water, and air washing systéms

STORAGE AND DISPOSAL

STORAGE: Keep product dry in lightly closed container when not in use. Store in a cool, dry, well ventilated area away from heat, open flames, organic chemicals, and surfight

PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law II these wastes cannot be disposed of by use according to label instructions contact your State Peslicide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance

CONTAINER DISPOSAL: Do not reuse empty container. Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in a sanitary landfull or by incineration if allowed by state and local authorities. Dispose of drum in the same manner

INDUSTRIAL RECIRCULATING WATER **COOLING TOWERS**

For use only in industrial air washing systems that maintain effective mist eliminating components

For bacterial, fundat, and algalishme control in industrial and recirculating cooking water towers use 1.4 to 2.8 pounds of IPC 8955 per 10,000 gallons of system water (16 8 to 33 6 ppm product which is equivalent to 15 to 20 ppm as available chlorine) initially. Repeat as needed to achieve control. Begin treatment when the system is in jeopardy of becoming affected or after cleaning systems whose efficiency is already impaired Treatment should provide at least 1 ppm of available chlorine residual. Test water to insure proper chlorine residual. Badly louled systems must be precleaned

Once the desired degree of control has been achieved, apply 5 to 1.4 pounds IPC 8955 per 10,000 gallons of system water (5.6 to 11.2 ppm product which is equivalent to 5 to 10 ppm as available chlorine) weekly or as needed to maintain control

Feed IPC 8955 directly from the drum to a point in the system where it will be evenly mixed and uniformly distributed

CONTAMINATION MAY CAUSE FIRE

MIX ONLY WITH WATER

TRICHLOROISOCYANURIC ACID, DRY OXIDIZER, 5 1, UN 2468, PG II

NOCEPIED with COMMENTS M EPA Letter Dated:

DEC 07 1993

Under the Federal Insecticida, Fungicide, and the light to the as amended, for it ricinarect and a large



NOTICE:

Seller warrants that the product conforms to its chemical description and is reasonably purpose stated on the label when used in accordance with directions under normal condition but neither this warranty nor any other viarranty of merchantability or fitness for a particular express or implied, extends to the use, ! torage, or handling of this product in a manner of directed by label instructions, or abnormal conditions, or under conditions not reasonable for seller, and buyer assumes the risk of any such use

