

US ENVIRONMENTAL PROTECTION AGENCY  
OFFICE OF PESTICIDES PROGRAMS  
REGISTRATION DIVISION (75-767)  
WASHINGTON, DC 20460

EPA REGISTRATION NO.

10707-37

DATE OF ISSUANCE

JUN 29 1995

TERM OF ISSUANCE

NOTICE OF PESTICIDE:  REGISTRATION  
 REREGISTRATION  
(Under the Federal Insecticide, Fungicide,  
and Rodenticide Act, as amended)

NAME OF PESTICIDE PRODUCT

IPC 8955

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Baker Performance Chemicals, Inc.  
3920 Essex Lane  
Houston, TX 77027

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

Based on your response to the Reregistration Eligibility Document, EPA has reregistered the above named product subject to the comments recorded in the succeeding paragraph. This action is taken under the authority of section 4(g)(2)(C) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended. Reregistration under this section does not eliminate the need for continual reassessment of pesticides. EPA may require submission of data at any time to maintain the registration of your product.

Make the following labeling changes before you release the product for shipment:

1. Revise the Precautionary Statements and Statement of Practical Treatment in accordance with Attachment A for Batch 31 products.
2. Revise the "Physical & Chemical Hazards Statement" to read:

Danger: Strong oxidizing agent. Use only clean, dry utensils. Mix only into water. Contamination with moisture, dirt, organic matter or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases and possible fire and/or

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL


DATE

explosion. Avoid any contact with flaming or burning material such as a light cigarette. Do not use this product in any chlorinating device which has been used with any inorganic or unstabilized chlorinating compounds (e.g., Calcium hypochlorite). Such use may cause fire or explosion.

A stamped copy of the product label is enclosed for your records.

Submit one copy of the final printed labeling before releasing the product in channels of trade with the revised labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.



Ruth G. Douglas  
Product Manager 32  
Antimicrobial Program Branch  
Registration Division (7505C)

Enclosure



A Baker Hughes company

**CHEMLINK**

A Division of Baker Performance Chemicals, Inc.

**INDUSTRIAL MICROBICIDE**

**ACTIVE INGREDIENT:**

TRICHLORO-S-TRIAZINETRIONE*	99.0%
INERT INGREDIENTS	1.0%
TOTAL	100.0%
*AVAILABLE CHLORINE	89.0%

**KEEP OUT OF REACH OF CHILDREN**

**DANGER**

**STATEMENT OF PRACTICAL TREATMENT**

- NOTE TO PHYSICIAN:** Probable mucosal damages, do not employ gastric lavage or emesis. Administration of acid or basic substances to neutralize is contraindicated.
- IF SWALLOWED:** Give large quantities of water, do not induce vomiting. Do not drink alcohol. Call a physician immediately.
- IF INHALED:** Remove immediately to fresh air. If not breathing, apply artificial respiration. If breathing is difficult, give oxygen. Call a physician.
- IF ON SKIN:** Brush off chemical and flush skin with cold water for at least 15 minutes. If irritation persists, get medical attention.
- IF IN EYES:** Flush eyes with cold water for at least 15 minutes. Get immediate medical attention.

EPA REGISTRATION NO. 10707-37  
EPA ESTABLISHMENT NO. 10707-TX-007

Sold by: **CHEMLINK INDUSTRIAL**  
A Division of Baker Performance Chemicals, Inc.  
**A Baker Hughes Company**  
3920 Essex Lane • P.O. Box 27714  
Houston, Texas 77227-7714

NET WEIGHT: 100 lbs. per 13 gal. drum  
300 lbs. per 47 gal. drum

**IPC™ 8955**

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**DANGER**

**CORROSIVE:** Causes eye and skin damage. May be fatal if swallowed. Do not get in eyes, on skin, or clothing. Wear goggles or face shield and rubber gloves when handling. Irritating to nose and throat. Avoid breathing dust. Remove and wash contaminated clothing before reuse.

**ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically and addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the appropriate treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

**PHYSICAL AND CHEMICAL HAZARDS**

Strong oxidizing agent. Mix only with water. Use clean, dry utensils and equipment. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire and explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction with generation of heat, hazardous gases and possible fire and explosion.

In case of contamination or decomposition, do not reseal container. Damp or decomposing material may be shock sensitive. Rap container sharply with a pole from a distant, protected position prior to handling. If possible, isolate container in open air or well ventilated area. If necessary, flood with large volumes of water.

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

IPC 8955 industrial water biocide is recommended for use in cooling water, industrial water, and air wash systems.

**STORAGE AND DISPOSAL**

**STORAGE:** Keep product dry in tightly closed container when not in use. Store in a cool, dry, well ventilated area away from heat, open flames, organic chemicals, and sunlight.

**PESTICIDE DISPOSAL:** Do not contaminate water, food or feed by storage or disposal. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest Regional Office for guidance.

**CONTAINER DISPOSAL:** Do not reuse empty container. Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner at sanitary landfill or by incineration if allowed by state and local authorities. Dispose of drum in the same manner as container.

**INDUSTRIAL RECIRCULATING WATER  
COOLING TOWERS**

*For use only in industrial air washing systems that maintain effective mist eliminating components.*

For bacterial, fungal, and algal slime control in industrial and recirculating cooling water towers use 1.4 to 2.0 pounds of IPC 8955 per 10,000 gallons of system water (16.8 to 33.6 ppm product which is equivalent to 1 to 20 ppm as available chlorine) initially. Repeat as needed to achieve control. Begin treatment when system is in jeopardy of becoming affected or after cleaning systems whose efficiency is already impaired. Treatment should provide at least 1 ppm of available chlorine residual. Test water to insure proper chlorine residual. Badly fouled systems must be pre-cleaned.

Once the desired degree of control has been achieved, apply .5 to 1.4 pounds IPC 8955 per 10,000 gallons of system water (5.6 to 11.2 ppm product which is equivalent to 5 to 10 ppm as available chlorine) weekly as needed to maintain control.

Feed IPC 8955 directly from the drum to a point in the system where it will be evenly mixed and uniformly distributed.

**CONTAMINATION MAY CAUSE FIRE**

**MIX ONLY WITH WATER**

TRICHLOROISOCYANURIC ACID, DRY OXIDIZER, 5.1, UN 2468, PG II

3