

10707-37

08-15-2011

1/4



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

FILE COPY

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

Kenneth J. Medeiros
Baker Petrolite Corporation
12645 West Airport Blvd
Sugar Land, TX 77478

AUG 15 2011

Subject: BPC 68955
EPA Registration No. 10707-37
Notification Date: August 11, 2011
EPA Receipt Date: August 11, 2011

Dear Mr. Medeiros,

This letter acknowledges receipt of your notification submitted under the provision of FIFRA section 3(c)9 and PR Notice 98-10.

Proposed Notification

- Revise Container Disposal Statements per PRN 2007-4

General Comments

Based on a review of the submitted materials, your notification to update the container disposal statements is acceptable and a copy has been inserted in your file for future reference.

Should you have any questions or comments concerning this letter, please contact me at 703-308-0410.

Sincerely,

Monisha Harris
Product Manager (32)
Regulatory Management Branch II
Antimicrobials Division (7510P)



2
4

 United States Environmental Protection Agency Washington, DC 20460	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number
---	--	-------------------------------

Application for Pesticide - Section I

1. Company/Product Number 10707-37	2. EPA Product Manager Wanda Henson	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) BPC 68955 Industrial Microbiocide	PM# 32	
5. Name and Address of Applicant (Include ZIP Code) Baker Petrolite Corporation 12645 West Airport Blvd. Sugar Land, TX 77478 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification of label change per PR Notice 2007-4. This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR §§ 158.10, 158.140, 158.144, 158.146, and 158.158. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willingly make any false statements to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR §§ 158.10, 158.140, 158.144, 158.146, and 158.158, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No			
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt No. per container	<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____	
3. Location of Net Contents Information		4. Size(s) Retail Container		5. Location of Label Directions	
<input type="checkbox"/> Label <input type="checkbox"/> Container				<input type="checkbox"/> _____	
6. Manner in Which Label is Affixed to Product					
<input checked="" type="checkbox"/> Lithograph <input type="checkbox"/> Paper/plaid <input type="checkbox"/> Stenciled <input type="checkbox"/> Other _____					

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)			
Name Kenneth J. Medeiros	Title Sr. Registration Specialist	Telephone No. (Include Area Code) 281-275-7205	
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.			6. Date Application Received (Stamped)
2. Signature 		3. Title Sr. Registration Specialist	
4. Typed Name Kenneth J. Medeiros		5. Date April 8, 2010	



Baker Petrolite

12645 West Airport Blvd.
Sugar Land, Texas 77478
P.O. Box 5050
Sugar Land, Texas 77487-5050
Tel 281-276-5400
Fax 281-275-7385

April 8, 2010

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
1200 Pennsylvania Avenue, N.W.
Washington, DC 20460

Subject: Notification of Revised Container Disposal Statements per PR Notice 2007-4 for
BPC 68955 Industrial Microbiocide (EPA Reg. No. 10707-37).

Dear Madam/Sir:

Enclosed are the following documents necessary for notification of the revised label for the
above subject product, per PR Notice 2007-4.

- EPA Form 8570-1 *Application for Pesticide*
- A copy of the product label with the changes marked.

Please feel free to contact me if you have any questions. I can be reached by phone at
281-275-7205 or email at ken.medeiros@bakerhughes.com.

Sincerely,

A handwritten signature in black ink, appearing to read 'Ken Medeiros', written over a horizontal line.

Kenneth J. Medeiros
Sr. Registration Specialist

**PRECAUTIONARY STATEMENTS
HAZARD TO HUMANS AND DOMESTIC ANIMALS**

**DANGER
CORROSIVE.**

CAUSES IRREVERSIBLE EYE DAMAGE OR SKIN BURNS.

MAY BE FATAL IF INHALED.

MAY BE FATAL IF ABSORBED THROUGH THE SKIN.

Do not breathe dust or spray mists. Irritating to nose and throat. Harmful if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles, face shield or safety glasses, and rubber gloves when handling this product. Wash thoroughly with soap and water after handling, and before eating, drinking, or using tobacco. Remove contaminated clothing and wash separately before reuse.

PHYSICAL AND CHEMICAL HAZARDS

STRONG OXIDIZING AGENT: Use only clean, dry utensils. Mix only into water. Contamination with moisture, dirt, organic matter or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases and possible fire and/or explosion. Avoid any contact with flaming or burning material such as a lighted cigarette. Do not use this product in any chlorinating device which has been used with any inorganic or unstabilized chlorinating compounds (e.g., calcium hypochlorite). Such use may cause a fire or explosion.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

EMERGENCY HANDLING

In case of contamination or decomposition, do not reseal container. If possible, isolate container in open air or well-ventilated area. Flood with large volumes of water. Dispose of contaminated material in an approved landfill area.

**CONTAMINATION MAY CAUSE FIRE.
MIX ONLY WITH WATER.**

NOTIFICATION

Date Reviewed: 8-15-11
Reviewed By: HARDIS

**BAKER PETROLITE CORPORATION
12645 WEST AIRPORT BLVD.
SUGAR LAND, TX 77478**

NET CONTENTS: 100 lbs per 13 gal. Drum or 300 lbs per 47 gal drum

EMERGENCY CONTACT (24 HOURS PER DAY): 800-231-3606

BPC 68955

Industrial Microbiocide

ACTIVE INGREDIENT:

Trichloro-s-triazinetrione*.....99.0%

OTHER INGREDIENTS:.....1.0%

TOTAL:.....100.0%

*Available chlorine.....89.0%

**KEEP OUT OF REACH OF CHILDREN
DANGER**

SEE SIDE PANELS FOR ADDITIONAL PRECAUTIONARY STATEMENTS

FIRST AID Call poison control center or doctor immediately for treatment advice. Have the product container or label with you when calling a poison control center doctor, or going for treatment.	
IF SWALLOWED	<ul style="list-style-type: none">• Call a poison control center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to do so by the poison control center or doctor.• Do not give anything by mouth to an unconscious person.
IF IN EYES	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.
IF INHALED	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.	

EPA Registration Number.....10707-37

EPA Establishment Numbers.....10707-TX-007, 69470-WV-002, 10707-LA-001

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

BPC 68955 industrial water biocide is recommended for use in cooling water, industrial water and air washing systems.

INDUSTRIAL RECIRCULATING WATER

COOLING TOWERS

For use only in industrial air washing systems that maintain effective mist eliminating components.

For bacterial, fungal and algal slime control in industrial and recirculating cooling water towers, use 1.4 to 2.8 pounds of BPC 68955 per 10,000 gallons of system water (16.8 to 33.6 ppm product which is equivalent to 15 to 20 ppm as available chlorine) initially. Repeat as needed to achieve control. Begin treatment when the system is in jeopardy of becoming affected or after cleaning systems whose efficiency is already impaired. Treatment should provide at least 1 ppm of available chlorine residual. Test water to insure proper chlorine residual. Badly fouled systems must be precleaned.

Once the desired degree of control has been achieved, apply 0.5 to 1.4 pounds BPC 68955 per 10,000 gallons of system water (5.6 to 11.2 ppm product which is equivalent to 5 to 10 ppm as available chlorine) weekly or as needed to maintain control.

Feed BPC 68955 directly from the drum to a point in the system where it will be evenly mixed and uniformly distributed.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Store in a cool, dry and well ventilated area. Avoid moisture getting into container. Keep off wet floors. In case of spillage, wash with large amounts of water. After each use, keep container tightly closed. Oxidizing material. Keep away from heat, flames, sparks and all sources of heat. Avoid contact with organic material.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least complete revolution, for 30 seconds. Stand the container on its end and tip it back forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

Rev. 03/10

Read Product Material Safety Data Sheet prior to use. PRODUCT WARRANTY, DISCLAIMER AND LIMITATION OF LIABILITY ARE FOUND THEREON. Use of Product signifies agreement with these provisions.

Lea la hoja de datos de seguridad de materiales del producto antes de usarlo. LA GARANTIA DEL PRODUCTO, EL DESCARGO Y LA LIMITACION DE RESPONSABILIDAD SE ENCUENTRAN EN DICHS DOCUMENTOS. El uso del producto significa acuerdo con estas disposiciones.

f/f