

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

FEB 22 2002

Baker Petrolite Corporation  
P.O. Box 5050  
Sugar Land, TX 77487-5050

Attention: Ms. Leslie Breen

Subject: Revised Label and Confidential Statement of Formula  
BPC 68915  
EPA Registration No. 10707-38  
Your submission of October 17, 2001

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

The revised basic Confidential Statement of Formula (CSF) dated April 5, 2000, is acceptable. It is in compliance with 40 CFR, Part 158.175 and PR Notice 91-2, it agrees with the label. It is understood that the revised CSF will supersede all previously accepted one. This information has been placed in the subject product file.


Please note, we have changed our records to reflect the change in product name, from now on all correspondence must refer to "BPC 68915" as the primary name for the subject product.

CONCURRENCES

CONCURRENCES							
SYMBOL							
SURNAME							
DATE							

If you have any questions concerning this letter, please contact me at 703-308-6341 or Portia Jenkins at (703) 308-6230.

Sincerely yours,



Marshall Swindell  
Product Manager (33)  
Regulatory Management Branch I  
Antimicrobials Division (7510C)

Enclosure



Baker Petrolite

Baker Petrolite Corp
12645 W. Airport Blvd.
Sugar Land, TX 77478 U.S.A.

EMERGENCY TELEPHONE NUMBERS
CHEMTEC: 800-424-9300
CANUTEC: 613-996-6666
Customer Care 800-872-1916

BPC 68915

ACCEPTED
FEB 22 2002
Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 10707-35

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
DANGER

CORROSIVE. CAUSES IRREVERSIBLE EYE DAMAGE AND SKIN BURNS. MAY BE FATAL IF ABSORBED THROUGH SKIN. MAY CAUSE ALLERGIC SKIN REACTION. HARMFUL IF INHALED. HARMFUL IF SWALLOWED. DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. MIXERS, LOADERS AND OTHERS EXPOSED TO THIS PRODUCT MUST WEAR: LONG-SLEEVED SHIRT AND LONG PANTS; CHEMICAL RESISTANT GLOVES SUCH AS NITRILE OR BUTYL RUBBER; SHOES PLUS SOCKS; GOGGLES AND FACE SHIELD; AND CHEMICAL RESISTANT APRON. DISCARD CLOTHING OR OTHER ABSORBENT MATERIALS THAT HAVE BEEN DRENCHED OR HEAVILY CONTAMINATED WITH THIS PRODUCT'S CONCENTRATE. DO NOT REUSE THEM. FOLLOW MANUFACTURER'S INSTRUCTIONS FOR CLEANING/MAINTAINING PPE. IF NO SUCH INSTRUCTIONS FOR WASHABLES EXIST, USE DETERGENT AND HOT WATER. KEEP AND WASH PPE SEPARATE FROM OTHER LAUNDRY. USERS SHOULD WASH HANDS BEFORE EATING, DRINKING, CHEWING GUM, USING TOBACCO OR USING THE TOILET. USERS SHOULD REMOVE CLOTHING IMMEDIATELY IF PESTICIDE GETS INSIDE. THEN WASH THOROUGHLY AND PUT ON CLEAN CLOTHING. USERS SHOULD REMOVE PPE IMMEDIATELY AFTER HANDLING THIS PRODUCT. AS SOON AS POSSIBLE, WASH THOROUGHLY. THIS PRODUCT MAY CAUSE SKIN SENSITIZATION REACTIONS IN SOME PEOPLE.

ENVIRONMENTAL HAZARDS

THIS CHEMICAL IS TOXIC TO AQUATIC PLANTS, FISH AND AQUATIC INVERTEBRATES. DO NOT DISCHARGE EFFLUENT CONTAINING THIS PRODUCT INTO LAKES, STREAMS, PONDS, ESTUARIES, OCEANS OR OTHER WATERS UNLESS IN ACCORDANCE WITH THE REQUIREMENTS OF A NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMIT AND THE PERMITTING AUTHORITY HAS BEEN NOTIFIED IN WRITING PRIOR TO DISCHARGE. DO NOT DISCHARGE EFFLUENT CONTAINING THIS PRODUCT TO SEWER SYSTEMS WITHOUT PREVIOUSLY NOTIFYING THE LOCAL SEWAGE TREATMENT PLANT AUTHORITY. FOR GUIDANCE, CONTACT YOUR STATE WATER BOARD OR REGIONAL OFFICE OF THE EPA. DO NOT CONTAMINATE WATER BY CLEANING OF EQUIPMENT OR DISPOSAL OF WASTE. APPLY THIS PESTICIDE ONLY AS SPECIFIED ON THIS LABEL.

STORAGE AND DISPOSAL

PHYSICAL AND CHEMICAL HAZARDS: THIS PRODUCT IS CORROSIVE TO MILD STEEL. DO NOT STORE OR TRANSPORT IN UNLINED METAL CONTAINERS. PESTICIDE STORAGE: DO NOT CONTAMINATE FOOD, WATER, OR FEED BY STORAGE, DISPOSAL OR CLEANING OF EQUIPMENT. PESTICIDE DISPOSAL: PESTICIDE WASTES ARE ACUTELY HAZARDOUS. IMPROPER DISPOSAL OF EXCESS PESTICIDE OR RINSATE IS A VIOLATION OF FEDERAL LAW. IF THESE WASTES CANNOT BE DISPOSED OF BY USE ACCORDING TO LABEL INSTRUCTIONS, CONTACT YOUR STATE PESTICIDE OR ENVIRONMENTAL CONTROL AGENCY OR THE HAZARDOUS WASTE REPRESENTATIVE AT THE NEAREST EPA REGIONAL OFFICE FOR GUIDANCE.

CONTAINER DISPOSAL: METAL CONTAINERS: TRIPLE RINSE (OR EQUIVALENT). THEN OFFER FOR RECYCLING OR RECONDITIONING, OR PUNCTURE AND DISPOSE OF IN A SANITARY LANDFILL, OR BY OTHER PROCEDURES APPROVED BY STATE AND LOCAL AUTHORITIES. PLASTIC CONTAINERS: TRIPLE RINSE (OR EQUIVALENT). THEN OFFER FOR RECYCLING OR RECONDITIONING, OR PUNCTURE AND DISPOSE OF IN A SANITARY LANDFILL OR BY INCINERATION, OR, IF ALLOWED BY STATE AND LOCAL AUTHORITIES, BY BURNING. IF BURNED, STAY OUT OF SMOKE.

GENERAL: CONSULT FEDERAL, STATE OR LOCAL DISPOSAL AUTHORITIES FOR APPROVED ALTERNATIVE PROCEDURES.

Read Product Material Safety Data Sheet prior to use. PRODUCT WARRANTY, DISCLAIMER AND LIMITATION OF LIABILITY ARE FOUND THEREON. Use of Product signifies agreement with these provisions.

BPC 68915

CONTROLS BACTERIA, FUNGI AND ALGAE IN INDUSTRIAL RECIRCULATING WATER COOLING TOWERS; CONTROLS BACTERIA AND FUNGI IN METAL WORKING FLUIDS CONTAINING WATER; CONTROLS SLIME-FORMING BACTERIA AND SULFATE-REDUCING BACTERIA IN OIL FIELD WATERS; CONTROLS BACTERIA AND FUNGAL SLIME IN PAPER MILLS; CONTROLS BACTERIA, FUNGI AND ALGAE IN INDUSTRIAL AIR-WASHER SYSTEMS; AND CONTROLS BACTERIA AND FUNGI IN ULTRA FILTRATION UNITS AND NON-MEDICAL/NON-POTABLE REVERSE OSMOSIS SYSTEMS.

ACTIVE INGREDIENTS:

5-Chloro-2-methyl-4-isothiazolin-3-one..... 1.11%
2-Methyl-4-isothiazolin-3-one..... 0.39%

INERT INGREDIENTS:..... 98.50%
TOTAL:..... 100.00%

Product contains 0.27 pounds active ingredients per gallon.

KEEP OUT OF REACH OF CHILDREN
DANGER PELIGRO

SEE SIDE PANELS FOR ADDITIONAL PRECAUTIONARY STATEMENTS

FIRST AID

IF SWALLOWED: CALL A POISON CONTROL CENTER OR DOCTOR IMMEDIATELY FOR TREATMENT ADVICE. HAVE PERSON SIP A GLASS OF WATER IF ABLE TO SWALLOW. DO NOT INDUCE VOMITING UNLESS TOLD TO BY A POISON CONTROL CENTER OR DOCTOR.

IF ON SKIN: TAKE OFF CONTAMINATED CLOTHING. RINSE SKIN IMMEDIATELY WITH PLENTY OF WATER FOR 15-20 MINUTES. CALL A POISON CONTROL CENTER OR DOCTOR FOR TREATMENT.

IF IN EYES: HOLD EYE OPEN AND RINSE SLOWLY AND GENTLY WITH WATER FOR 15-20 MINUTES. REMOVE CONTACT LENSES, IF PRESENT, AFTER THE FIRST 5 MINUTES, THEN CONTINUE RINSING. CALL A POISON CONTROL CENTER OR DOCTOR FOR TREATMENT ADVICE.

IF INHALED: MOVE PERSON TO FRESH AIR. IF PERSON IS NOT BREATHING, CALL 911 OR AN AMBULANCE, THEN GIVE ARTIFICIAL RESPIRATION, PREFERABLY MOUTH-TO-MOUTH, IF POSSIBLE. CALL A POISON CONTROL CENTER OR DOCTOR FOR FURTHER TREATMENT.

NOTE TO PHYSICIAN: PROBABLE MUCOSAL DAMAGE MAY CONTRAINDICATE THE USE OF GASTRIC LAVAGE.

EPA REG. NO. 10707-38
EPA EST. NO. 10707-FX-007
EPA EST. NO. 10707-CA-012
EPA EST. NO. 10707-OK-002
EPA EST. NO. 707-PA-001

NET WEIGHT: 30 GALLONS/240 LBS.; 55 GALLONS/460 LBS.
OR AS MARKED ON CONTAINER

Lea la hoja de datos de seguridad de materiales del producto antes de usarlo. LA GARANTIA DEL PRODUCTO, EL DESCARGO Y LA LIMITACION DE RESPONSABILIDAD SE ENCUENTRAN EN DICHS DOCUMENTOS. El uso del producto significa acuerdo con estas disposiciones.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

DO NOT APPLY THIS PRODUCT IN A WAY THAT WILL CONTACT WORKERS OR OTHER PERSONS.

INDUSTRIAL RECIRCULATING WATER COOLING TOWERS

FOR THE CONTROL OF BACTERIA, ALGAE AND FUNGI: ADD BPC 68915 TO THE TOWER BASIN, DISTRIBUTION BOX OR SOME OTHER POINT TO INSURE UNIFORM MIXING.

INITIAL DOSE: WHEN THE SYSTEM IS NOTICEABLY FOULED, APPLY 1.26 TO 7.46 POUNDS (19 TO 113 FLUID OUNCES) OF BPC 68915 PER 1,000 GALLONS OF WATER IN THE SYSTEM. REPEAT UNTIL CONTROL IS ACHIEVED.

SUBSEQUENT DOSE: WHEN MICROBIAL CONTROL IS EVIDENT, ADD 0.3 TO 1.86 POUNDS (4.55 TO 28 FLUID OUNCES) OF BPC 68915 PER 1,000 GALLONS OF WATER IN THE SYSTEM WEEKLY OR AS NEEDED TO MAINTAIN CONTROL. BADLY FOULED SYSTEMS MUST BE CLEANED BEFORE TREATMENT IS BEGUN.

METAL WORKING FLUIDS CONTAINING WATER

TREATMENT: BPC 68915 IS RECOMMENDED FOR THE CONTROL OF BACTERIA AND FUNGI IN SOLUBLE AND EMULSIFIABLE TYPE AQUEOUS METALWORKING FLUIDS SUCH AS EMULSIFIED PETROLEUM OILS AND FORMULATIONS CONTAINING ALCOHOLIC FATTY ACID SULFONATED RED OIL OR NAPHTHALENE SULFONATE. THESE FLUIDS ARE USUALLY PREPARED BY DILUTING THE PRODUCT CONCENTRATES 1:40 TO 1:50 WITH WATER.

FOR THE MAINTENANCE OF A NONFOULED SYSTEM, USE BPC 68915 AT 32 FLUID OUNCES PER 1,000 GALLONS OF EMULSION (2 POUNDS) EVERY 4 WEEKS OR 32 TO 154 FLUID OUNCES PER 1,000 GALLONS EMULSION (2 TO 10 POUNDS) EVERY 8 TO 12 WEEKS. FOR A NOTICEABLY FOULED SYSTEM, USE AN INITIAL DOSE OF 64 TO 154 FLUID OUNCES PER 1,000 GALLONS EMULSION (4 TO 10 POUNDS) TO BE FOLLOWED BY SUBSEQUENT MAINTENANCE DOSAGES DEPENDING UPON THE TREATMENT INTERVAL NOTED ABOVE. A HIGHER DOSAGE RANGE AND/OR INCREASED FREQUENCY OF TREATMENT MAY BE REQUIRED DEPENDING UPON RATE OF DILUTION OF THE PRESERVATIVE WITH MAKEUP FLUID, THE NATURE AND SEVERITY OF CONTAMINATION, LEVEL OF CONTROL REQUIRED, FILTRATION EFFECTIVENESS, SYSTEM DESIGN, ETC.

THE PRESERVATIVE SHOULD BE DILUTED INTO THE USE DILUTION OF THE METALWORKING FLUID USING A MIXERING PUMP.

OIL FIELD INJECTION WATERS

FOR THE CONTROL OF SLIME-FORMING BACTERIA AND SULFATE-REDUCING BACTERIA IN OIL FIELD WATERS, TREAT WITH 67 TO 332 PPM BPC 68915 DEPENDING ON THE SEVERITY OF CONTAMINATION.

INITIAL DOSE: ADD 166 TO 332 PPM BPC 68915 (6.9 TO 13.9 GALLONS OR 50.0 TO 116.0 POUNDS BPC 68915 PER 1,000 BARRELS OF WATER) AT A POINT IN THE SYSTEM WHERE IT WILL BE UNIFORMLY MIXED. REPEAT TREATMENT AFTER THREE DAYS OR AS NEEDED UNTIL CONTROL IS ACHIEVED.

SUBSEQUENT DOSE: ADD 67 TO 166 PPM BPC 68915 (2.8 TO 6.9 GALLONS OR 23.5 TO 58.0 POUNDS BPC 68915 PER 1,000 BARRELS OF WATER) EVERY SEVEN DAYS OR AS NEEDED TO MAINTAIN CONTROL.

Affix Corrosive (8) label and Toxic (no number) label

PAPER MILLS: TREATMENT: B FUNGAL SLIME
POINT OF ADD TO INSURE UNBROKE STORAGE
DOSAGE: APPL PER TON (DRY NEEDED, REPE INITIAL TREA
AIR-WASHE ADD TO THE A MIXING, 35 T FLUID OUNCES DEPENDING UP AND MAKE NH
INTERMITTENT INITIAL DOSE PPM BPC 6891 68915 PER 1. IS ACHIEVED.
SUBSEQUENT D BPC 68915 (0 DER 1,000 GA
CONTINUOUS F INITIAL DOSE 883 PPM BPC BPC 68915 PE
SUBSEQUENT D FEED OF 35 T BPC 68915 PE
BADLY FOULED
NOTE: FOR US EFFECTIVE MI
ULTRA FILTR REVERSE OS BPC 68915 IS ULTRA FILTRA SYSTEMS. US
ADD 10 TO 33 INDUSTRIAL U CONTINUOUS F WITH REVERSE MANUFACTURER
FOR THE CONTI PPM BPC 6891 OR BATCH FE
FOR PERIODIC EVERY 120 OR (INDEPENDENT) IS BEGUN.