




A Baker Hughes company

Baker Petrolite Corp.
3900 Essex Lane
Houston, TX 77027 U.S.A.

EMERGENCY TELEPHONE NUMBERS	
CHEMTREC:	800-424-9300
CANUTEC:	613-996-6666
Customer Care:	800-872-1916

X-CIDE® 107



XC107-10 CN12945

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Contains methanol, which may cause blindness. Harmful or fatal if swallowed. Vapor harmful. Avoid breathing spray mist or vapors. Do not get on skin. Corrosive. Causes eye damage and skin irritations. Do not get in eyes or on clothing. Wear goggles or face shield and rubber gloves when handling. Avoid contamination of food.

107-16-89

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

FLAMMABLE—Keep away from heat and flame.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of egg whites, gelatin solution or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN

Provable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be need.

X-CIDE® 107

Industrial Bactericide

FOR USE IN INDUSTRIAL PROCESSES ONLY. NOT FOR DOMESTIC USE.

ACTIVE INGREDIENTS:

Glutaraldehyde..... 28.2%
Oxydiethylene bis-(alkyl*dimethyl ammonium chloride)..... 5.2%

INERT INGREDIENTS:..... 66.6%

* alkyl distribution as derived from coconut fatty acids.

DIRECTIONS FOR USE

It is violation of Federal Law to use this product in a manner inconsistent with its labeling. For use with closed delivery systems only.

OILFIELD AND PETROCHEMICAL SYSTEMS

TREATMENT. X-CIDE 107 can be used either in slug treatment or in continuous application. Dosages may vary from 500 ppm of X-CIDE 107 Industrial Bactericide in slug application to 20 ppm of X-CIDE 107 Industrial Bactericide in continuous treatment. For slug treatments, add up to 500 ppm of X-CIDE 107 Industrial Bactericide at intervals to the water system to establish control and to prevent regrowth of bacterial slime. This method is particularly suitable to control of bacteria in storage tanks bottom sediments. For continuous treatment, inject 20 to 200 ppm of X-CIDE 107 Industrial Bactericide at a point where good mixing can be assured. Technical advice concerning specific site problems and treatment levels can be obtained from your Baker Petrolite Sales Engineer.

STORAGE AND DISPOSAL

STORAGE: Do not contaminate water, food or feed by storage or disposal. Do not use, pour, spill, or store near heat or open flame.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess biocide or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for assistance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

KEEP OUT OF REACH OF CHILDREN DANGER

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS



EPA REG. NO. 10707-42
EPA EST. NO. 10707-TX-208

ACCEPTED

SEP 08 1998

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended for the pesticide, registered under EPA Reg. No. 10707-42

55 U. S. Gallons at 60° F

Flammable (3) label

Flammable liquid, n.o.s. (contains isopropanol) UN119

Read Product Material Safety Data Sheet and Product Data Sheet prior to use. **PRODUCT WARRANTY, DISCLAIMER AND LIMITATION OF LIABILITY ARE FOUND THEREON.** Use of Product signifies agreement with these

Lea la hoja de datos de seguridad de materiales del producto y la hoja de información del producto antes de usarlo. **LA GARANTIA DEL PRODUCTO, EL DESCARGO Y LA LIMITACION DE RESPONSABILIDAD SE ENCUENTRAN EN DICHS DOCUMENTOS.** El uso del producto significa acuerdo con estas disposiciones.

9/8/98 1/1