

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

DANGER: Contains methanol, which may cause blindness. Harmful or fatal if swallowed. Vapor harmful. Avoid breathing spray mist or vapors. Do not get on skin. Corrosive. Causes eye damage and skin irritations. Do not get in eyes or on clothing. Wear goggles or face shield and rubber gloves when handling. Avoid contamination of food.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

FLAMMABLE. Keep away from heat and flame.

DISTRIBUTED BY:
BAKER PETROLITE CORPORATION
12645 WEST AIRPORT BLVD.
SUGAR LAND, TX 77478

EMERGENCY CONTACT (24 HOURS PER DAY): 800-231-3606

ACCEPTED

JUN 05 2003

Under the Federal Insecticide, Fungicide, and
Rodenticide Act as amended, for the
pesticide, registered under
EPA Reg. No. 10707-42

X-CIDE® 107

Industrial Bactericide

FOR USE IN INDUSTRIAL PROCESSES ONLY. NOT FOR DOMESTIC USE.

ACTIVE INGREDIENTS:

Glutaraldehyde 20.0%
Oxydiethylene bis-(alkyl*dimethyl ammonium chloride) 5.0%
INERT INGREDIENTS: 75.0%
TOTAL: 100.0%

*alkyl distribution as derived from coconut fatty acids

KEEP OUT OF REACH OF CHILDREN

DANGER

SEE SIDE PANELS FOR ADDITIONAL PRECAUTIONARY STATEMENTS

FIRST AID	
Call poison control center or doctor immediately for treatment advice. Have the product container or label with you when calling a poison control center doctor, or going for treatment.	
IF IN EYES	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contacts lenses, if present, after 5 minutes, then continue rinsing eye.
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.
IF SWALLOWED	<ul style="list-style-type: none"> Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF INHALED	<ul style="list-style-type: none"> Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.	

EPA Registration Number 10707-42
EPA Establishment Numbers 10707-TX-008



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For use with closed delivery systems only.

OILFIELD AND PETROCHEMICAL SYSTEMS

TREATMENT: X-CIDE® 107 Industrial Bactericide can be used either in slug treatment or in continuous application. Dosages may vary from 500 ppm of X-CIDE® 107 Industrial Bactericide in slug application to 20 ppm of X-CIDE® 107 Industrial Bactericide in continuous treatment. For slug treatments, add up to 500 ppm of X-CIDE® 107 Industrial Bactericide at intervals to the water system to establish control and to prevent regrowth of bacterial slime. This method is particularly suitable to control of bacteria in storage tanks bottom sediments. For continuous treatment, inject 20 to 200 ppm of X-CIDE® 107 Industrial Bactericide at a point where good mixing can be assured. Technical advice concerning specific site problems and treatment levels can be obtained from your Baker Petrolite Sales Engineer.

STORAGE AND DISPOSAL

STORAGE: Do not contaminate water, food or feed by storage or disposal. Do not use, pour, spill or store near heat or open flame.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

NET CONTENTS: Bulk, Drum or As Marked on Container

Rev. 03/03

Read Product Material Safety Data Sheet prior to use. PRODUCT WARRANTY, DISCLAIMER AND LIMITATION OF LIABILITY ARE FOUND THEREON. Use of Product signifies agreement with these provisions.

Lea la hoja de datos de seguridad de materiales del producto antes de usarlo. LA GARANTIA DEL PRODUCTO, EL DESCARGO Y LA LIMITACION DE RESPONSABILIDAD SE ENCUENTRAN EN DICHS DOCUMENTOS. El uso del producto significa acuerdo con estas disposiciones.

10707-42

6-5-2003

11