

ACCEPTED
 AUG 29 2002
 Under the Federal Insecticide, Fungicide, and
 Rodenticide Act as amended, for the
 pesticide, registered under
 EPA Reg. No. **10707-44**

Baker Petrolite

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Harmful or fatal if swallowed. Vapor harmful. Avoid breathing spray mist or vapors. Do not get on skin. Causes eye damage and skin irritations. Do not get in eyes or on clothing. Wear goggles or face shield and rubber gloves when handling. Avoid contamination of food.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not discharge effluent containing this product into lakes, streams, ponds, Estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Open dumping is prohibited. Store only in original container. Do not reuse empty container. Keep this product in jar locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. In proper disposal of excess pesticide, spray mixture or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL (Larger 1 gal.) Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. In addition, plastic containers may be disposed of by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

X-CIDE® 207

INDUSTRIAL MICROBIOCIDE

FOR USE IN INDUSTRIAL PROCESSES ONLY. NOT FOR DOMESTIC USE.

ACTIVE INGREDIENTS:

5-Chloro-2-methyl-4-isothiazolin-3-one.....5.36%
 2-Methyl-4-isothiazolin-3-one.....1.62%

INERT INGREDIENTS:.....93.02%

TOTAL:.....100.00%

**KEEP OUT OF REACH OF CHILDREN
 DANGER/PELIGRO**

FIRST AID	
Call poison control center or doctor immediately for treatment advice. Have this product container or label with you when calling a poison control center, doctor, or going for treatment.	
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.
IF IN EYES	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
IF SWALLOWED	<ul style="list-style-type: none"> Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF INHALED	<ul style="list-style-type: none"> Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

EPA Registration Number.....10707-44
 EPA Establishment Numbers.....10707-TX-008
 42403-TX-001

DISTRIBUTED BY:
BAKER PETROLITE CORPORATION
 12645 WEST AIRPORT BLVD.
 SUGAR LAND, TX 77478

EMERGENCY CONTACT (24 HOURS PER DAY): 800-231-3606

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its label

RECOMMENDED USES

OIL FIELD WATERS:

X-CIDE 207 Industrial Microbiocide is used for the control of slime forming bacteria and sulfate reducing bacteria in oilfield waters.

Treatment: Slug treat with 15-75 ppm **X-CIDE 207** Industrial Microbiocide depending on the severity of contamination. **X-CIDE 207** Industrial Microbiocide can be used in stagnant areas such as storage tanks, sumps and pits. Add 35-75 ppm **X-CIDE 207** Industrial (8.2 - 17.6 pounds **X-CIDE 207** Industrial Microbiocide per 1000 barrels of water) at a point in the system where it will be uniformly mixed. Repeat treatment after three days or as needed until control is achieved.

DRILLING MUDS AND WORKOVER OR COMPLETION FLUIDS:

X-CIDE 207 Industrial Microbiocide is effective in controlling bacteria and fungi in water based drilling muds.

Treatment: **X-CIDE 207** Industrial Microbiocide should be added at 25-500 ppm through the mud hopper or at the pump suction. A typical 50 ppm treatment is 1.75 pounds per 100 barrels into the drilling mud circulating system.

WELL STIMULATION AND FRACTURING:

X-CIDE 207 Industrial Microbiocide is effective in controlling fungi and bacteria in guar gum based fracturing fluid systems.

Treatment: **X-CIDE 207** Industrial Microbiocide should be added to the storage tanks at 25-500 ppm and circulated. For example, a 50 ppm treatment is 8.75 pounds per 500 barrels fracturing tank.

6 lbs NET WEIGHT

Net Contents: Drum, Bulk, or As Marked on Container

REV 03/02

10707-44
 8/29/2002
 Page 181
 - Col
 5-chl
 UN3:
 - Em