



#### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

SEP 1 0 2014

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

SEP 10 2014

Wendy A. McCombie Lewis & Harrison, LLC 122 C Street NW, Suite 505 Washington, DC 20001

Subject:

Amended Reregistration Label

X-CIDE 302 Industrial Bactericide EPA Registration Number 10707-45

The Agency, in accordance with the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, has completed reviewing all of the information submitted with your application to support the reregistration of the above referenced product in connection with the 1-(Alky\*amino)-3aminopropane diacetate (REDs) and has concluded that your submission is acceptable.

NOTE: This product is not being reregistered under sections (c) 5 and 4(g) of FIFRA at this time.

Please note that the record for this product currently contains the Confidential Statements of Formulation (CSFs) listed below. Any previously dated CSFs are superseded.

Basic Formulation, dated April 26, 2012

A copy of your label stamped "Accepted" is enclosed along with copies of the acute toxicity and product chemistry reviews completed for the subject product. Products shipped after 12 months from the date of this amendment or the next printing of the label whichever occurs first, must bear the new revised label. Your release for shipment of the product bearing the amended label constitutes acceptance of the conditions. If these conditions are not compiled with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e).

If you have any question about this letter, please contact Drusilla Copeland at copeland.drusilla@epa.gov.

Sincerely,

E. Miederlisty Eric Miederhoff

Acting Product Manager 33

Regulatory Management Branch 1 Antimicrobials Division (7510P)

Enclosure: stamped label

## PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes irreversible eye damage. Do not get in eyes or on clothing. Harmful if swallowed. Harmful if inhaled. Avoid breathing vapor or spray mist. Avoid contact with skin. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

# PERSONAL PROTECTIVE EQUIPMENT (PPE)

Wear protective eyewear such as goggles or face shield. Wear long sleeved shirt and lonn pants, socks, shoes and chemical resistant gloves (such as barner laminate, butyl, or neoprene rubber, polyvinyl chloride (PVC) or viton, selection category C) must it, an when handling the product and it must be applied using a closed loading and delivery system such as a dry coupling and/or metering pump.

### **USER SAFETY REQUIREMENTS**

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

# **USER SAFETY RECOMMENDATIONS**

User should wash hands before, eating, drinking, chewing gum, using tobacco, or using the toilet.

une toriet. User should remove clothing/PPE immediately if pesticide gets inside. then wash

thoroughly and put on clean clothing.
Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean

### ENVIRONMENTAL HAZARD

This product is toxic to fish, aquatic invertebrates, oysters, and shrimp. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Firnination System (WDDES) permit and the permitting authority has been notified in g prior to discharge. Do not discharge effluent containing this product to sewer ms without previously notifying the local sewage treatment plant authority. For guidance contact you State Water Board or Regional Office of the EPA.

# PHYSICAL OR CHEMICAL HAZARDS

FLAMMABLE - Keep away from heat and flame.

NET CONTENTS: As Marked on the Label or Container

REV 09/14

### X-CIDE® 302

### Industrial Bactericide

FOR USE IN INDUSTRIAL PROCESSES ONLY

NOT FOR DOMESTIC USE.
ACTIVE INGREDIENT:
Akyi' 1,3 propylene diamine acetate
INERT INGREDIENTS:

## KEEP OUT OF REACH OF CHILDREN

Alkyl as derived from coconut oil fatty acids

#### DANGER

Call poison control center or doctor immediately for treatment advice. Have the product container or label with you when calling a poison control center, doctor, or going for treatment.

You may also contact 1-800-231-3606 for emergency medical treatment information

IF IN EYES	<ul> <li>Hold eye open and rinse slowly and gently with water for 15-20</li> </ul>
	minutes.
	<ul> <li>Remove contact lenses, if present, after the first 5 minutes, then</li> </ul>
	continue rinsing eye.
IF SWALLOWED	<ul> <li>Call a poison control center or doctor immediately for treatment advice.</li> </ul>
	<ul> <li>Have person sip a glass of water if able to swallow.</li> </ul>
	<ul> <li>Do not induce vomiting unless told to do so by the poison control</li> </ul>
	center or doctor.
	<ul> <li>Do not give anything by mouth to an unconscious person.</li> </ul>
IF ON SKIN OR CLOTHING	<ul> <li>Take off contaminated clothing.</li> </ul>
	<ul> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> </ul>
IF INHALED	<ul> <li>Move person to fresh air.</li> </ul>
	<ul> <li>If person is not breathing, call 911 or an ambulance, then give</li> </ul>
	artificial respiration, preferably by mouth-to-mouth, if possible.
NOTE TO PHYSICIAN: P	NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage
Moseurae against circulatons	Moseures exempt viruilators shock resultation depression and consultation may be accorded

EPA Establishment Numbers

BAKER PETROLITE CORPORATION 12645 WEST AIRPORT BLVD. SUGAR LAND, TX 77478 EMERGENCY CONTACT (24 HOURS PER DAY) 800-231-3606

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

For use with closed loading and delivery systems only. Use in once-through industrial water systems is prohibited.

X-CIDE 302 Industrial Bactericide may be used either in slug treatments or in continuous application. Dosages may vary from 1000 ppm of X-CIDE 302 Industrial Bactericide in slug application to 60-100 ppm of X-CIDE 302 Industrial Bactericide in continuous treatment (1/2) pint per 1000 gallons equals approximately 60 ppm). A typical slug treatment is to add 250 ppm of X-CIDE 302 Industrial Bactericide (2 pints per 1000 gallons water) at intervals as needed to prevent growth of bacterial slime. Badly fouled systems may be slug treated to establish control, following by continuous treatment of 60-100 ppm to maintain control.

### STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL. DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

STORAGE: Store only in original container.

PESTICIDE DISPOSAL: Pesticide wastes are hazardous. Improper disposal of excess biocide or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

Text for non-refillable containers


CONTAINER DISPOSAL: Non-refillable container. Do not reuse or refill this container Offer for recycling, if available. Triple rinse container (or equivalent) promptly after annivirus. For containers of 5 gallons or less. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour finsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more

For containers with capacities greater than 5 gallons. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container X full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Empty the insate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

XXX-XX-XXXX

Text for refillable containers

CONTAINER DISPOSAL: Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal. empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump mixate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.



Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 707 - 4/5

3/گ