SEP 1 1 2014

THE STATES TO ST

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

Office of Chemical Safety and Pollution Prevention

Wendie McCombie Lewis and Harrison, LLC 122 C St N.W., Suite 505

Washington, D.C. 20011

Subject:

Amended Reregistration Labels for

- X-Cide 320, EPA Registration Number 10707-47
- X-Cide 402, EPA Registration Number 10707-50

The Agency, in accordance with the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, has completed reviewing all of the information submitted with your application to support the reregistration of the above referenced product, and has concluded that your submission is acceptable.

NOTE: This product is <u>not</u> being reregistered under sections 3(c)5 and 4(g) of FIFRA at this time.

Please note that the record for this product currently contains the Confidential Statements of Formulation (CSFs) listed below. Any previously dated CSFs are superseded.

Basic CSF dated November 5, 2012

A copy of your labels stamped "Accepted" are enclosed. Products shipped after 12 months from the date of this amendment or the next printing of the label, whichever occurs first, must bear the new revised label. Your release for shipment of the product bearing the amended label constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e).

If you have any questions about this letter, please contact Melba Morrow at morrow.melba@epa.gov.

> Sincerely, 5 Miederbahl

Eric Miederhoff

Acting Team Leader

Regulatory Management Branch I

Antimicrobials Division (7510P)

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes irreversible eye damage. Causes skin burns. Do not get in eyes, skin or on clothing. Harmful if swallowed. Harmful if inhaled. Avoid breathing vapor or spray mist. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco

PERSONAL PROTECTIVE EQUIPMENT (PPE

protective eyewear such as goggles or face shield. Wear long sleeved shirt and nitrile, or neoprene rubber, polyvinyl chloride (PVC) or viton, selection category C). When mixing, loading and cleaning equipment wear a chemical resistant apron. The product must be applied using a closed loading and delivery system such as a dry long pants, socks, shoes and chemical resistant gloves (such as barrier laminate, butyl, coupling and/or metering pump. Wear

USER SAFETY REQUIREMENTS

y manufacturer's instructions for cleaning/maintaining PPE. If no such instructions askhables exist, use detergent and hot water. Keep and wash PPE separately from biner laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them

USER SAFETY RECOMMENDATIONS

User should wash hands before, eating, drinking, chewing gum, using tobacco, or using the toilet.

User should remove clothing/PPE immediately if pesticide gets inside. then wash

thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean

ENVIRONMENTAL HAZARDS

or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to Do not This product is toxic to fish, aquatic invertebrates, oysters, and shrimp. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

FLAMMABLE - Keep away from heat and flame.

NET CONTENTS: As Marked on Label or Container

REV 09/14

X-CIDE™

Industrial Bactericide

FOR USE IN INDUSTRIAL PROCESSES ONLY. NOT FOR DOMESTIC USE.

ACTIVE INGREDIENT:
Alkyl *1,3 propylene diamine acetates
INERT INGREDIENTS:
TOTAL: 100 00%
*Alkyl as derived from coconut oil fatty acids

KEEP OUT OF REACH OF CHILDREN DANGER

FIRST AID

Call poison contr Have the product conta	Call poison control center or doctor immediately for treatment advice. Have the product container or label with you when calling a poison control center doctor, or going for treatment.
You may also contact 1-	You may also contact 1-800-231-3606 for emergency medical treatment information.
IF IN EYES	 Hold eye open and rinse slowly and gently with water for 15-20 minutes.

_	15-20 minutes.
·	 Remove contact lenses, if present, after the first 5 minutes.
th.	then continue rinsing eye.
IF ON SKIN OR	 Take off contaminated clothing.
CLOTHING - R	 Rinse skin immediately with plenty of water for 15-20 ·
E .	minutes.
H - H	 Have person sip a glass of water if able to swallow.
_	Do not induce vomiting unless told to do so by the poison
·	control center or doctor.
•	 Do not give anything by mouth to an unconscious person.

IF INHALED	 Move person to fresh air.
	 If person is not breathing, call 911 or an ambulance, then
	give artificial respiration, preferably by mouth-to-mouth, if
	possible.
NOTE TO PHYSICIAN: P	NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric
lavage. Measures agains	lavage. Measures against circulatory shock, respiratory depression and convulsion may
be needed.	

74	×
0707	××
1	×
	Ž
	. [
ber.	umbe
Nur	Ž
ration	ishme
PA Registration Number10707-47	EPA Establishment NumbersXXXXX-XXXXXX
PAR	PAE

EMERGENCY CONTACT (24 HOURS PER DAY) 800-231-3606 12645 WEST AIRPORT BLVD. SUGAR LAND, TX 77478

BAKER PETROLITE CORPORATION

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For use with closed loading and delivery systems only. Use in once-through industrial water systems is prohibited

OILFIELD AND PETROCHEMICAL SYSTEMS

X-CIDE 320 Industrial Bactericide may be used either in slug treatments or in continuous application. Dosages may vary from 500 ppm of X-CIDE 320 Industrial Bactericide in slug application to 30-50 ppm of X-CIDE 320 Industrial Bactericide in typical slug treatment is to add 125 ppm of X-CIDE 320 Industrial Bactericide (1 pints continuous treatment (1/4 pint per 1000 gallons equals approximately 30 ppm). per 1000 gallons of water) at intervals as needed to prevent growth of bacterial slime.

Badly fouled systems may be slug treated to establish control, followed by continuous treatment of 30-60 ppm (1/4 to 1/2 pints per 1000 gallons of water) to maintain control

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME.

STORAGE: Store only in original container.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess biocide or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to table instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

Text for non-refillable containers

CONTAINER DISPOSAL: Non-refillable container. Do not reuse or refill this container Offer for recycling, if available. Triple rinse container (or equivalent) promptly after emptying.

seconds. Pour rinsate into application equípment or a mix tank or store rinsate for later contents into application equipment or a mix tank and drain for 10 seconds after 1 flow begins to drip. Fill the container Y_t full with water and recap. Shake for 10use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this For containers of 5 gallons or less. Triple rinse as follows: Empty the remaining procedure two more times

forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Empty the rinsate into application For containers with capacities greater than 5 gailons. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/s full with water. Replace and tighten closures. Tip container on its side and roll it back and equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

Text for refillable containers

CONTAINER DISPOSAL: Refillable container. Refill this container with pesticide only disposal is the responsibility of the person disposing of the container. Cleaning before equipment or rinsate collection system. Repeat this rinsing procedure two more times Do not reuse this container for any other purpose. Cleaning the container before final refilling is the responsibility of the refiller. To clean the container before final disposal recirculate water with the pump for 2 minutes. Pour or pump rinsate into application empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or

> THE STATE STREET, STATES OF

(3)

AND ALL OR CHARGO