



Baker Petrolite Corporation
A Baker Hughes Company
12645 W. Airport Boulevard
Sugar Land, TX 77478-5050

Emergency Telephone Numbers:
CHEMTREC: 1-800-424-9300
Baker Petrolite Corporation: 1-281-276-5400
Telephone Number for Information
281-276-5400

CHEMTREC Intl.: 01-703-527-3887

Baker Petrolite

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

DANGER: Contains methanol, which may cause blindness. Harmful or fatal if swallowed. Vapor harmful. Avoid breathing spray mist or vapors. Do not get in skin. Corrosive. Causes eye damage and skin irritations. Do not get in eyes or on clothing. Wear goggles or face shield and rubber gloves when handling. Avoid contamination of food.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

FLAMMABLE – Keep away from heat and flame.

DISTRIBUTED BY:

BAKER PETROLITE CORPORATION
12645 WEST AIRPORT BLVD.

SUGAR LAND, TX 77478

EMERGENCY CONTACT (24 HOURS PER DAY) 800-231-3606

ACCEPTED

MAY 19 2003

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 10707-48

X-CIDE® 370

Industrial Bactericide

FOR USE IN INDUSTRIAL PROCESSES ONLY NOT FOR DOMESTIC USE.

ACTIVE INGREDIENT:	—
Oxydiethylene bis	
(Alkyl dimethyl ammonium chloride)	36.0%
INERT INGREDIENTS:	64.0%
TOTAL:	100.0%

*Alkyl as derived from coconut oil fatty acids.

CONTAINS METHANOL

KEEP OUT OF REACH OF CHILDREN

DANGER

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

FIRST AID	
Call poison control center or doctor immediately for treatment advice. Have the product container or label with you when calling a poison control center doctor, or going for treatment.	
IF IN EYES	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.
IF SWALLOWED	<ul style="list-style-type: none"> Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF INHALED	<ul style="list-style-type: none"> Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.	
EPA Registration Number	10707-48
EPA Establishment Numbers	10707-TX-008, 10707-TX-003
	10707-OK-003, 10707-MS-001, 10707-LA-001, 10707-CA-012

DANGER TOXIC

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For use with closed delivery systems only.

X-CIDE® 370 Industrial Bactericide is recommended for use in those industrial, non-potable waters where a bacterial problem is clearly demonstrated. Examples of X-CIDE® 370 Industrial Bactericide applications are as follows: disposal water systems, water injection systems from petrochemical and oilfield operations and cooling water recirculating systems. X-CIDE® 370 Industrial Bactericide will control both aerobic and anaerobic type bacteria. X-CIDE® 370 is very effective in controlling the anaerobic sulfate reducing bacteria that are responsible for producing hydrogen sulfide. Recommended dosage for slug treatments (the preferred treatment method) may be as high as 500 ppm. Bacterial control may be maintained by use of 30-50 ppm of X-CIDE® 370 Industrial Bactericide on a continuous basis (1/4 pint per 1000 gallons equals approximately 30 ppm).

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL. DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

STORAGE: Store only in original container.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

NET CONTENTS: Drum, Bulk, or As Marked on Container

REV 02/03

10707-48
5/19/2003
Page 1 of 1