




EMERGENCY TELEPHONE NUMBERS:
 CHEMTREC: 800-424-9300
 CANUTEC: 613-996-6666
 Customer Care: 800-231-3906

A Baker Hughes company
 Baker Petrolite Corp.
 3900 Essex Lane
 Houston, TX 77027-5133 U.S.A.

ACCEPTED
 OCT 5 1988
 Under the Federal Insecticide, Fungicide, and
 Rodenticide Act as amended, for the
 pesticide, registered under
 EPA Reg. No. 10707-49

X-CIDE® 380



XC380-10 12

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed or absorbed through skin. Avoid contamination of food. Methanol may cause blindness. Vapor harmful. Avoid breathing spray mist or vapors. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the appropriate NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

FLAMMABLE--Keep away from heat and flame.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage.

X-CIDE® 380

Industrial Bactericide

FOR USE IN INDUSTRIAL PROCESSES ONLY, NOT FOR DOMESTIC USE.

ACTIVE INGREDIENT:

Alkyl dimethyl benzyl ammonium chloride..... 50.2%

INERT INGREDIENTS..... 50.2%


100.2%

*Alkyl as found in coconut oil fatty acids.

CONTAINS METHANOL
KEEP OUT OF REACH OF CHILDREN

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA REG. NO. 10707-49
 EPA EST. NO. 10707-TX-008



DANGER **TOXIC**

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

For use with closed delivery systems only.

X-CIDE® 380 Industrial Bactericide is recommended for oilfield injection, production, disposal and storage systems. X-CIDE® 380 Industrial Bactericide will control aerobic, anaerobic, and facultative anaerobic type bacteria. It is effective against both planktonic and sessile microbial populations.

For badly fouled systems X-CIDE® 380 Industrial Bactericide should be applied in slug treatments at 50 to 500 ppm for control of planktonic microorganisms and 500-1000 ppm X-CIDE® 380 Industrial Bactericide for control of sessile microorganisms. Continuous applications would range from 10 to 300 ppm X-CIDE® 380 Industrial Bactericide for control of planktonic microorganisms and 50 to 500 ppm X-CIDE® 380 Industrial Bactericide for sessile microorganisms (21 gal per 1000 bbls equals 500 ppm).

After control has been established X-CIDE® 380 Industrial Bactericide should be applied in slug treatments at 30 to 300 ppm X-CIDE® 380 Industrial Bactericide for maintenance control of planktonic microorganisms and 50 to 500 ppm X-CIDE® 380 Industrial Bactericide for maintenance control of sessile microorganisms. Continuous applications would range from 10 to 200 ppm X-CIDE® 380 Industrial Bactericide for planktonic microorganisms and 20 to 300 ppm X-CIDE® 380 Industrial Bactericide for sessile microorganisms (8.4 gal per 1000 bbl equals 200 ppm).

STORAGE AND DISPOSAL

STORAGE: Do not contaminate water, food or feed by storage or disposal. Do not use, pour, spill or store near heat or open flame.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess biocide or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a landfill, or by other procedures approved by state and local authorities.

Net Contents 55 U. S. Gallons at 60% F

Product Material Safety Data Sheet prior to use. PRODUCT WARRANTY, DISCLAIMER AND LIMITATION OF LIABILITY ARE FOUND HEREON. Use of Product signifies agreement with these provisions.

Lea la hoja de datos de seguridad de materiales del producto antes de usarlo. LA GARANTIA DEL PRODUCTO, EL DESCARGO Y LA LIMITACION DE RESPONSABILIDAD SE ENCUENTRAN EN DICHS DOCUMENTOS. El uso del producto significa acuerdo con estas disposiciones.

Allix Flammable (3) label

Alcohol, n.o.s. (contains Methanol UN1987