




A Baker Hughes company
Baker Petrolite Corp.
3900 Essex Lane
Houston, TX 77027-5133 U.S.A.

EMERGENCY TELEPHONE NUMBERS
CHEMTREC: 800-9300
CANUTEC: 613-996-6666
Customer Care: 800-231-3606

X-CIDE® 402

ACCEPTED
SEP 09 1998
Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 10707-50



XC402-10 12
DIRECTIONS FOR USE

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Contains methanol. Harmful or fatal if swallowed. Vapor harmful. Avoid breathing vapors or mist. Avoid contact with skin. Corrosive. Causes eye damage and skin irritations. Do not get in eyes or on clothing. Wear goggles or face shield and rubber gloves when handling. Avoid contamination of food.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

FLAMMABLE--Keep away from heat and flame.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of egg whites, gelatin solution or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

X-CIDE® 402

Industrial Bactericide

FOR USE IN INDUSTRIAL PROCESSES ONLY. NOT FOR DOMESTIC USE.

ACTIVE INGREDIENTS:

Oxydiethylene bis
(Alkyl dimethyl ammonium chloride)..... 17.8%

Alkyl -1,3-propylenediamine Acetate..... 28.5%

INERT INGREDIENTS:..... 53.7%

100.0%

*As derived from coconut oil fatty acids.

KEEP OUT OF REACH OF CHILDREN



SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS



EPA REG. NO. 10707-50
EPA EST. NO. 10707-TX-008

Affix Flammable (3) label

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.
For use with closed delivery systems only.
X-CIDE 402 Industrial Bactericide is recommended for use in non-potable type industrial water systems where bacterial slime and corrosion problems exist. Examples of industrial applications are as follows: oil field and petrochemical water injection systems, cooling water recirculating systems and disposal systems where the effluent does not drain into streams, lakes, ponds or municipal water systems. X-CIDE 402 Industrial Bactericide is designed to control both aerobic and anaerobic types of bacteria. Of the aerobic types, it is particularly recommended for the control of so-called "iron bacteria." X-CIDE 402 Industrial Bactericide is very effective in controlling the anaerobic "sulfate reducing" bacteria that are responsible for producing large quantities of hydrogen sulfide.

Treatment dosages may vary from 500 ppm in slug type applications to 30-50 ppm (1/4 pint per 1000 gallons equals approximately 30 ppm) in continuous type applications. A typical slug application is 120 ppm (1 pint per 1000 gallons).

As a corrosion inhibitor, X-CIDE 402 Industrial Bactericide is equally effective as it is a bactericide in preventing acid or saline corrosion attack.

STORAGE AND DISPOSAL

STORAGE: Do not contaminate water, food or feed by storage or disposal. Do not use, pour, spill or store near heat or open flame.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess biocide or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

Net Contents 55 U. S. Gallons at 60° F

Alcohols, n.o.s. (contains Methanol and Isopropanol) UN1987

402-5-00

PM 33

10707-50

9/9/98

Page 1 of 1

Read Product Material Safety Data Sheet prior to use. PRODUCT WARRANTY, DISCLAIMER AND LIMITATION OF LIABILITY ARE FOUND THEREON. Use of Product signifies agreement with these provisions.

Lea la hoja de datos de seguridad de materiales del producto antes de usarlo. LA GARANTIA DEL PRODUCTO, EL DESCARGO Y LA LIMITACION DE RESPONSABILIDAD SE ENCUENTRAN EN DICHS DOCUMENTOS. El uso del producto significa acuerdo con estas disposiciones.