



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

Office of Chemical Safety and Pollution
Prevention

Wendie McCombie
Lewis and Harrison, LLC
122 C St N.W., Suite 505
Washington, D.C. 20011

SEP 11 2014

Subject: Amended Reregistration Labels for

- X-Cide 320, EPA Registration Number 10707-47
- X-Cide 402, EPA Registration Number 10707-50

The Agency, in accordance with the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, has completed reviewing all of the information submitted with your application to support the reregistration of the above referenced product, and has concluded that your submission is acceptable.

NOTE: This product is not being reregistered under sections 3(c)5 and 4(g) of FIFRA at this time.

Please note that the record for this product currently contains the Confidential Statements of Formulation (CSFs) listed below. Any previously dated CSFs are superseded.

Basic CSF dated November 5, 2012

A copy of your labels stamped "Accepted" are enclosed. Products shipped after 12 months from the date of this amendment, or the next printing of the label, whichever occurs first, must bear the new revised label. Your release for shipment of the product bearing the amended label constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e).

273

If you have any questions about this letter, please contact Melba Morrow
at morrow.melba@epa.gov.

Sincerely,



Eric Miederhoff
Acting Team Leader
Regulatory Management Branch I
Antimicrobials Division (7510P)

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS
DANGER: Corrosive. Causes irreversible eye damage. Do not get in eyes, skin or on clothing. Harmful if swallowed. Harmful if inhaled. Avoid breathing vapor or spray mist. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Handlers of this product must wear long pants, long-sleeved shirt, shoes plus socks, goggles or face shield, and chemical resistant gloves. The product must be applied using a closed loading and delivery system such as a dry coupling and/or metering pump.

USER SAFETY REQUIREMENTS

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

USER SAFETY RECOMMENDATIONS

User should wash hands before, eating, drinking, chewing gum, using tobacco, or using the toilet.
User should remove clothing/PPE immediately if pesticide gets inside. then wash thoroughly and put on clean clothing.

Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, aquatic invertebrates, oysters, and shrimp. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

FLAMMABLE - Keep away from heat and flame.

NET CONTENTS: As Marked on Label or Container

BAKER PETROLITE CORPORATION

12645 W. Airport Blvd.

Sugar Land, TX 77478

EMERGENCY CONTACT (24 HOURS PER DAY) 800-231-3606

REV 09/14

X-CIDE™ 402

Industrial Bactericide

FOR USE IN INDUSTRIAL PROCESSES ONLY, NOT FOR DOMESTIC USE.

ACTIVE INGREDIENT:

Oxydiethylene bis	17.8%
(Alkyl) dimethyl ammonium chloride	28.5%
Alkyl ¹ , 3-propylenediamine Acetate	55.7%
INERT INGREDIENTS	100.0%
TOTAL	100.0%

¹As derived from coconut oil fatty acids

Contains Methanol. Methanol May Cause Blindness

KEEP OUT OF REACH OF CHILDREN

DANGER

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its label. For use with closed loading and delivery systems only. Use in once-through industrial water systems is prohibited.

X-CIDE 402 Industrial Bactericide is recommended for use in non-potable type industrial water systems where bacterial slime and corrosion problems exist. Examples of industrial applications are as follows: oil field and petrochemical water injection systems; cooling water recirculating systems and disposal systems where the effluent does not drain into streams, lakes, ponds or municipal water systems.

X-CIDE 402 Industrial Bactericide is designed to control both aerobic and anaerobic types of bacteria. Of the aerobic types, it is particularly recommended for control of so-called "iron bacteria." X-CIDE 402 Industrial Bactericide is very effective in controlling the anaerobic "sulfate reducing" bacteria that are responsible for producing large quantities of hydrogen sulfide.

Treatment dosages may vary from 500 ppm in slug type applications to 30-50 ppm (1/4 pint per 1000 gallons equals approximately 30 ppm) in continuous type applications. A typical slug application is 120 ppm (1 pint per 1000 gallons).

As a corrosion inhibitor, X-CIDE 402 Industrial Bactericide is equally effective as it is a bactericide in preventing acid or saline corrosion attack.

STORAGE AND DISPOSAL
DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL. DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

PESTICIDE STORAGE: Open dumping is prohibited. Store only in original container.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess biocide or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

Text for non-refillable containers

CONTAINER DISPOSAL: Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse container (or equivalent) promptly after emptying.

For containers of 5 gallons or less. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

For containers with capacities greater than 5 gallons. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.


Text for refillable containers

CONTAINER DISPOSAL: Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.

FIRST AID	
Call poison control center or doctor immediately for treatment advice. Have the product container or label with you when calling a poison control center doctor, or going for treatment. You may also contact 1-800-231-3606 for emergency medical treatment information.	
IF IN EYES	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
IF SWALLOWED	• Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes.
IF ON SKIN OR CLOTHING	• Rinse skin immediately with plenty of water for 15-20 minutes. Measures against circulatory shock, respiratory depression and convulsion may be needed.
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.	

EPA Registration Number.....10707-50

EPA Establishment Number.....XXXXXX-XX-XXX



323