



EMERGENCY TELEPHONE NUMBERS:
 CHEMTREC: 800-424-9300
 CANUTEC: 613-996-6666
 Customer Care: 800-231-3606

X-CIDE® 509

A Baker Hughes company
 3900 Essex Lane
 Houston, TX 77027-5133 U.S.A.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes severe burns of eyes. Eye contact may cause loss of vision. Irritating to nose and throat. May burn the skin. May be fatal if swallowed. Do not breathe dust. Do not get in eyes, on skin, or on clothing. Impact-resistant goggles with side-shields, or face shield, and rubber gloves must be worn when handling. Use with adequate ventilation.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

CHEMICAL AND PHYSICAL HAZARDS

Reaction with strong reducing agents may be explosive. Avoid comminution and dusting.

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush eyes immediately with plenty of water for at least 15 minutes and get medical attention at once.
IF ON SKIN: Wash with soap and plenty of water. Wash contaminated clothing before reuse.
IF INHALED: Remove person to fresh air immediately. Get him quiet and warm; apply artificial respiration if necessary. Get medical attention at once.
IF SWALLOWED: Give large amounts of water to dilute the toxicant. If immediately available, demulcents like milk, vegetable oil, or egg whites can be given. Do not induce vomiting as it is likely to cause considerable mucosal damage.
NOTE TO THE PHYSICIAN: Dilution of an ingested corrosive is a safer first aid than emesis.

X-CIDE® 509

Industrial Bactericide

FOR USE IN INDUSTRIAL PROCESSES ONLY, NOT FOR DOMESTIC USE.

ACTIVE INGREDIENTS:

2,2-Dibromo-3-nitropropionamide..... 99.0%

INERT INGREDIENTS:

ACCEPTED
 SEP 08 1998
 Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 10707-52

KEEP OUT OF REACH OF CHILDREN
DANGER

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA REG. NO. 10707-52
 EPA EST. NO. 10707-TX-008

BE-9-666

PM 3:30
 10707-52


9/8/98

page 1 of 2

Read Product Material Safety Data Sheet prior to use. PRODUCT WARRANTY, DISCLAIMER AND LIMITATION OF LIABILITY ARE FOUND THEREON. Use of Product signifies agreement with these provisions.

Lea la hoja de datos de seguridad de materiales del producto antes de usarlo. LA GARANTIA DEL PRODUCTO, EL DESCARGO Y LA LIMITACION DE RESPONSABILIDAD SE ENCUENTRAN EN DICHO PRODUCTO. El uso del producto significa acuerdo con estas disposiciones.

Allix Poison (6) label



*XC509-00

12*

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FRACTURING FLUIDS: X-CIDE 509 Industrial Bactericide reduces bacterial contamination and degradation of fracturing gels and fluids used as well stimulants in the oil and gas industry. X-CIDE 509 Industrial Bactericide may be added during pre-mixing of the fracturing fluid or (in the case of direct mix/injection systems) an aqueous solution may be added by direct injection at the head during the fracturing procedure.

FREQUENCY AND DOSE: X-CIDE 509 Industrial Bactericide should be used for each fracturing operation to ensure best results. X-CIDE 509 Industrial Bactericide should be added at a rate of 0.15-0.30 lbs./1000 gallons (approximately 18ppm - 36ppm) depending on the quality of the makeup water.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in a dark, cool, dry, well ventilated area, in well-closed original containers, away from energy sources, combustible organic materials, oxidizers, and moisture.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty liner by shaking and tapping sides and bottom to loosen any clinging particles. Empty any residue into application equipment. Do not reuse carton or liner. Dispose of empty carton and empty liner in a sanitary landfill or by incineration, if allowed by State and local authorities. If burned, stay out of smoke.

SPILLS: When handling or dealing with spills, use impact-resistant goggles with side-shields or face shield, body-covering clothes, including impervious rubber gloves and boots; use a dust respirator if dusting occurs. Cover wet spills with 10% sodium bicarbonate solution, water and then an inert absorbent before sweeping up and disposal. If drum contents are contaminated or decomposing, isolate unsealed drum in the open in a well ventilated area. Flood with 10% sodium bicarbonate solution and large volumes of water if necessary.

DO NOT SHIP WITH FOOD, FEEDS, DRUGS, OR CLOTHING

Net Contents 1 GALLONS AT 60° F

Toxic solids, organic, n.o.s.(contains Dibromo
Nitrilo-Propionamide) UN2811