

10707-52

6/29/2004

Page 121

**PRECAUTIONARY STATEMENTS  
HAZARD TO HUMANS AND DOMESTIC ANIMALS**

**DANGER:** Corrosive. Causes severe burns of eyes. Eye contact may cause loss of vision. Irritation to nose and throat. May burn skin. May be fatal if swallowed. Do not breathe dust. Do not get in eyes, on skin, or on clothing. Impact-resistant goggles with side-shields, or face shield, and rubber gloves must be worn when handling. Use with adequate ventilation.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

**CHEMICAL AND PHYSICAL HAZARDS**

Reaction with strong reducing agents may be explosive. Avoid comminution and dusting.

**KEEP CONTAINER TIGHTLY CLOSED WHEN NOT IN USE**

**X-CIDE® 5009**

**Industrial Bactericide**

**FOR USE IN INDUSTRIAL PROCESSES ONLY.**

**NOT FOR DOMESTIC USE.**

ACTIVE INGREDIENT:

2,2-Dibromo-3-nitrilopropionamide .....99.0%

INERT INGREDIENTS:.....1.0%

TOTAL: ..... 100.0%

**KEEP OUT OF REACH OF CHILDREN  
DANGER**

FIRST AID	
Call poison control center or doctor immediately for treatment advice. Have the product container or label with you when calling a poison control center doctor, or going for treatment.	
IF INHALED	<ul style="list-style-type: none"> <li>Move person to fresh air.</li> <li>If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.</li> </ul>
IF IN EYES	<ul style="list-style-type: none"> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes.</li> </ul>
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none"> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> </ul>
IF SWALLOWED	<ul style="list-style-type: none"> <li>Call a poison control center or doctor immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.	

EPA Registration Number ..... 10707-52

EPA Establishment Numbers ..... 10707-TX-008; 065387-AR-1

**DISTRIBUTED BY:  
BAKER PETROLITE CORPORATION**

**12645 W. Airport Blvd.  
Sugar Land, TX 77478**

**EMERGENCY CONTACT (24 HOURS PER DAY) 800-231-3606**

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**FRACTURING FLUIDS:** X-CIDE® 5009 Industrial Bactericide reduces bacterial contamination and degradation of fracturing gels and fluids used as well stimulants in the oil and gas industry. X-CIDE® 5009 Industrial Bactericide may be added during pre-mixing of the fracturing fluid or (in the case of direct mix/injection systems) an aqueous solution may be added by direct injection at the head during the fracturing procedure.

**FREQUENCY AND DOSE:** X-CIDE® 5009 Industrial Bactericide should be used for each fracturing operation to ensure best results. X-CIDE® 5009 Industrial Bactericide should be added at a rate of 2.0 to 3.0 lbs. per 10,000 gallons (approximately 24 ppm to 36 ppm) depending on the quality of the makeup water.

Treatments should be made using one or more whole bags. Do not use partial bags.

**STORAGE AND DISPOSAL**

**DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL**

**STORAGE:** Store in a dark, cool, dry, well ventilated area, in well-closed original containers, away from energy sources, combustible organic materials, oxidizers, and moisture.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Completely empty liner by shaking and tapping sides and bottom to loosen any clinging particles. Empty any residue into application equipment. Do not reuse carton or liner. Dispose of empty carton and empty liner in a sanitary landfill or by incineration, if allowed by State and local authorities. If burned, stay out of smoke.

**SPILLS:** When handling or dealing with spills, use impact-resistant goggles with side-shields or face shield, body-covering clothes, including impervious rubber gloves and boots; use a dust respirator if dusting occurs. Cover wet spills with 10% sodium bicarbonate solution, water and then an inert absorbent before sweeping up and disposal. If drum contents are contaminated or decomposing, isolate unsealed drum in the open or a large well-ventilated area, flood with 10% sodium bicarbonate solution and large volumes of water if necessary.

**NET CONTENTS: 25/1 lb WATER SOLUBLE PACKETS**

Rev. 05/04

**ACCEPTED**

JUN 29 2004

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 10707-52