
PRECAUTIONARY STATEMENTS HAZARD TO HUMANS AND DOMESTIC ANIMALS

DANGER. CORROSIVE. CAUSES SEVERE EYE AND SKIN DAMAGE. CONTAINS METHANOL, MAY CAUSE BLINDNESS. HARMFUL OR FATAL IF SWALLOWED. VAPOR HARMFUL. Do not get in eyes, on skin or clothing. Avoid breathing vapor or mist. Wear chemical goggles, face shield, rubber gloves and impervious clothing when handling. Do not contaminate food. Do not take internally. Wash thoroughly after handling. Keep away from heat, sparks, and open flame. Keep container closed.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.



X-CIDE[®] 305

INDUSTRIAL BACTERICIDE

FOR USE IN INDUSTRIAL PROCESSES ONLY.

NOT FOR DOMESTIC USE.

ACTIVE INGREDIENT:

| Alky-1,3 proplyene diamine acetates | |
|-------------------------------------|--------------|
| INERT INGREDIENTS: | <u>99.2%</u> |
| TOTAL: | |
| KEEP OUT OF REACH OF CHILI | |

DANGER

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

FIRST AID

Call poison control center or doctor immediately for treatment advice. Have the product container or label with you when calling a poison control center doctor, or going for treatment.

| IF ON SKIN OR CLOTHING | Take off contaminated clothing, Rinse skin immediately with plenty of water for 15-20 minutes. |
|--------------------------------|---|
| IF IN EYES | Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. |
| IF SWALLOWED | Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vormiting unless tald to do so by the poison control center or doctor. <u>. Do not most any port to an unconscisus source</u> . |
| IF INHALED | Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. |
| NOTE TO PHYSICIAN: Probable mu | cosal damage may contraindicate the use of gastric lavage. |
| EPA Registration Numb | per |
| EPA Establishment Nur | mbers: |
| | DISTRIBUTED BY: |

BAKER PETROLITE CORPORATION 12645 W. Airport Blvd. Sugar Land, TX 77478

EMERGENCY CONTACT (24 HOURS PER DAY): 800-231-3606

CONTAINS METHANOL

Read Product Material Safety Data Sheet prior to use. PRODUCT WARRANTY, DISCLAIMER AND LIMITATION OF LIABILITY ARE FOUND THEREON. Use of Product signifies agreement with these provisions.

Lea la hoja de datos de seguridad de materiales del producto antes de usarlo. LA GARANTIA DEL PRODUCTO, EL DESCARGO Y LA LIMITACIÓN DE RESPONSABILIDAD SE ENCUENTRAN EN DICHOS DOCUMENTOS. El uso del producto significa acuerdo con estas disposiciones.

• DIRECTIONS FOR USE

K 19 a violation of Federal Law to use this product in a manner inconsistent with its labeling.

For use in closed delivery systems only.

•• • NATURAL GAS WELLS, GATHERING SYSTEMS, AND PIPELINES

X-Cide[®] 305 Industrial Bactericide may be used in slug treatment or continuous application. Dosages may vary from 50,000 ppm (40 gallons
 X-Cide[®] 305 per 1,000 gallons water), X-Cide[®] 305 Industrial Bactericide in slug applications to1,000 ppm (1 gallon X-Cide[®] 305 per 1,000 gallons water) to 10,000 ppm (8 gallons X-Cide[®] 305 per 1,000 gallons water).
 X-Cide[®] 305 Industrial Bactericide in continuous treatment. A typical gaplication is to add 2.000 ppm X Cide[®] 305 Industrial Bactericide (2 college)

application is to add 2,000 ppm X-Cide® 305 Industrial Bactericide (2 gallons X-Cide® 305 per 1,000 gallons water) continuously.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Open dumping is prohibited. Store only in original container. Do not reuse empty container. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray, mixture or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL (Larger 1 gal.) Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. In addition, plastic containers may be disposed of by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

NET CONTENTS: Drum, Bulk or As Marked on Container

Rev. 04/02

Û

G

90

(N