



Baker Petrolite Corporation
A Baker Hughes Company
12645 W. Airport Boulevard
Sugar Land, TX 77478-5050

Emergency Telephone Numbers:
CHEMTREC: 1-800-424-9300
Baker Petrolite Corporation: 1-800-231-3606
Telephone Number for Information
281-276-5400

CHEMTREC Intl.: 01-703-527-3887

Baker Petrolite

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

DANGER. CORROSIVE. CAUSES SEVERE EYE AND SKIN DAMAGE. CONTAINS METHANOL, MAY CAUSE BLINDNESS. HARMFUL OR FATAL IF SWALLOWED. VAPOR HARMFUL. Do not get in eyes, on skin or clothing. Avoid breathing vapor or mist. Wear chemical goggles, face shield, rubber gloves and impervious clothing when handling. Do not contaminate food. Do not take internally. Wash thoroughly after handling. Keep away from heat, sparks and open flame. Keep container closed.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

FLAMMABLE – Keep away from heat and flame.

DISTRIBUTED BY:

BAKER PETROLITE CORPORATION
12645 W. Airport Blvd.
Sugar Land, TX 77478

EMERGENCY CONTACT (24 HOURS PER DAY): 800-231-3606

NET CONTENTS: Drum, Bulk or As Marked on Container

REV 02/03

X-CIDE® 305

INDUSTRIAL BACTERICIDE

FOR USE IN INDUSTRIAL PROCESSES ONLY. NOT FOR DOMESTIC USE.

ACTIVE INGREDIENT:

Alkyl-1,3 propylene diamine acetates.....00.8%

INERT INGREDIENTS.....91.2%

TOTAL.....100.0%

- Alkyl as derived from coconut oil fatty acids

CONTAINS METHANOL

KEEP OUT OF REACH OF CHILDREN

DANGER

FIRST AID

Call poison control center or doctor immediately for treatment advice. Have the product container or label with you when calling a poison control center doctor, or going for treatment.

IF IN EYES	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes.
IF SWALLOWED	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
IF INHALED	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

EPA Registration Number..... 10707-55

EPA Establishment* Numbers..... 10707-TX-003, 074458-WV-01

DANGER TOXIC



DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

For use in closed delivery systems only.

NATURAL GAS WELLS, GATHERING SYSTEMS, AND PIPELINES

X-Cide® 305 Industrial Bactericide may be used in slug treatment or continuous application. Dosages may vary from 50,000 ppm (40 gallons **X-Cide® 305** per 1,000 gallons water), **X-Cide® 305 Industrial Bactericide** in slug applications to 1,000 ppm (1 gallon **X-Cide® 305** per 1,000 gallons water) to 10,000 ppm (8 gallons **X-Cide® 305** per 1,000 gallons water). **X-Cide® 305 Industrial Bactericide** in continuous treatment. A typical application is to add 2,000 ppm **X-Cide® 305 Industrial Bactericide** (2 gallons **X-Cide® 305** per 1,000 gallons water) continuously.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL. DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

STORAGE: Store only in original container.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. In addition, plastic container may be disposed of by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

ACCEPTED
JUN 03 2003
Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 10707-55

10707-55

06/03/2003

11