

10707-55

9/10/2014

1/3



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

SEP 10 2014

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

SEP 10 2014

Wendy A. McCombie
Lewis & Harrison, LLC
122 C Street NW, Suite 505
Washington, DC 20001

Subject: Amended Reregistration Label
X-CIDE 305
EPA Registration Number 10707-55.

The Agency, in accordance with the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, has completed reviewing all of the information submitted with your application to support the reregistration of the above referenced product in connection with the 1-(Alky*amino)-3aminopropane monoacetate (REDs) and has concluded that your submission is acceptable.

NOTE: This product is not being reregistered under sections (c)5 and 4(g) of FIFRA at this time.

Please note that the record for this product currently contains the Confidential Statements of Formulation (CSFs) listed below. Any previously dated CSFs are superseded.

Basic Formulation, dated April 26, 2012

A copy of your label stamped "Accepted" is enclosed along with copies of the acute toxicity and product chemistry reviews completed for the subject product. Products shipped after 12 months from the date of this amendment or the next printing of the label whichever occurs first, must bear the new revised label. Your release for shipment of the product bearing the amended label constitutes acceptance of the conditions. If these conditions are not compiled with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e).

If you have any question about this letter, please contact Drusilla Copeland at copeland.drusilla@epa.gov.

Sincerely,



Eric Miederhoff
Acting Product Manager 33
Regulatory Management Branch 1
Antimicrobials Division (7510P)

Enclosure: stamped label

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS
Danger. Corrosive. Causes irreversible eye damage and skin burns. Do not get in eyes, skin or on clothing. Contains Methanol. May cause blindness. Vapor harmful. Avoid breathing spray mist or vapors. Harmful or fatal if swallowed. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Handlers of this product must wear long pants, long-sleeved shirt, shoes plus socks, goggles or face shield, and chemical resistant gloves. The product must be applied using a closed loading and delivery system such as a dry coupling and/or metering pump.
Avoid contamination of food.

USER SAFETY REQUIREMENTS

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

USER SAFETY RECOMMENDATIONS

User should wash hands before, eating, drinking, chewing gum, using tobacco, or using the toilet.
User should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, aquatic invertebrates, oysters, and shrimp. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

BAKER PETROLITE CORPORATION
12645 W. Airport Blvd.
Sugar Land, TX 77478

EMERGENCY CONTACT (24 HOURS PER DAY): 800-231-3606

NET CONTENTS: As Marked on the Label or Container

REV 9/14

REV 09/14

X-CIDE™ 305

INDUSTRIAL BACTERICIDE

FOR USE IN INDUSTRIAL PROCESSES ONLY. NOT FOR DOMESTIC USE.

ACTIVE INGREDIENT:

Alkyl*-1,3 propylene diamine acetates.....0.8%
INERT INGREDIENTS.....99.2%
TOTAL.....100.0%

*Alkyl as derived from coconut oil fatty acids.

KEEP OUT OF REACH OF CHILDREN DANGER

FIRST AID

Call poison control center or doctor immediately for treatment advice. Have the product container or label with you when calling a poison control center doctor, or going for treatment.
You may also contact 1-800-231-3606 for emergency medical treatment information.

IF IN EYES

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

IF ON SKIN OR CLOTHING

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.

IF SWALLOWED

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

IF INHALED

- Move person to fresh air.
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

EPA Registration Number.....10707-55
EPA Establishment Numbers.....XXXXX-XX-XXX

DANGER



ACCEPTED

SEP 10 2014

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 10707-55

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

For use in closed loading and delivery systems only. Use in once-through industrial water systems is prohibited.

NATURAL GAS WELLS, GATHERING SYSTEMS, AND PIPELINES
X-CIDE 305 Industrial Bactericide may be used in slug treatment or continuous application. Dosages may vary from 50,000 ppm (40 gallons X-CIDE 305 per 1,000 gallons water), X-CIDE 305 Industrial Bactericide in slug applications to 1,000 ppm (1 gallon X-CIDE 305 per 1,000 gallons water) to 10,000 ppm (8 gallons X-CIDE 305 per 1,000 gallons water).
X-CIDE 305 Industrial Bactericide in continuous treatment. A typical application is to add 2,000 ppm X-CIDE 305 Industrial Bactericide (2 gallons X-CIDE 305 per 1,000 gallons water) continuously.

STORAGE AND DISPOSAL

**DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL.
DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.**

STORAGE: Store only in original container.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

[Text for non-refillable containers:]

CONTAINER DISPOSAL: Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse container (or equivalent) promptly after emptying.

For containers of 5 gallons or less. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

For containers with capacities greater than 5 gallons. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

[Text for refillable containers:]

CONTAINER DISPOSAL: Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.

8/3