P. O. BOX 531 • METUCHEN, N. J. 08840 • (201) 225-3666

666 UN: FOR I. FURL BUBLECT TO ATIALISED LUMMENTS

P & R PRODUCT #GA 9638

THIS PRODUCT CAN BE USED IN THE FOLLOWING AREAS:
ON FLOORS AND WALLS IN FOOD AREAS, REST ROOMS, BARNS, KENNELS, STABLES, ANIMAL CAGES, RUNS, AND CAFETERIAS.

HOW TO USE:

MULTI-PURPOSE PRODUCT USED FOR DISINFECTION.

On floors and Walls in Rest Rooms, Food Areas, Cafeterias — use 2 oz. per gallon of water. Thoroughly wet surface with disinfecting solution. Do not allow solution to contact any surfaces which may subsequently contact food products.

- Remove all animals, poultry and feeds from premises, coops, and crates.
- Remove all litter and manure from floors, walls, and surfaces of barns, pens, stalls, chutes and other facilities and fixtures occupied or traversed by animals.
- Empty all troughs, racks, and other feeding and watering appliances.
- Saturate all surfaces with accepted disinfecting solution.
- Immerse all halters, ropes, and other types of equipment used in handling and restraining animals as well as forks, shovels, and scrapers.
- Ventilate buildings, coops and other closed spaces. Do not house livestock or empty equipment until treatment has been absorbed, set or dried.
- All treated feed racks, mangers, troughs, automatic feeders, fountains, and waterers must be thoroughly scrubbed with detergents and rinsed with potable water prior to reuse.

ACTIVE INGREDIENTS:

Alkyl $(60\%^{C}_{14}, 30\%^{C}_{16}, 5\%^{C}_{12}, 5\%^{C}_{18})$ dimethyl benzyl ammonium chlorides 2.25%
Alkyl (68% 12, 32% 14) dimethyl ethylbenzl ammonium chlorides 2.25%
Sodium carbonate
INERT INGREDIENTS:
100.00%

DANGER:

KEEP OUT OF REACH OF CHILDREN.

DO NOT GET IN EYES, ON SKIN OR CLOTHING. WEAR GOGGLES OR FACE SHIELD AND RUBBER GLOVES WHEN HANDLING. MAY CAUSE EYE DAMAGE OR SKIN IRRITATION. HARMFUL IF SWALLOWED, AVOID CONTAMINATION OF FOOD.

FIRST AID:

IN CASE OF CONTACT, IMMEDIATELY FLUSH EYES OR SKIN WITH WATER FOR AT LEAST 15 MINUTES. FOR EYES, CALL A PHYSICIAN. WASH ALL CONTAMINATED CLOTHING BEFORE REUSE. IF SWALLOWED, DRINK MILK, RAW EGG WHITE OR GELATIN SOLUTION. CALL A PHYSICIAN IMMEDIATELY.

CONTAINER DISPOSAL:

Rinse empty container thoroughly with water and discard it.

PACKAGED:

P & R FORM No. 1602A