



DANGER: KEEP OUT OF REACH OF CHILDREN.

ACCIDENTAL
9-27-72
UM 11
P.N.

SWIMMAGIC DRY CHLORINE

DIRECTIONS

1. Add 1/2 lb. of SWIMMAGIC DRY CHLORINE to 10,000 gallons of water.
2. After 15 minutes, test the water with a SWIMMAGIC test kit. Chlorine level should be a minimum of 1.0 ppm.



DANGER: ANTIDOTE: WATER

For more contact

STOP

Swim

SWIMMING DRY CHLORINE

NET WT. 4 LBS.

Active Ingredient
Inert Ingredients

AVAILABLE CHLORINE

DANGER: KEEP OUT OF REACH OF CHILDREN. Harmful if inhaled.

Dust may be harmful if inhaled. Do not take internally.

See other precautions and anti

SWIM MAGIC

DIRECTIONS If another method of chlorination has been used or if pool has been freshly filled, proper conditioning is necessary to ensure immediate maximum effectiveness from SWIM MAGIC Dry Chlorine

1. Add SWIM MAGIC Dry Chlorine to your pool following directions on the conditioner container.

2. After conditioning just add SWIM MAGIC Dry Chlorine every other day or as needed to maintain a minimum range of 1.0 to 1.5 ppm chlorine residual

DANGER: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. May irritate skin, eyes, nose and throat. Dust may be harmful if inhaled. Do not take internally. Keep out of eyes and off skin. Avoid inhalation of dust. See other precautions and antidote statement on back panel.

CP 7810-372

ACCEPTED

9-27-72

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC PESTICIDE REGISTRATION
ED UNDER NO. 10718-1

SWIM MAGIC DRY CHLORINE

DIRECTIONS If another method of chlorination has been used or if pool has been freshly filled, proper conditioning is necessary to ensure immediate maximum effectiveness from SWIM MAGIC Dry Chlorine.

1. Add SWIM MAGIC Dry Chlorine to your pool following directions on the conditioner container.
2. After conditioning just add SWIM MAGIC Dry Chlorine every other day or as needed to maintain a minimum range of 1.0 to 1.5 ppm chlorine residual.

Maintain a 7.4-7.6 pH level, using a reliable test kit. With water temperature above 75°F. superchlorinate once every 2 weeks with SWIM MAGIC Super Chlorinator (follow directions on super chlorinator package.) All superchlorination should be done when there are no swimmers present; swimming should not be resumed until the chlorine residual has dropped below 2.0 ppm. However, never permit residual to go below 1.0 ppm at any time.

Swim Magic Chlorination Guide	Pool Capacity Gallons	Swim Magic DRY CHLORINE Every Other Day or as Needed	Pool Capacity Gallons	Swim Magic DRY CHLORINE Every Other Day or as Needed
	5,000	1-1½ oz.*	15,000	3-4½ oz.
	10,000	2 - 3 oz.	20,000	4 - 6 oz.

*½ CUPFUL PROVIDES 4 OUNCES.

DANGER: ANTIDOTE: Internally—feed bread soaked in milk followed by olive oil or cooking oil. Call a Physician.
In Case of Contact—remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes, get medical attention. Clean contaminated clothing before re-use.
STORE in a cool, dry, well ventilated area. Moisture contamination

may liberate irritating and hazardous chlorine-containing gases. **OXIDIZING MATERIAL:** Do not mix with other chemicals. Contact with organic matter may cause fire. Burning will produce chlorine or equally toxic gases.
 This product is toxic to fish. Do not discharge treated pool water where it will drain directly into lakes, streams or ponds.

Rinse container well with water when empty. Do not reuse container.

Distributed by: POOL MAGIC, INC., P. O. Box 1293, La Puente, Calif. 91749

EPA REG. NO. 10718-1-AA

Made in USA SM-2-4

[Handwritten scribbles]