

U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (700-567) WASHINGTON, D.C. 20460	EPA REGISTRATION NO. 10727-6	DATE OF ISSUANCE APR 8 1985
	TERM OF ISSUANCE	
	NAME OF PESTICIDE PRODUCT Wood Guard Clear Wood Preservative	

NOTICE OF PESTICIDE: REGISTRATION Reregistration
 (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Monsy Products Company
 Cold Stream Road
 Kimberton, PA 19442

$\frac{161}{18}$ $\frac{144813}{1}$

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Add the phrase "EPA Registration No. 10727-6" to your label before you release the product for shipment.
3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Henry M. Jacoby
 Product Manager (21)
 Fungicide-Herbicide Branch
 Registration Division (TS-767)

BEST AVAILABLE COPY

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL: *Henry M. Jacoby* DATE: 4/8/85

Front Panel

ACCEPTED
with COMMENTS
EPA Letter 10727-6

APR 8 1985

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
10727-6

WOOD GUARD CLEAR WOOD PRESERVATIVE

Protects Against Mildew and Decay
and Provides a Water Beading Surface

Active Ingredients:

Methylene bis(thiocyanate) 0.253%

2-(thiocyanomethylthio)benzothiozole 0.253%

Inert Ingredients: 99.494%

100.000%

Weight per lb.--7.0 lbs.

Keep Out of Reach of Children

(12 pt)

WARNING

(18 pt)

See Back Panel for Additional Precautionary Statements:


EPA Reg. No. 107270

EPA Est. No. 10727-PA-1

Net Contents: 1 gal.

Monsey Products Co.
Cold Stream Rd.
Kimberton, PA 19442

BEST AVAILABLE COPY



Back Panel

Precautionary Statements
Hazards to Humans and Domestic Animals

Warning: Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed or absorbed through skin. Avoid breathing vapors or mist. This product may cause skin sensitization.

Statement of Practical Treatment: In case of skin contact, wash promptly and thoroughly with soap and water. If product gets in eyes, flush immediately with copious amounts of clean, cool water for 15 to 20 minutes. Get medical attention immediately. If product is swallowed, call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

Environmental Hazards

This pesticide is toxic to fish. Do not apply directly to water. Permits may be required for discharges containing this pesticide into lakes, streams, ponds, or public water. For guidance, contact the regional office of the Environmental Protection Agency.

Physical and Chemical Hazards

Do not use or store near heat or open flame.

Directions for Use


It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Storage and Disposal

(14 pt)

Storage: Keep container closed when not in use. Store in cool place. Leaking or damaged containers should be placed in a plastic bag and discarded in trash. All pesticides should be kept out of reach of children and stored away from food.

Disposal: Securely wrap original container in several layers of newspaper and discard in trash. Do not reuse container. Rinse thoroughly before discarding in trash.



Back Panel (cont)

Uses

Wood Guard Clear Wood Preservative is a unique and superior product, formulated for long lasting protection of all types of wood, including millwork, shingles, siding, structural lumber, fences, trellises, window sashes, lawn furniture and sun decks. Wood Guard Clear Wood Preservative is clear drying and repaintable. Its durable, invisible shield retains the natural organic texture, beauty and color of any wood. Wood Guard acts to stop water penetration and increases the resistance of stain, paint or varnish to blistering, peeling, mildew or fungal decay. Product serves as a water repellent and controls fungal growth by reducing the moisture level in wood. Protects against wood mold, staining and decay. Formulated to provide a waterbeading surface to wood. Suitable for exterior use or interior surfaces where there is frequent or prolonged wetting whenever wood rot resistance is desirable. Do not use on wood that may come into contact with food, feed, potable water, or livestock. Although Wood Guard Clear Wood Preservative is not herbicidal, it is advisable to cover any plants nearby or around foundations when spraying or brushing.

Directions

Surface to be treated should be clear, dry, and bare of any previous finishes. Apply by roller or brush. Do not heat or thin. Apply generously, soaking the wood thoroughly, especially end grain, joint and crack areas. If subsequent painting or staining of wood is desired, be certain wood is thoroughly dry (a minimum of 24 hours under average temperature and humidity conditions). On wood to be painted or stained, apply two coats of Wood Guard by brush or roller. Retreat any cuts or holes made after initial application.

On plywood and veneers, apply two coats by brush or roller. For extra protection, studs, joists and posts can be dipped into Wood Guard Clear for up to 30 minutes.

Coverage

Brush or roller approximately 150 square feet per gallon, per coat.
Dipping for 3 minutes requires up to 1 gallon per 100 board feet.
Dipping for 30 minutes requires up to 1 1/2 gallons per 100 board feet.

