

#### **USE DIRECTIONS:**

Dilute **BYQUAT** at 2 ounces to one gallon of water for disinfecting, cleaning, and deodorizing. This dilution will provide 500 ppm quaternary to the use dilution.

Fungicidal: Dilute 2 ounces to one gallon of water for fungicidal activity against pathogenic fungi (athelete's foot).

BYQUAT can be applied with a mop, sponge, cloth, or scrubbing machine to wet surfaces thoroughly with the recommended use dilution. Guaranteed minimum phenol coefficient by AOAC Methods 11th edition:

S. aureus

30

S. typhosa 19

# BYQUAT

CLEANER • DISINFECTANT
DEODORANT • FUNGICIDE

#### **ACTIVE INGREDIENTS:**

n-Alkyl (60% C <sub>14</sub> , 30% C <sub>16</sub> , 5% C <sub>12</sub> .	
5% C <sub>18</sub> ) dimethyl benzyl ammonium	
chlorides	1.6%
n-Alkyl (68% C <sub>12</sub> , 32% C <sub>14</sub> ) dimethyl	
ethylbenzyl ammonium c' ' ' 'des	1.6%
Sodium Carbonate	3.0%
INERT INGREDIENTS:	
	100.0%

#### DANGEF

Keep out of Reach of Children Sub other precautionary statements on additional panel.

Mar.utactured By

# TOMORROW'S PRODUCTS TODAY

BYQUAT is a cleaner, disinfectant, and sanitizer designed for general housekeeping and industrial cleaning. When used as directed, BYQUAT will also deodorize those areas which generally are hard to keep fresh smelling, such as GARBAGE PAILS, SINK TOPS, and BATHROOM AREAS which are prone to odors caused by the growth of some microorganisms. Effective against Staphylococcus aureus and Salmonella choleraesuis at 2 ounces per gallon. Also effective against pathogenic fungi, Trichophyton interdigitale, at this use dilution.

Rinse empty container thoroughly with water and discard.


EPA Reg. No. 10740-10-AA



BY TECH Chemical Corporation



UNDER THE FELLINAL INSECTICIDE FUNGICIDE AND ADDRESS HOLDE ACT FOR ECONOMIC POISON REGISTERED UNDER NO.



Keep Out of Reach of Children. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

### FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink PROMPTLY a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoil alcohol. Call a physician immediately.

## MUTE 10 PHYSICIAN

P. bably mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.