ACCEPTED

JUN 8 1979

Under the Federal Insetticide, Fungicide, and Rodentifide Act, as amended, for the politicide registered under

Animal Guard registered under DIRECTIONS FOR USE EPA Reg. No. 1050

For Face Flies: Remove mucous secretions and sativa deposits from face of animal. Hold dispenser 18 to 24 inches from animal. Spray face and other body regions where flies gather for 3-4 seconds per animal. Repeat daily, or as needed.

For Horse Flies, Horn Flies, Stable Flies, Deer Flies, Housefiles, Mosquitoes, Gnats: HOld container 18 to 24 inches from animal. Apply lightly to coat with a sweeping motion. Apply to back, belly, ear, or leg regions where the specific attacking insect feeds. Do not spray entire animal. Spray young animals sparingly. Do not apply to back of horses prior to sanding. Repeat daily, or as needed, for protection.

ACTIVE INGREDIENTS:

*Pyrethrins	20%
*Piperonyl butoxide, technical	
N-octyle bicycloheptene dicarboximide	
**Di-n-propyl isocinchomeronate	1.33%
Petroleum distillate	62.40%
INERT INGREDIENTS	35.00%
Total.	100 00%

^{*}Consists of .32% (butylcarbityl) (6-propylpiperonyl) ether and .08% related compounds

CAUTION

HARMFUL IF SWALLOWED. Do not contaminate feeds, water or mineral supplements with this spray. Do not contaminate milk or milk handling equipment with this spray. Wash udder and teats before milking. Avoid overspraying which will result in wetting animals hide.

PHYSICAL OR CHEMICAL HAZARDS

EXTREMELY FLAMMABLE. Contents under pressure. Keep away from fire, sparks and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

ANIMAL GUARD



EPA Est. 10806-NJ-1 EPA Reg. No. 10806-17

FOR TEMPORARY PROTECTION OF DAIRY CATTLE, BEEF CATTLE, AND HORSES FROM ATTACK BY HORSEFLIES — HORN FLIES — STABLE FLIES — DEER FLIES — HOUSEFLIES — MOSQUITOES — AND GNATS.

CAUTION:

EXTREMELY FLAMMABLE

See other cautions on back panel. KEEP OUT OF REACH OF CHILDREN.

[&]quot;MGK Repellent 326, U.S. Pat. No. 2,757,120