[10, 801-33]

X-TERM

INE

Piperon N-octyl

Dicarboximide

Bicycl

I butoxide, tech

hnical

H O

.000%

*Equivalent to 80% (propylpiperonyl) eth related compounds.

ether

Ð

putylcarbityl) (6-r and .20%

troleum

noleum distillate

100.000%

1.670% 11.830% 85.000%

iperonyl yrethrins

TIVE

INGREDIENTS:

The contents of this container will treat an unobstructed area of approximately 5,000 cubic feet. This is based on utilizing at least one (1) ounce of contents per 1,000 cubic feet. If area is larger, use additional containers. The fine aerosol particles kill exposed and accessible stages of cockroaches, ants, flies, silverfish, crickets, mosquitoes, gnats, wasps, fleas, and small flying moths.

DIRECTIONS FOR USE

Remove pets from areas to be treated and close doors and windows. In order to do a completely effective job, leave cupboards, closets, and trunks open. Turn off fans, air conditioners and extinguish all flames. Cover all food and utensils from direct contact with the spray.

Place can on raised area such as a table, spread paper under the can to protect the area directly beneath the sprayhead and can.

Remove cap, tilting can away from your face. Latch the hook firmly over rim of can by placing the thumb over the arrow and pressing forward. Leave the room, the spray will continue until the complete contents have been released. For maximum effectiveness keep treated area closed for two (2) hours or more, then open windows and doors and allow space to air for thirty (30) minutes.

This product can be used for spot spraying, do not lock top, spray in short bursts, pointing spray upwards with a circular motion for 5-10 seconds for an average room. Keep room closed for 15-20 minutes. Then air room out for 15 minutes. Spray directly on roaches, fleas, waterbugs, silverfish, and ants wherever possible.

"Do not use as a one shot type treatment after using manually, then it would be impossible to determine the area it would adequately treat as a one shot type treatment."


WARNING

When used in an enclosed area, vacate premises during treatment and ventilate the area once treatment is completed. Contents under pressure. Do not puncture, use or store near heat or open flame. Exposure to temperatures above 120° F, in the sun, or discarding the can into the fire or incinerator, may cause bursting. KEEP OUT OF **REACH OF CHILDREN.**

"Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when the facility is not in operation."

> Manufactured by: CONTACT INDUSTRIES, INC. 850 So. Oyster Bay Rd. Hicksville, NY 11801

401-D



.