

Reg # 10806-33

PM-10

193

**CONTACT  
X - TERM  
INDOOR FOGGER  
INSECTICIDE SPRAY**

**KILLS INSECTS IN  
Apartments - Basements - Attics**

**Automatic Continuous Spray  
Effectively Kills Insects Listed On Back Panel  
JUST PRESS DOWN TO LOCK  
AND LEAVE ROOM**

**ACTIVE INGREDIENTS:**

Pyrethrins.....	0.500%
*Piperonyl Butoxide, Technical.....	1.000%
N-Octyl Bicycloheptene Dicarboximide.....	1.670%
**INERT INGREDIENTS.....	96.830%
<b>TOTAL</b>	<b>100.000%</b>

\*Equivalent to .80% (Butylcarbityl)(6-propyl-piperonyl) ether and 20% related compounds.

\*\*Contains Petroleum Distillate.

**KEEP OUT OF REACH OF CHILDREN**

**WARNING: CONTENTS UNDER PRESSURE.SEE ADDITIONAL CAUTIONS AND DIRECTIONS ON BACK PANEL.**

**BEST AVAILABLE COPY**

**ACCEPTED**  
**3 MAY 1994**  
 Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 10806-33

9529

**X - TERM  
INDOOR FOGGER  
INSECTICIDE SPRAY**

The contents of this container will treat an obstructed area of 5,000 cubic feet. This is based on utilizing at least one ounce of contents per 1,000 cubic feet. If area is larger, use additional containers. The fine aerosol particles kill exposed and accessible stages of cockroaches, ants, flies, silverfish, crickets, mosquitoes, gnats, wasps, fleas and small flying moths.

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Intentional misuse of aerosol products by deliberately inhaling concentrated vapors may be harmful or fatal.


**AS A TOTAL RELEASE PRESSURIZED SPRAY AND INDOOR FOGGER**

**GENERAL DIRECTIONS:** Cover exposed foods, dishes, utensil and food handling equipment and surfaces. Open cabinets and doors to expose areas to be treated. Turn off fans and air conditioners and put out all flames and pilot lights. Close all doors and windows. Point valve opening away from face and eyes when releasing. Use one can for each 5,00 cubic feet of unobstructed area. Use additional units for remote rooms or where a free flow of mist is not assured. Do not remain in the area during treatment leaving room or building at once and keep the area treated closed for four hours before entering and airing out. After this treatment, open doors and windows and allow to air out for 30 minutes. Repeat spraying in two weeks if necessary. Remove pets, birds and fish aquariums before spraying.

**TO OPERATE VALVE AS A TOTAL RELEASE SPRAY**

To lock valve for total activity, hold container upright away from you and point valve opening away from face and eyes. Press valve button all the way down until it hooks into and catches on bottom of rim. Then place fogger on stand or table in center of room with valve locked open, placing several layers of newspaper under can. Follow directions in above paragraph.

**BEST AVAILABLE COPY**



**X - TERM  
INDOOR FOGGER  
INSECTICIDE SPRAY**

**STATEMENT OF PRACTICAL TREATMENT**

**IF SWALLOWED:** Call a physician or Poison Control Center immediately. This product contains petroleum distillate solvent which may present an aspiration hazard. **DO NOT INDUCE VOMITING.** Vomiting may cause aspiration pneumonia.

**IF IN EYES:** Flush with plenty of water. Get medical attention if irritation persists.

**IF ON SKIN OR CLOTHING:** Remove contaminated clothing and wash before re-use. Wash skin with soap and warm water. Get medical attention if irritation persists.

**IF INHALED:** Remove victim to fresh air. Apply artificial respiration if indicated.

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

Harmful if swallowed. Contains petroleum distillate. Do not induce vomiting because of aspiration pneumonia hazard. Avoid breathing vapors or spray mist. Avoid contact with skin or eyes. In case of contact, flush with plenty of water. Wash with soap and warm water after use. Obtain medical attention if irritation persists. Avoid contamination of food or feedstuffs.

Do not apply while food processing is underway. Cover or remove all food processing surfaces. Thoroughly wash all food processing surfaces before reuse. After spraying in bakeries, meat packing plants and food processing plants, all benches, shelving, and equipment where exposed food will be handled must be washed with an effective cleaning compound followed by a potable water rinse to remove all traces of contamination. Remove pets, birds, and cover fish aquariums before spraying.

**ENVIRONMENTAL HAZARDS**

Keep out of lakes, streams and ponds. Do not apply directly to water or to areas where surface water is present. Do not contaminate water by disposal.

**PHYSICAL AND CHEMICAL HAZARDS**

**WARNING: FLAMMABLE MIXTURE.** Contents under pressure. Do not use near fire, heated surfaces, sparks or flame. Do not puncture or incinerate container. Exposure to temperatures above 130 F may cause bursting. **DO NOT USE OR STORE NEAR FIRE OR OPEN FLAME.**

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

**STORAGE:** Store in a cool dry area away from heat or open flame.


**DISPOSAL:** Do not reuse empty container. Replace cap and discard containers in trash. Do not incinerate or puncture.

**WARNING:** Contains 1,1,1-Trichloroethane, a substance which harms public health and the environment by destroying ozone in the upper atmosphere.

EPA REG. NO. 10806-33

EPA EST. NO. 10806-NJ-1

MANUFACTURED BY:  
CONTACT INDUSTRIES DIV. OF  
SAFEGUARD CHEMICAL CORP.  
NEW YORK, NY 10454  
U.S.A.



**BEST AVAILABLE COPY**