# CONTACT PERSONAL INSECT REPELLENT

Provides Protection Against

Mosquitoes Fleas-Ticks No-see-ums Sand Flies Stable Flies Eye Gnats Black Flies

100.000%

ACTIVE INGREDIENTS:	
N,N-dimethyl-m-toulamide	9.9758
Other isomers	0.525%
*N-Octyl bicycloheptene dicarboximide	3.000%
**Di-N-propyl isocinchomeronate	1.500%
***INERT INGREDIENTS	85.000%

TOTAL

MGK (r) 264, Insecticide Synergist \*\*MGK (r) Repellent 326

\*\*\*Contains Petroleum Distillate

### KEEP OUT OF REACH OF CHILDREN

CAUTION: CONTENTS UNDER PRESSURE.

See back panel for additional precautionary statements.

ACCEPTED

02 UEU 1993

Under the Federal Insecticide. I ungicide, and itedenticide Act. or amended, for the pesticide registered under, 206-34.

#### PERSONAL INSECT REPELLENT

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Instruct older children in the proper use of this product.

FOR EXTERNAL USE ONLY. Do not spray in enclosed area. Causes eye irritation.

Do not get in eyes or mouth. Harmful if swallowed. Avoid breathing spray mist.

Avoid contact with lips and eyes. Do not apply over cuts, wounds, or irritated skin. Do not apply to excessively sunburned skin or irritated skin. Do not expose treated skin or clothing to fire, sparks or flame until liquid has evaporated. Do not let children rub their eyes if hands have been treated.

#### ENVIRONMENTAL HAZARDS

Keep out lakes, streams and ponds. Do not apply directly to water or to areas where surface water is present. Do not contaminate water by disposal.

#### PHYSICAL AND CHEMICAL HAZARDS

CAUTION: FLAMMABLE. Contents under pressure. Do not use or store near heat, sparks or open flame. Do not puncture or incinerate. Exposure to temperatures above 130 F may cause bursting.

#### STATEMENTS OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. IF ON SKIN: May cause skin reactions in rare cases. If so, wash with soda and water. Get medical attention if irritation persists. If you suspect that you or your child is reacting to this product, wash treated skin and call your local poison control center. If you go to a doctor, take this repellent with you. IF IN EYES: Flush with plenty of water. Get medical attention.

#### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

READ ALL DIRECTIONS BEFORE USING THIS PRODUCT. Remove protective cap. Hold unit 6 to 8 inches from skin or clothing while spraying, keeping nozzle pointed away from face. Slightly moisten skin or clothing with a slow sweeping motion. Frequent reapplication and saturation is unnecessary. Apply on face by first sp. ying small amount in palm of hand and spreading on face and neck. Do not apply to eyes and mouth and do not apply to the hands of young children. Do not spray directly on face. Use just enough repellent to cover exposed skin and/or clothing. Do not use under clothing. Avoid overexposure. After returning indoors, wash treated skin with soap and water. Wash treated clothing. Will not damage nylon, cotton or wool.

Avoid contact with plastics, such as eyeglass frames, and such fabric as acetate rayon. For tick, chiggers and fleas, spray pant cuffs, socks and around openings in outer clothing. May damage some synthetic fabrics, plastic watch crystals, leather, painted and varnished surfaces.

#### STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL! STORAGE: Store in a cool, dry area away from heat or open flame. ......
DISPOSAL: Do not reuse empty container. Wrap original container in several layers of newspaper and discard in trash. Do not puncture or incinerate.

EPA REG. NO. 10806-34

EPA EST. NO. 10806-NJ-1

MANUFACTURED BY: CONTACT INDUSTRIES DIV. OF SAFEGUARD CHEMICAL CORP. NEW YORK, NY 10454

