

PM 17

10806-43
12/14/90

1/1

EPA EST NO 10806 NJ-1

EPA REG NO 10806-43

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid inhalation of vapors. Avoid contact with skin, eyes, or clothing. Wash contaminated skin promptly with soap and warm water. For eyes, flush with plenty of water. Get medical attention if irritation persists. Avoid contamination of food and feedstuffs.

Do not use in commercial food processing, preparation, serving or storage areas. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover exposed food.

Remove pets, birds and cover fish aquariums before spraying.

PHYSICAL HAZARDS: Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperature above 130°F may cause bursting.

DIRECTIONS FOR USE

General Classification: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Storage: Store in a cool, dry area from heat or open flame.

Disposal: Do not reuse empty container. Wrap container and put in trash collection.

This product will kill: Houseflies, Mosquitoes, Black Carpet Beetles, Saw-toothed Grain Beetles, Rice Weevils, Small Flying Moths, Spiders, Centipedes, Fleas, Ticks, Wasps, Pill Bugs, Crickets, Silverfish, Firebrats, Hornets and Ants.

Aids in control of Cockroaches and Waterbugs.

TO KILL TICKS & FLEAS: Remove and destroy old pet bedding. Apply this product as for other insects. Put fresh bedding in pet quarters after treatment. Treat dogs and cats with a registered tick control product before allowing them to enter.

Use one can for each 1500 cubic feet of occupied space.

Use one can for each 6000 cubic feet of unobstructed area. Use additional units for remote rooms or where free flow of mist is not assured.

Cover exposed food, dishes and food-handling equipment. Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Put out all flames and pilot lights. Close doors and windows. Point valve opening away from face and eyes when releasing. Use one unit for each 6000 cubic feet of unobstructed area. Do not remain in the area during treatment and ventilate thoroughly before re-entry.

TO OPERATE VALVE: To lock valve in open position for automatic discharge, press valve button all the way down, hooking the catch. Then place fogger on stand or table in center of room with valve locked open, placing several layers of newspaper or pad under fogger. Leave building at once and keep building closed for four hours before airing out. Open all doors and windows and allow to air for 30 minutes. Repeat spraying in two weeks or when necessary.

INDOOR FOGGER/INSECTICIDE SPRAY**III****ACTIVE INGREDIENTS**

Tetranethrin [(1-Cyclohexene-1, 2-dicarboximido) methyl 2,2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate]..... .2002

3-Phenoxybenzyl d-cis and trans 2,2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate..... .3822

*Other isomers..... .0182

**INERT INGREDIENTS..... 99.4001
Total 100.0002

*d-(cis, trans) phenothrin

**cis/trans isomer ratio: Max. 25% (+ or -) cis
Min. 75% (+ or -) trans

**contains Petroleum Distillate

For Use In: Rooms, Apartments, Homes, Attics, Basements, Campers, Boats, Garages, Pet Sleep-in Areas, Household Storage Areas, Washrooms, Cabins and non-food areas of Hotels, Schools, Hotels, Industrial Plants.

- Household Use
- Pest Control Use
- Non-food Areas of Institutions and Industrial Plants



CAUTION: KEEP OUT OF REACH OF CHILDREN.
(See other cautions on back panel).

NET WEIGHT: 11 OZS.

003

004737

BEST AVAILABLE COPY