

MAR 20 1991

Mr. Norman Banks
Contact Industries, Inc.
641 Dowd Avenue
Elizabeth, NJ 07201

Dear Mr. Banks:

Subject: Contact Indoor Fogger Insecticide III
EPA Registration No. 10806-42
Your Letter Dated July 18, 1988

The labeling submitted in connection with registration of the product cited above under the Federal Insecticide, Fungicide, and Rodenticide Act is acceptable subject to the comments listed below. A stamped copy is enclosed for your records.

1. The Petroleum distillate should be declared as an inert ingredient. The total percentage of inert ingredients must be adjusted accordingly.

2. Add a footnote to the ingredient statement to read:

Contains petroleum distillates.

3. Phenothrin should be listed in the ingredient statement as follows:

3-phenoxybenzyl-(1RS, 3RS, 1RS, 3SR)-2,2-
dimethyl-3-(2-methylprop-1-enyl) cyclo-
propanecarboxylate. 0.400%

Note that all isomers are now combined into one percentage.

4. Change the Physical Hazards statement to read:

Extremely Flammable. Contents under pressure. Keep away from fire, sparks, and heated surfaces. Do not puncture or incinerate container. Exposure to temperature above 130 °F may cause bursting.

57708:I:Tavano:L10-1:KEVRIC:03/14/91:04/12/91:tk

CONCURRENCES							
SYMBOL	H75052						
SURNAME	Tavano						
DATE	3/18/91						

-2-


5. Since the data matrix does not give a dielectrical breakdown voltage, you must add the following statement to the directions for use:

Do not use this product in or on electrical equipment due to the possibility of shock hazard.

6. Delete the term "General Classification."

The Confidential Statement of Formula (CSF) and chemistry data are acceptable and have been made a part of the file.

Sincerely yours.

 Richard F. Mountfort
Product Manager (10)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosure

EPA EST NO 10806 NJ-1

EPA REG NO 10806-43

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid inhalation of vapors. Avoid contact with skin, eyes, or clothing. Wash contaminated skin promptly with soap and warm water. For eyes, flush with plenty of water. Get medical attention if irritation persists. Avoid contamination of food and feedstuffs.

Do not use in commercial food processing, preparation, serving or storage areas. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover exposed food.

Remove pets, birds and cover fish aquariums before spraying.

PHYSICAL HAZARDS: Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperature above 130 F may cause bursting.

DIRECTIONS FOR USE

General Classification: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Storage: Store in a cool, dry area from heat or open flame.

Disposal: Do not re-use empty container. Wrap container and put in trash collection.

This product will kill Houseflies, Mosquitoes, Black Carpet Beetles, Saw-toothed Grain Beetles, Rice Weevils, Small Flying Moths, Spiders, Centipedes, Fleas, Ticks, Wasps, Pill Bugs, Crickets, Silverfish, Firebrats, Hornets and Ants.

Aids in control of Cockroaches and Waterbugs.


TO KILL TICKS & FLEAS: Remove and destroy old pet bedding. Apply this product as for other insects. Put fresh bedding in pet's quarters after treatment. Treat dogs and cats with a registered tick control product before allowing them to enter.

Use one can for each 1500 cubic feet of occupied space.

Use one can for each 6 000 cubic feet of unobstructed area. Use additional units for remote rooms or where free flow of mist is not assured.

Cover exposed food, dishes and food-handling equipment. Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Put out all flames and pilot lights. Close doors and windows. Point valve opening away from face and eyes when releasing. Use one unit for each 6 000 cubic feet of unobstructed area. Do not remain in the area during treatment and ventilate thoroughly before re-entry.

TO OPERATE VALVE: To lock valve in open position for automatic discharge, press valve button all the way down, hooking the catch. Then place fogger on dining table in center of room with valve locked open, placing several layers of newspaper or food under fogger. Leave building at once and keep building closed to allow fogger to air out. Open all doors and windows and allow to air for 30 minutes before spraying in two weeks or when necessary.



CAUTION: KEEP OUT OF REACH OF CHILDREN. (See other cautions on back panel).

NET WEIGHT: 11 OZS.

Household Use
Pest Control Use
Non-food Areas of
Institutions and
Industrial Plants

100% Effective
with COMBUSTION
in EPA Letter dated
MAR 20 1991
Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
10806-43